

MISSOURI
VITAL STATISTICS
1967
Division of Health
PUBLIC HEALTH STATISTICS

MISSOURI
PUBLIC HEALTH STATISTICS
VITAL STATISTICS

1967

Prepared by
Statistical Services
October, 1968

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI

DIVISION OF HEALTH
BROADWAY STATE OFFICE BUILDING
JEFFERSON CITY, MISSOURI 65101

PREFACE

This is the final tabulation of statistical data for the period 1967. This annual report of Vital Statistics was compiled for use in the study of birth, death, marriage and divorce statistics.

If more detailed information is desired, one may obtain such data by contacting the Missouri Division of Health, Statistical Services, Broadway State Office Building, Jefferson City, Missouri 65101.

STATISTICAL SERVICES

1968

COMPILATION AND UTILIZATION

Vital Statistics in Missouri are compiled from five documents which are filed with the Division of Health by State Law. To obtain the fullest use of these records, many sources of data must be utilized, including population, social science, medical, statistical, and demographic literature. Vital data are of little value unless special care is taken to analyze the cause and effect of the trends in vital events. To do this, knowledge and understanding of considerable background material are necessary. In Missouri, the five basic records on file with the Division of Health are: (1) birth records, (2) death records, and (3) fetal death records, each beginning with 1910; (4) marriage, and (5) divorce records; beginning with 1948. Much use is made of the data concerning vital events because they play such an important part in both our economy and social structure. The births that occur today will affect the sale of childrens' toys, the construction of schools, the number of homes to be built for future families and the aging population. People interested in these problems and others must turn to vital statistics for source and background data.

The economic and social factors which are affected by the occurrence of vital events, in turn, are significant in the present and future health of the people of Missouri.

RELIABILITY OF THE DATA

Statistics are neither more true nor more false than the interpretation given to them. Figures cannot be wrong until we interpret them as representing a specific thing. The value of the data lessens as the knowledge of the person using a specific kind of data decreases. Reports published by the Bureau of Vital Statistics are limited in their scope by the amount of time and money available for their publication. They are published in a form standardized for use by vital statisticians. This means that certain facts must be realized if knowledge is to be gained from the use of these reports. A novice can best ask for advice from a person trained in the use of statistics, their collection, tabulation, and interpretation. The main sources of error found in vital statistics are: underregistration[1], improper tabulation procedure, poor response or indifference on the part of those responsible for completing vital records, and probably the most dangerous source of error, improper interpretation.

Age and sex distribution together with social and economic conditions play a large part in the health of the people of any state. Missouri counties have a range in age from one county with one-half of its people under 21 years of age to another with one-half of the people over 40 years of age. A county that has a population composed primarily of younger persons might present a fictitious picture of good health if the number of deaths is used as a measure of health. The reverse could be true in a county composed predominantly of older persons.

POPULATION

Population data used for computing rates shown in this report were obtained from the following sources: Population Estimates, 1911-1950, taken from the United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1965; 1960 population taken from United States Census of Population, "General Characteristics," PC(1) 27B; 1951-1959 and 1961-1966 as computed by the Missouri Division of Health, Statistical Services. The components used to compute the 1961 through 1966 estimates[2] were the net change, natural increase and net migration. The net migration based upon the experience during the period 1950-1960.

USE OF THE TERMS "RECORDED" AND "RESIDENT"

Historically, vital statistics have been presented in two forms, "Recorded" and "Resident". It is important to understand the significance of these terms when analyzing vital statistics. As an example, this report might show birth data as follows for two selected areas (1965 figures):

Recorded live births, City of Springfield - 3,377
Resident live births, City of Springfield - 1,780
Recorded live births, Gasconade County - 3
Resident live births, Gasconade County - 156

What accounts for the difference in the above birth numbers? The differences are between the recorded and resident births of an area, due mainly to facilities available in the area. In the first case, people are coming into a city to have their babies, because of the medical facilities available. In the second case, people are leaving an area to have their babies.

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child).

RACE AND COLOR

The category "White" includes, in addition to persons reported as white, those reported as Mexican, Puerto Rican, Chinese, Japanese, Indian, except Negro. In other words, persons reported as Negro are recorded as "Nonwhite"; all other classes are recorded as "White". Any person reported as a mixed race which includes Negro is recorded as "Nonwhite".

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here were classified in accordance with the World Health Organization Regulations, nee "Manual of the International Statistical Classification of Diseases and Causes of Death", based on the recommendations of the Seventh Revision Conference, 1955.

DESCRIPTION OF SYMBOLS

If a blank or dash (-) is shown, this means none or zero (0). An NA or three dots (...) shows that the data is either not available or not applicable. In the case of rates, 0.0 indicates that the rate is less than 0.1.

---

[1]This report includes the marriages and divorces reported to this office. There are a few counties which did not report any of these events. In some cases this may be a true picture of the occurrences in those counties; in others, it represents underreporting. This report does not include information from those Missouri residents who marry and seek divorce outside of the State. As yet, there is no interchange between states of these events. As State laws change, this causes changes in the rate which may not represent a true picture. Thus, a tightening of divorce laws may drop the reported divorce rate but not the resident rate. These data are recorded.

[2]Estimates computed April, 1967.

TABLE OF CONTENTS

BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS

Table/Graph			Page
	A	Trends in Live Birth and Death Rates, 1911-1967	2
1		Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911-1944	3
2		Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945-1967	3
3		Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1967	4
4		Resident and Recorded Births and Fetal Deaths by Counties With Rates, Missouri: 1967	5
5		Resident and Recorded Births and Fetal Deaths by Cities Over 2,500 Population, Missouri: 1967	7
6		Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1967	9
	B	Trends in Fetal Death Rates by Color, 1932-1967	10
7		Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1967	10
8		Legitimacy of Resident Live Births With Percentages by Color by Counties and Cities of 10,000 Population and Over, Missouri: 1967	11
9		Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1967	14
10		Five Leading Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1967	14
	C	Trends in Maternal Death Rates by Color, 1932-1967	15
11		Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1967	15
12		Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1967	16
13		Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties with Rates, Missouri: 1967	18
14		Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Cities 2,500 Population, Missouri: 1967	20
	D	Trends in Infant Death Rates by Color, 1932-1967	23
15		Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1967	23
16		Resident Live Births and Fetal Deaths by Color and Attendant; Infant Deaths, Maternal Deaths and Selected Causes of Death by Color; State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1967	24

ACCIDENTS


17		Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1967	58

MARRIAGES

	E	Trends in Marriage Rates, 1949-1967	60
18		Reported Marriages by Age of Groom, by Age of Bride, Missouri: 1967	60
19		Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1967	61
20		Reported Marriages by Marital Status, Missouri: 1967	61
21		Reported Marriages by Color of Groom, Missouri: 1967	61

DIVORCES


	F	Trends in Divorce Rates, 1949-1967	64
22		Reported Divorces and Annulments by Number of Previous Marriages, Husband Versus Wife, Missouri: 1967	64
23		Reported Divorces and Annulments by Duration of Marriages, Missouri: 1967	64
24		Reported Divorces and Annulments by Number of Children Affected, Missouri: 1967	65
25		Reported Divorces and Annulments by Complainant Versus to Whom Decree Granted, Missouri: 1967	65
26		Reported Divorces and Annulments by Complainant Versus Disposition of Children, Missouri: 1967	65
27		Reported Divorces and Annulments by Alimony and Settlement, Missouri: 1967	66
28		Reported Divorces and Annulments by Legal Grounds for Decree, Missouri: 1967	66
29		Reported Divorces and Annulments by Color, Husband Versus Wife, Missouri: 1967	66
30		Reported Divorces and Annulments by Number of Cases Contested, Missouri: 1967	66



BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS

GRAPH A.

LIVE BIRTH AND DEATH RATES 1911–1967
(per 1,000 population)



Year	Live Births	Deaths	Year	Live Births	Deaths
1911	22.3	13.1	1939	15.8	11.3
1912	22.6	12.6	1940	16.5	11.6
1913	22.1	12.4	1941	17.4	11.4
1914	21.3	12.0	1942	19.0	11.0
1915	20.5	11.7	1943	20.2	12.0
1916	20.8	12.7	1944	19.7	11.9
1917	19.3	13.1	1945	18.7	12.1
1918	19.2	15.6	1946	21.5	11.3
1919	18.2	11.7	1947	23.4	11.6
1920	19.2	12.5	1948	22.1	11.1
1921	19.5	10.6	1949	21.5	11.1
1922	18.7	11.2	1950	21.6	11.0
1923	19.3	12.1	1951	22.5	11.0
1924	19.7	11.5	1952	22.4	11.2
1925	19.4	11.7	1953	22.5	11.1
1926	18.7	10.0	1954	22.8	10.7
1927	18.6	11.4	1955	22.7	10.4
1928	17.6	12.6	1956	23.1	10.7
1929	16.8	12.2	1957	23.1	11.3
1930	17.0	11.8	1958	22.8	11.0
1931	16.2	11.9	1959	23.3	11.0
1932	16.0	11.7	1960	22.6	11.2
1933	15.3	11.5	1961	22.3	10.8
1934	15.9	12.3	1962	21.3	11.1
1935	15.1	11.4	1963	20.4	11.4
1936	14.7	12.8	1964	19.8	11.1
1937	15.1	11.9	1965	18.1	11.2
1938	15.7	11.3	1966	17.4	11.5
			1967	16.6	11.2

Source: Missouri State Board of Health, Vital Statistics, 1911–1934 and 1937–1944; Division of Health of Missouri, Vital Statistics Reports, 1945–date; Special Reports of the United States Bureau of the Census, 1935–36. Population estimates 1911 to 1950 taken from United States Bureau of the Census Release, Series P–25, No. 139, June 27, 1956; 1951–1959 and 1961–date as computed by the Division of Health of Missouri; 1960, taken from the United States Census of Population, PC (1) 27B. Recorded data 1911 to 1944 and Resident data 1945 to date.

TABLE 1

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911–1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911–1934 and 1937–1944 Vital Statistics Reports of the Missouri State Board of Health. 1935–1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P–25, No. 139, June 27, 1956.

TABLE 2

POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945–1967

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,366	101,462	23.2	47,933	11.0	97,321	22.3	47,303	10.8	50,018
1962	4,400	97,658	22.2	49,685	11.3	93,879	21.3	49,016	11.1	44,863
1963	4,429	93,545	21.1	51,159	11.6	90,363	20.4	50,538	11.4	39,825
1964	4,455	90,918	20.4	50,271	11.3	88,335	19.8	49,617	11.1	38,718
1965	4,476	84,162	18.8	51,101	11.4	81,216	18.1	50,249	11.2	30,967
1966	4,492	80,750	18.0	52,476	11.7	77,946	17.4	51,581	11.5	26,365
1967	4,504	77,940	17.3	51,245	11.4	74,823	16.6	50,544	11.2	24,279

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945–1950 taken from United States Bureau of the Census Release Series P–25 No. 139, June 27, 1956; 1951–1959 and 1961–date as computed by the Missouri Division of Health; 1960, taken from the United States Census of Population, PC(1) 27B.

TABLE 3.

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT, LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE, URBAN AND RURAL, MISSOURI: 1967

Live Births	Number			Percentages		
	State Total	Urban	Rural	State Total	Urban	Rural
SEX – COLOR						
Grand Total	74,823	39,685	35,138	100.0	100.0	100.0
Total Male	38,070	20,187	17,883	50.9	50.9	50.9
Total Female	36,753	19,498	17,255	49.1	49.1	49.1
White Total	63,326	29,622	33,704	100.0	100.0	100.0
Male	32,293	15,127	17,166	51.0	51.1	50.9
Female	31,033	14,495	16,538	49.0	48.9	49.1
Nonwhite Total	11,497	10,063	1,434	100.0	100.0	100.0
Male	5,777	5,060	717	50.2	50.3	50.0
Female	5,720	5,003	717	49.8	49.7	50.0

Live Births	Number			Percentages		
	State Total	Urban	Rural	State Total	Urban	Rural
ATTENDANT – COLOR						
Grand Total	74,823	39,685	35,138	100.0	100.0	100.0
M.D.	67,052	37,142	29,910	89.6	93.6	85.1
D.O.	7,526	2,481	5,045	10.1	6.3	14.4
Midwife	181	49	132	0.2	0.1	0.4
Others	64	13	51	0.1	0.0	0.1
White Total	63,326	29,622	33,704	100.0	100.0	100.0
M.D.	56,142	27,261	28,881	88.7	92.1	85.8
D.O.	7,110	2,346	4,764	11.2	7.9	14.1
Midwife	21	5	16	0.0	0.0	0.0
Others	53	10	43	0.1	0.0	0.1
Nonwhite Total	11,497	10,063	1,434	100.0	100.0	100.0
M.D.	10,910	9,881	1,029	94.9	98.3	71.7
D.O.	416	135	281	3.6	1.3	19.6
Midwife	160	44	116	1.4	0.4	8.1
Others	11	3	8	0.1	0.0	0.6

Live Births	Number						Percentages					
	State Total		Urban		Rural		State Total		Urban		Rural	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
LEGITIMACY - COLOR												
Live Birth Total	63,326	11,497	29,622	10,063	33,704	1,434	100.0	100.0	100.0	100.0	100.0	100.0
Legitimate	60,359	7,063	27,950	6,200	32,409	863	95.4	61.4	94.3	61.6	96.2	60.2
Illegitimate	2,937	4,421	1,654	3,853	1,283	568	4.6	38.5	5.6	38.3	3.8	39.6
Not Stated	30	13	18	10	12	3	0.0	0.1	0.1	0.1	0.0	0.2
DEFORMITY - COLOR												
Live Birth Total	63,326	11,497	29,622	10,063	33,704	1,434	100.0	100.0	100.0	100.0	100.0	100.0
Deformed Total	863	131	390	110	473	21	1.4	1.1	1.3	1.1	1.4	1.5
Not Deformed Total	57,666	10,819	26,957	9,466	30,709	1,353	91.0	94.1	91.0	94.1	91.1	94.3
Not Stated or Unknown	4,797	547	2,275	487	2,522	60	7.6	4.8	7.7	4.8	7.5	4.2
BIRTH WEIGHT - ATTENDANT												
Over 5½ lbs. Total	58,927	9,754	27,471	8,513	31,456	1,241	100.0	100.0	100.0	100.0	100.0	100.0
M.D.	52,303	9,237	25,307	8,349	26,996	888	88.8	94.7	92.2	98.1	85.9	71.5
D.O.	6,558	365	2,152	121	4,406	244	11.1	3.7	7.8	1.4	14.0	19.7
Midwife	20	147	5	42	15	105	0.0	1.5	0.0	0.5	0.0	8.5
Others	46	5	7	1	39	4	0.1	0.1	0.0	0.0	0.1	0.3
Under 5½ lbs. Total	4,264	1,724	2,106	1,537	2,158	187	100.0	100.0	100.0	100.0	100.0	100.0
M.D.	3,735	1,661	1,913	1,522	1,822	139	87.6	96.4	90.9	99.0	84.5	74.4
D.O.	521	49	190	14	331	35	12.2	2.8	9.0	0.9	15.3	18.7
Midwife	–	11	–	1	–	10	–	0.6	–	0.1	–	5.3
Others	8	3	3	–	5	3	0.2	0.2	0.1	–	0.2	1.6
Not Stated Total	135	19	45	13	90	6	100.0	100.0	100.0	100.0	100.0	100.0
M.D.	103	12	41	10	62	2	76.3	63.2	91.1	76.9	68.9	33.3
D.O.	31	2	4	–	27	2	23.0	10.5	8.9	–	30.0	33.3
Midwife	1	2	–	1	1	1	0.7	10.5	–	7.7	1.1	16.7
Others	–	3	–	2	–	1	–	15.8	–	15.4	–	16.7
DELIVERIES BY PLACE												
Place of Birth Total	63,326	11,497	29,622	10,063	33,704	1,434	100.0	100.0	100.0	100.0	100.0	100.0
Hospital	61,779	10,851	29,426	9,946	32,353	905	97.6	94.4	99.4	98.9	95.9	63.1
Clinic	1,158	357	95	11	1,063	346	1.8	3.1	0.3	0.1	3.2	24.1
Residence	267	241	67	71	200	170	0.4	2.1	0.2	0.7	0.6	11.9
Other	122	48	34	35	88	13	0.2	0.4	0.1	0.3	0.3	0.9
MONTH OF OCCURRENCE												
Total	63,326	11,497	29,622	10,063	33,704	1,434	100.0	100.0	100.0	100.0	100.0	100.0
January	5,439	1,021	2,594	887	2,845	134	8.6	8.9	8.8	8.8	8.4	9.3
February	4,877	886	2,281	787	2,596	99	7.7	7.7	7.7	7.8	7.7	6.9
March	5,404	1,006	2,493	876	2,911	130	8.5	8.8	8.4	8.7	8.6	9.1
April	4,578	803	2,190	690	2,388	113	7.2	7.0	7.4	6.9	7.1	7.9
May	5,126	872	2,438	771	2,688	101	8.1	7.6	8.2	7.7	8.0	7.0
June	5,227	989	2,479	852	2,748	137	8.3	8.6	8.4	8.5	8.2	9.6
July	5,701	1,041	2,570	902	3,131	139	9.0	9.1	8.7	9.0	9.3	9.7
August	5,742	1,074	2,701	944	3,041	130	9.0	9.2	9.1	9.2	9.0	9.1
September	5,543	995	2,587	881	2,956	114	8.8	8.7	8.7	8.8	8.8	7.9
October	5,493	957	2,501	845	2,992	112	8.7	8.3	8.4	8.4	8.9	7.8
November	5,050	888	2,341	781	2,709	107	8.0	7.7	7.9	7.8	8.0	7.5
December	5,146	965	2,447	847	2,699	118	8.1	8.4	8.3	8.4	8.0	8.2

Percentages are computed on the basis of total white and nonwhite live births.

Urban areas include cities over 10,000 population according to 1960 Census. All other areas are included in "rural".

TABLE 4

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI: 1967

Counties	Population	Number				Rates			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
State Total	4,503,793	74,823	1,036	77,940	1,062	16.6	13.8	17.3	13.6
Counties including Cities:									
Adair	18,952	333	3	624	7	17.6	9.0	32.9	11.2
Andrew	9,951	156	1	–	–	15.7	6.4	–	–
Atchison	7,430	144	1	203	2	19.4	6.9	27.3	9.9
Audrain	25,280	389	5	491	5	15.4	12.9	19.4	10.2
Barry	15,729	242	3	287	2	15.4	12.4	18.2	7.0
Barton	9,119	113	–	111	–	12.4	–	12.2	–
Bates	13,629	234	2	218	2	17.2	8.5	16.0	9.2
Benton	7,693	102	1	19	–	13.3	9.8	2.5	–
Bollinger	7,467	92	2	34	1	12.3	21.7	4.6	29.4
Boone	58,511	1,295	11	1,961	22	22.1	8.5	33.5	11.2
Buchanan	80,876	1,435	26	1,890	25	17.7	18.1	23.4	13.2
Butler	29,544	472	6	833	14	16.0	12.7	28.2	16.8
Caldwell	7,358	79	1	–	–	10.7	12.7	–	–
Callaway	22,480	355	3	178	2	15.8	8.5	7.9	11.2
Camden	9,281	123	2	36	1	13.3	16.3	3.9	27.8
Cape Girardeau	40,994	663	6	1,159	14	16.2	9.0	28.3	12.1
Carroll	11,669	163	3	139	3	14.0	18.4	11.9	21.6
Carter	3,222	52	1	4	–	16.1	19.2	16.1	–
Cass	40,168	571	7	649	6	14.2	12.3	16.2	9.2
Cedar	7,724	126	1	186	2	16.3	7.9	24.1	10.8
Chariton	10,398	132	5	1	–	12.7	37.9	0.1	–
Christian	11,380	181	2	–	–	15.9	11.0	–	–
Clark	7,979	121	–	–	–	15.2	–	–	–
Clay	145,543	1,939	17	1,570	12	13.3	8.8	10.8	7.6
Clinton	10,625	158	1	104	1	14.9	6.3	9.8	9.6
Cole	41,970	694	3	1,318	12	16.5	4.3	31.4	9.1
Cooper	13,553	196	4	143	2	14.5	20.4	10.6	14.0
Crawford	12,400	246	4	352	2	19.8	16.3	28.4	5.7
Dade	6,020	57	1	1	–	9.5	17.5	0.2	–
Dallas	7,751	109	1	3	–	14.1	9.2	0.4	–
Daviess	7,724	94	4	19	1	12.2	42.6	2.5	52.6
DeKalb	6,086	88	3	1	–	14.5	34.1	0.2	–
Dent	9,161	149	–	–	–	16.3	–	–	–
Douglas	7,408	115	–	3	–	15.5	–	0.4	–
Dunklin	32,167	547	2	636	4	17.0	3.7	19.8	6.3
Franklin	49,026	951	6	739	4	19.4	6.3	15.1	5.4
Gasconade	11,027	149	1	50	1	13.5	6.7	4.5	20.0
Gentry	6,983	116	–	130	1	16.6	–	18.6	7.7
Greene	134,202	2,242	29	3,175	38	16.7	12.9	23.7	12.0
Grundy	10,436	123	4	141	7	11.8	32.5	13.5	49.6
Harrison	9,151	127	4	124	4	13.9	31.5	13.6	32.3
Henry	17,168	243	4	317	3	14.2	16.5	18.5	9.5
Hickory	3,565	31	–	6	–	8.7	–	1.7	–
Holt	6,166	75	–	1	–	12.2	–	0.2	–
Howard	9,521	128	1	107	1	13.4	7.8	11.2	9.3
Howell	19,590	304	2	455	6	15.5	6.6	23.2	13.2
Iron	6,602	134	1	142	2	20.3	7.5	21.5	14.1
Jackson	635,958	11,629	178	14,034	186	18.3	15.3	22.1	13.3
Jasper	72,088	1,271	14	1,380	13	17.6	11.0	19.1	9.4
Jefferson	100,679	1,819	21	587	7	18.1	11.5	5.8	11.9
Johnson	35,644	374	5	569	6	10.5	13.4	16.0	10.5
Knox	5,440	80	1	4	–	14.7	12.5	0.7	–
Laclede	17,325	323	3	337	2	18.6	9.3	19.5	5.9
Lafayette	23,190	361	7	303	5	15.6	19.4	13.1	16.5
Lawrence	21,453	309	3	274	–	14.4	9.7	12.8	–
Lewis	10,458	159	5	–	1	15.2	31.4	–	–
Lincoln	14,925	262	–	368	4	17.6	–	24.7	10.9
Linn	13,873	171	3	219	7	12.3	17.5	15.8	32.0
Livingston	14,056	251	2	332	3	17.9	8.0	23.6	9.0
McDonald	9,661	172	–	1	–	17.8	–	0.1	–
Macon	14,048	188	1	173	–	13.4	5.3	12.3	–
Madison	7,705	139	–	574	4	18.0	–	74.5	7.0
Maries	6,549	98	–	–	–	15.0	–	–	–
Marion	26,907	392	8	637	12	14.6	20.4	23.7	18.8
Mercer	4,396	36	1	45	2	8.2	27.8	10.2	44.4

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used was the July 1967 estimate.

TABLE 4 (continued)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI: 1967

Counties	Population	Number				Rates			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Miller	12,713	207	5	38	1	16.3	24.2	3.0	26.3
Mississippi	17,826	377	5	211	1	21.1	13.3	11.8	4.7
Moniteau	9,511	154	2	2	–	16.2	13.0	0.2	–
Monroe	9,535	117	2	5	–	12.3	17.1	0.5	–
Montgomery	10,217	148	3	1	–	14.5	20.3	0.1	–
Morgan	8,204	104	–	–	–	12.7	–	–	–
New Madrid	24,713	450	14	129	2	18.2	31.1	5.2	15.5
Newton	28,937	430	4	545	5	14.9	9.3	18.8	9.2
Nodaway	19,371	328	2	290	3	16.9	6.1	15.0	10.3
Oregon	7,831	120	–	72	1	15.3	–	9.2	13.9
Osage	9,806	199	3	–	–	20.3	15.1	–	–
Ozark	5,079	78	–	37	–	15.4	–	7.3	–
Pemiscot	31,170	556	8	605	10	17.8	14.4	19.4	16.5
Perry	13,083	229	5	400	6	17.5	21.8	30.6	15.0
Pettis	35,056	465	8	604	7	13.3	17.2	17.2	11.6
Phelps	26,223	412	4	597	7	15.7	9.7	22.8	11.7
Pike	15,359	262	5	290	4	17.1	19.1	18.9	13.8
Platte	31,635	508	6	1	–	16.1	11.8	0.0	–
Polk	11,258	171	2	69	2	15.2	11.7	6.1	29.0
Pulaski	44,219	270	10	1,051	15	6.1	37.0	23.8	14.3
Putnam	5,308	78	2	90	1	14.7	25.6	17.0	11.1
Ralls	7,054	96	–	–	–	13.6	–	–	–
Randolph	19,678	318	5	334	6	16.2	15.7	17.0	18.0
Ray	15,102	226	–	199	1	15.0	–	13.2	5.0
Reynolds	3,952	84	–	2	–	21.3	–	0.5	–
Ripley	7,113	101	1	70	–	14.2	9.9	9.8	–
St. Charles	83,558	1,777	20	1,440	20	21.3	11.3	17.2	13.9
St. Clair	6,652	62	1	25	1	9.3	16.1	3.8	40.0
St. Francois	33,558	552	5	238	4	16.4	9.1	7.1	16.8
Ste. Genevieve	11,516	186	2	–	–	16.2	10.8	–	–
St. Louis City	627,450	13,082	259	18,694	340	20.8	19.8	29.8	18.2
St. Louis County	1,023,471	14,611	170	11,098	123	14.3	11.6	10.8	11.1
Saline	22,279	371	1	308	1	16.7	2.7	13.8	3.2
Schuyler	4,196	60	1	1	–	14.3	16.7	0.2	–
Scotland	5,480	72	–	1	–	13.1	–	0.2	–
Scott	30,103	585	8	639	16	19.4	13.7	21.2	25.0
Shannon	5,964	114	8	14	3	19.1	70.2	2.3	214.3
Shelby	7,883	116	1	1	–	14.7	8.6	0.1	–
Stoddard	24,592	381	4	284	–	15.5	10.5	11.5	–
Stone	6,836	130	–	2	–	19.0	–	0.3	–
Sullivan	6,698	79	–	64	1	11.8	–	9.6	15.6
Taney	9,559	121	1	138	1	12.7	8.3	14.4	7.2
Texas	15,453	251	4	331	3	16.2	15.9	21.4	9.1
Vernon	17,703	217	4	157	5	12.3	18.4	8.9	31.8
Warren	9,084	141	2	1	–	15.5	14.2	0.1	–
Washington	12,889	270	7	267	7	20.9	25.9	20.7	26.2
Wayne	6,979	112	1	–	–	16.0	8.9	–	–
Webster	11,982	195	1	85	2	16.3	5.1	7.1	23.5
Worth	3,008	31	–	1	–	10.3	–	0.3	–
Wright	11,913	197	4	112	2	16.5	20.3	9.4	17.9

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used was the July 1967 estimate.

TABLE 5

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI: 1967

Number

Cities	RESIDENT		RECORDED	
	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Total Cities 2,500 Pop. & Over	50,531	707	66,503	908
Total Cities 10,000 Pop. & Over	39,685	604	54,811	788
Total Cities Over 2,500 Pop. Less Than 10,000	10,846	103	11,692	120
Cities Over 10,000 Population:				
Bellefontaine Neighbors	121	1	–	–
Berkeley	426	2	4	–
Brentwood	278	2	1	–
Cape Girardeau City	422	3	1,159	12
Carthage	192	4	398	5
Clayton	175	–	673	6
Columbia	889	7	1,958	22
Crestwood	165	5	–	–
Ferguson	482	8	1	–
Florissant	1,585	20	1	–
Fulton	148	–	178	2
Gladstone	174	2	–	–
Hannibal	266	6	637	12
Marion Co. Part	265	6	637	12
Ralls Co. Part	1	–	–	–
Independence	1,948	31	1,335	15
Jefferson City	383	1	1,317	12
Jennings	346	1	–	–
Joplin	627	7	1,105	10
Jasper Co. Part	596	7	910	8
Newton Co. Part	31	–	195	2
Kansas City	9,407	147	12,700	171
Jackson Co. Part	8,177	131	12,698	171
Clay Co. Part	1,028	12	2	–
Platte Co. Part	202	4	–	–
Kirksville	236	3	623	7
Kirkwood	451	3	1,089	9
Maplewood	234	–	–	–
Mexico	191	3	474	5
Moberly	203	1	331	6
Overland	599	6	2	–
Poplar Bluff	248	4	822	14
Raytown	426	3	1	–
Richmond Heights	210	–	3,051	28
Rolla	194	1	596	7
St. Ann	465	5	–	–
St. Charles	751	6	1,438	20
St. Joseph	1,210	22	1,889	25
St. Louis City	13,082	259	18,694	340
Sedalia	346	8	604	7
Sikeston	268	6	556	15
Scott Co. Part	265	6	556	15
New Madrid Co. Part	3	–	–	–
Springfield	1,716	21	3,174	38
University City	517	3	–	–
Webster Groves	304	3	–	–
Cities Over 2,500 Population Less Than 10,000 Population:				
Aurora	84	–	222	–
Ballwin	232	2	–	–
Bel-Ridge	103	1	–	–
Belton	147	2	–	–
Bethany	35	1	124	4
Blue Springs	84	1	–	–
Boliver	55	–	34	1
Bonne Terre	53	–	112	2
Boonville	98	2	141	2
Bowling Green	31	–	–	–

TABLE 5 (continued)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI: 1967

Number

Cities Over 2,500 Population Less Than 10,000 Population	RESIDENT		RECORDED	
	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Breckenridge Hills	55	–	–	–
Bridgeton	547	8	–	–
Brookfield	59	–	99	3
Butler	59	2	216	2
California	41	–	–	–
Cameron	44	–	103	1
Clinton Co. Part	41	–	103	1
DeKalb Co. Part	3	–	–	–
Canton	32	1	–	–
Carrollton	77	2	139	3
Caruthersville	157	3	5	1
Centralia	43	–	–	–
Chaffee	37	–	62	1
Charleston	105	1	142	1
Chillicothe	166	–	331	3
Clinton	101	1	261	2
Creve Coeur	367	5	–	–
Crystal City	58	–	–	–
Dellwood	122	3	–	–
DeSoto	112	2	11	1
Des Peres	34	–	–	–
Dexter	83	1	213	–
East Prairie	65	1	56	–
Eldon	49	2	–	–
ElDorado Springs	42	–	184	2
Ellisville	61	1	55	–
Excelsior Springs	167	–	187	–
Clay Co. Part	162	–	187	–
Ray Co. Part	5	–	–	–
Farmington	102	–	16	–
Fayette	52	1	107	1
Festus	157	2	–	–
Flat River	56	1	3	–
Fredericktown	59	–	574	4
Frontenac	25	–	–	–
Glendale	84	1	–	–
Grandview	252	5	–	–
Hanley Hills	30	–	–	–
Harrisonville	86	–	287	5
Hayti	104	1	561	8
Hazelwood	532	7	1	–
Hermann	53	–	50	1
Higginsville	58	–	–	–
Hillsdale Village	37	1	–	–
Jackson	95	–	–	–
Kennett	188	–	528	2
Kinloch	149	1	–	–
LaDue	61	2	–	1
Lamar	50	–	109	–
Lebanon	153	–	335	2
Lee's Summit	275	1	–	–
Lexington	79	4	261	5
Liberty	224	1	1	–
Louisiana	62	1	284	3
Macon	75	–	170	–
Malden	87	–	101	1
Marceline	32	1	120	4
Marshall	180	–	262	–
Maryville	140	–	289	3
Moline Acres	51	–	–	–
Monett	82	–	246	–
Barry Co. Part	63	1	246	2
Lawrence Co. Part	19	–	–	–
Mountain Grove	53	–	40	–
Neosho	101	1	228	3

TABLE 5 (continued)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI: 1967

Number

Cities Over 2,500 Population Less Than 10,000 Population	RESIDENT		RECORDED	
	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Nevada	95	1	156	5
New Madrid	55	2	6	–
Normandy	179	3	761	8
North Kansas City	126	–	1,135	9
Northwoods	34	–	–	–
O'Fallon	161	–	–	–
Olivette	83	2	–	–
Pacific	75	–	–	–
Franklin Co. Part	71	–	–	–
St. Louis Co. Part	4	–	–	–
Pagedale	77	1	–	–
Palmyra	45	1	–	–
Perryville	101	2	399	6
Pinelawn	79	–	–	–
Pleasant Hill	49	–	1	–
Portageville	50	–	6	–
Potosi	49	–	8	1
Richmond	76	–	–	–
Riverview	76	1	–	–
Rock Hill	100	–	2	–
St. Clair	57	–	–	–
St. John	132	1	–	–
Ste. Genevieve	62	1	–	–
Salem	69	–	–	–
Shrewsbury	92	–	–	–
Slater	37	–	3	–
Sugar Creek	110	2	–	–
Sullivan	111	–	346	2
Crawford Co. Part	20	–	345	2
Franklin Co. Part	91	–	1	–
Sunset Hills	48	–	–	–
Trenton	57	3	140	7
Union	89	–	–	–
Valley Park	92	3	–	1
Vandalia	58	–	1	–
Warrensburg	149	2	293	2
Washington	168	1	738	3
Webb City	104	1	72	–
Wellston	178	2	–	–
Wentzville	80	–	1	–
West Plains	102	–	298	1
Windsor	29	–	56	1
Woodson Terrace	83	–	–	–

TABLE 6


RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER, SEX AND COLOR OF CHILD, MISSOURI: 1967

Age of Mother	Grand Total	URBAN					RURAL				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
All Ages	74,823	39,685	15,127	14,495	5,060	5,003	35,138	17,166	16,538	717	717
10-14 Years	221	164	13	15	77	59	57	18	15	12	12
15-19 Years	13,702	7,754	2,486	2,254	1,505	1,509	5,948	2,757	2,784	198	209
20-24 Years	28,026	14,940	5,982	5,804	1,559	1,595	13,086	6,512	6,183	204	187
25-29 Years	17,476	9,097	3,767	3,574	922	834	8,379	4,168	3,943	125	143
30-34 Years	8,974	4,569	1,712	1,733	568	556	4,405	2,126	2,100	100	79
35-39 Years	4,812	2,355	863	841	315	336	2,457	1,206	1,133	56	62
40-44 Years	1,510	753	294	253	107	99	757	364	355	16	22
45-49 Years	86	44	8	19	6	11	42	15	23	2	2
50 Years & Over	–	–	–	–	–	–	–	–	–	–	–
Unknown	16	9	2	2	1	4	7	–	2	4	1

GRAPH B.

FETAL DEATH RATES 1932–1967

(per 1,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	41.9	38.4	97.4	1950	19.2	17.2	37.2
1933	37.5	34.2	88.9	1951	18.2	16.4	34.3
1934	33.9	31.3	73.9	1952	17.5	16.1	29.7
1935	38.5	35.8	79.2	1953	17.8	15.9	33.1
1936	36.0	33.4	74.7	1954	17.2	15.9	27.7
1937	33.9	31,3	70.1	1955	16.7	14.9	29.8
1938	35.0	32.0	76.4	1956	16.6	15.4	25.4
1939	30.7	27.8	71.3	1957	16.5	15.7	22.1
1940	32.5	29.8	69.5	1958	16.1	14.7	24.8
1941	32.5	29.7	71.4	1959	15.4	14.0	24.2
1942	28.9	26.2	65.0	1960	15.2	13.8	24.3
1943	26.1	23.6	59.0	1961	14.7	12.8	27.0
1944	26.1	23.3	59.8	1962	15.1	13.2	26.5
1945	24.1	21.7	53.2	1963	13.9	12.1	24.7
1946	23.6	21.4	51.2	1964	15.5	13.3	28.7
1947	20.8	18.8	44.7	1965	14.3	12.8	23.0
1948	20.7	18.7	42.7	1966	13.3	11.7	21.7
1949	19.3	17.5	35.9	1967	13.8	12.6	20.5

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949–date. 1932-44 are recorded data and 1945 to date are resident.

TABLE 7

RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI: 1967

Weight	RESIDENT			RECORDED		
	Total	White	Nonwhite	Total	White	Nonwhite
2 Pounds 3 Ounces or Less	235	166	69	239	170	69
2 Pounds 4 Ounces – 3 Pounds 4 Ounces	103	73	30	106	74	32
3 Pounds 5 Ounces – 4 Pounds 6 Ounces	118	83	35	122	85	37
4 Pounds 7 Ounces – 5 Pounds 8 Ounces	110	83	27	109	82	27
5 Pounds 9 Ounces – 6 Pounds 9 Ounces	115	92	23	121	98	23
6 Pounds 10 Ounces – 7 Pounds 11 Ounces	115	87	28	116	89	27
7 Pounds 12 Ounces – 8 Pounds 13 Ounces	63	50	13	62	49	13
8 Pounds 14 Ounces – 9 Pounds 14 Ounces	24	22	2	24	22	2
9 Pounds 15 Ounces or More	14	13	1	15	14	1
Unknown or Not Stated	139	131	8	148	138	10
Totals	1,036	800	236	1,062	821	241

TABLE 8

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1967

Counties and Cities over 10,000	Grand Total	WHITE							NONWHITE						
		White Total	Legitimate		Illegitimate		Not Stated		Non-white Total	Legitimate		Illegitimate		Not Stated	
			No.	Per-cent	No.	Per-cent	No.	Per-cent		No.	Per-cent	No.	Per-cent	No.	Per-cent
State Total	74,823	63,326	60,359	95.3	2,937	4.6	30	0.0	11,497	7,063	61.4	4,421	38.5	13	0.1
Cities over 10,000	39,685	29,622	27,950	94.4	1,654	5.6	18	0.1	10,063	6,200	61.6	3,853	38.3	10	0.1
Rural	35,138	33,704	32,409	96.2	1,283	3.8	12	0.0	1,434	863	60.2	568	39.6	3	0.2
Counties incl. Cities over 10,000:															
Adair	333	331	323	97.6	8	2.4	–	–	2	2	100.0	–	–	–	–
Andrew	156	156	153	98.1	3	1.9	–	–	–	–	–	–	–	–	–
Atchison	144	144	135	93.8	8	5.6	1	0.7	–	–	–	–	–	–	–
Audrain	389	362	344	95.0	18	5.0	–	–	27	13	48.1	14	51.9	–	–
Barry	242	242	231	95.5	11	4.5	–	–	–	–	–	–	–	–	–
Barton	113	113	107	94.7	5	4.4	1	0.9	–	–	–	–	–	–	–
Bates	234	231	223	96.5	8	3.5	–	–	3	–	–	3	100.0	–	–
Benton	102	102	100	98.0	2	2.0	–	–	–	–	–	–	–	–	–
Bollinger	92	92	88	95.7	4	4.3	–	–	–	–	–	–	–	–	–
Boone	1,295	1,194	1,140	95.5	54	4.5	–	–	101	55	54.5	46	45.5	–	–
Buchanan	1,435	1,375	1,282	93.2	93	6.8	–	–	60	39	65.0	21	35.0	–	–
Butler	472	427	397	93.0	30	7.0	–	–	45	22	48.9	22	48.9	1	2.2
Caldwell	79	79	78	98.7	1	1.3	–	–	–	–	–	–	–	–	–
Callaway	355	328	316	96.3	11	3.4	1	0.3	27	18	66.7	9	33.3	–	–
Camden	123	123	116	94.3	7	5.7	–	–	–	–	–	–	–	–	–
Cape Girardeau	663	621	597	96.1	24	3.9	–	–	42	25	59.5	17	40.5	–	–
Carroll	163	159	150	94.3	9	5.7	–	–	4	3	75.0	1	25.0	–	–
Carter	52	52	51	98.1	1	1.9	–	–	–	–	–	–	–	–	–
Cass	571	569	550	96.7	19	3.3	–	–	2	1	50.0	1	50.0	–	–
Cedar	126	126	121	96.0	5	4.0	–	–	–	–	–	–	–	–	–
Chariton	132	118	115	97.5	3	2.5	–	–	14	9	64.3	5	35.7	–	–
Christian	181	181	177	97.8	4	2.2	–	–	–	–	–	–	–	–	–
Clark	121	121	116	95.9	5	4.1	–	–	–	–	–	–	–	–	–
Clay	1,939	1,929	1,855	96.2	73	3.8	1	0.1	10	7	70.0	3	30.0	–	–
Clinton	158	153	141	92.2	11	7.2	1	0.7	5	1	20.0	4	80.0	–	–
Cole	694	675	653	96.7	22	3.3	–	–	19	16	84.2	3	15.8	–	–
Cooper	196	184	180	97.8	4	2.2	–	–	12	6	50.0	6	50.0	–	–
Crawford	246	246	232	94.3	13	5.3	1	0.4	–	–	–	–	–	–	–
Dade	57	57	54	94.7	3	5.3	–	–	–	–	–	–	–	–	–
Dallas	109	109	106	97.2	3	2.8	–	–	–	–	–	–	–	–	–
Daviess	94	94	87	92.6	7	7.4	–	–	–	–	–	–	–	–	–
DeKalb	88	88	87	98.9	1	1.1	–	–	–	–	–	–	–	–	–
Dent	149	149	141	94.6	8	5.4	–	–	–	–	–	–	–	–	–
Douglas	115	115	111	96.5	4	3.5	–	–	–	–	–	–	–	–	–
Dunklin	547	514	483	94.0	31	6.0	–	–	33	15	45.5	18	54.5	–	–
Franklin	951	939	908	96.7	31	3.3	–	–	12	10	83.3	2	16.7	–	–
Gasconade	149	149	143	96.0	6	4.0	–	–	–	–	–	–	–	–	–
Gentry	116	116	110	94.8	6	5.2	–	–	–	–	–	–	–	–	–
Greene	2,242	2,189	2,087	95.3	99	4.5	3	0.1	53	38	71.7	15	28.3	–	–
Grundy	123	123	115	93.5	8	6.5	–	–	–	–	–	–	–	–	–
Harrison	127	127	123	96.9	4	3.1	–	–	–	–	–	–	–	–	–
Henry	243	239	226	94.6	13	5.4	–	–	4	1	25.0	3	75.0	–	–
Hickory	31	31	29	93.5	2	6.5	–	–	–	–	–	–	–	–	–
Holt	75	75	71	94.7	4	5.3	–	–	–	–	–	–	–	–	–
Howard	128	104	97	93.3	7	6.7	–	–	24	13	54.2	11	45.8	–	–
Howell	304	304	287	94.4	17	5.6	–	–	–	–	–	–	–	–	–
Iron	134	132	126	95.5	6	4.5	–	–	2	2	100.0	–	–	–	–
Jackson	11,629	8,905	8,346	93.7	553	6.2	6	0.1	2,724	1,708	62.7	1,012	37.2	4	0.1
Jasper	1,271	1,257	1,186	94.4	68	5.4	3	0.2	14	10	71.4	4	28.6	–	–
Jefferson	1,819	1,797	1,740	96.8	57	3.2	–	–	22	15	68.2	7	31.8	–	–

TABLE 8 (continued)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1967

Counties and Cities over 10,000	Grand Total	WHITE							NONWHITE						
		White Total	Legitimate		Illegitimate		Not Stated		Non-white Total	Legitimate		Illegitimate		Not Stated	
			No.	Per-cent	No.	Per-cent	No.	Per-cent		No.	Per-cent	No.	Per-cent	No.	Per-cent
Johnson	374	362	349	96.4	13	3.6	–	–	12	10	83.3	2	16.7	–	–
Knox	80	80	79	98.8	1	1.3	–	–	–	–	–	–	–	–	–
Laclede	323	321	308	96.0	13	4.0	–	–	2	2	100.0	–	–	–	–
Lafayette	361	346	328	94.8	18	5.2	–	–	15	10	66.7	5	33.3	–	–
Lawrence	309	309	301	97.4	8	2.6	–	–	–	–	–	–	–	–	–
Lewis	159	148	138	93.2	10	6.8	–	–	11	10	90.9	1	9.1	–	–
Lincoln	262	244	237	97.1	7	2.9	–	–	18	12	66.7	6	33.3	–	–
Linn	171	170	167	98.2	3	1.8	–	–	1	1	100.0	–	–	–	–
Livingston	251	243	231	95.1	12	4.9	–	–	8	7	87.5	1	12.5	–	–
McDonald	172	172	163	94.8	9	5.2	–	–	–	–	–	–	–	–	–
Macon	188	181	171	94.5	10	5.5	–	–	7	4	57.1	3	42.9	–	–
Madison	139	139	135	97.1	4	2.9	–	–	–	–	–	–	–	–	–
Maries	98	98	93	94.9	5	5.1	–	–	–	–	–	–	–	–	–
Marion	392	364	347	95.3	17	4.7	–	–	28	16	57.1	11	39.3	1	3.6
Mercer	36	36	35	97.2	1	2.8	–	–	–	–	–	–	–	–	–
Miller	207	207	200	96.6	7	3.4	–	–	–	–	–	–	–	–	–
Mississippi	377	252	234	92.9	17	6.7	1	0.4	125	61	48.8	64	51.2	–	–
Moniteau	154	151	145	96.0	6	4.0	–	–	3	–	–	3	100.0	–	–
Monroe	117	104	101	97.1	3	2.9	–	–	13	11	84.6	2	15.4	–	–
Montgomery	148	131	124	94.7	7	5.3	–	–	17	10	58.8	7	41.2	–	–
Morgan	104	100	93	93.0	7	7.0	–	–	4	4	100.0	–	–	–	–
New Madrid	450	273	258	94.5	15	5.5	–	–	177	102	57.6	74	41.8	1	0.6
Newton	430	430	417	97.0	13	3.0	–	–	–	–	–	–	–	–	–
Nodaway	328	328	314	95.7	14	4.3	–	–	–	–	–	–	–	–	–
Oregon	120	120	117	97.5	3	2.5	–	–	–	–	–	–	–	–	–
Osage	199	199	194	97.5	5	2.5	–	–	–	–	–	–	–	–	–
Ozark	78	78	76	97.4	1	1.3	1	1.3	–	–	–	–	–	–	–
Pemiscot	556	331	303	91.5	27	8.2	1	0.3	225	118	52.4	105	46.7	2	0.9
Perry	229	229	218	95.2	11	4.8	–	–	–	–	–	–	–	–	–
Pettis	465	435	418	96.1	17	3.9	–	–	30	9	30.0	21	70.0	–	–
Phelps	412	411	398	96.8	13	3.2	–	–	1	1	100.0	–	–	–	–
Pike	262	245	229	93.5	16	6.5	–	–	17	10	58.8	7	41.2	–	–
Platte	508	505	485	96.0	19	3.8	1	0.2	3	1	33.3	2	66.7	–	–
Polk	171	171	166	97.1	5	2.9	–	–	–	–	–	–	–	–	–
Pulaski	270	258	238	92.2	20	7.8	–	–	12	8	66.7	4	33.3	–	–
Putnam	78	78	76	97.4	2	2.6	–	–	–	–	–	–	–	–	–
Ralls	96	93	92	98.9	1	1.1	–	–	3	2	66.7	1	33.3	–	–
Randolph	318	293	284	96.9	9	3.1	–	–	25	9	36.0	16	64.0	–	–
Ray	226	220	208	94.5	12	5.5	–	–	6	3	50.0	3	50.0	–	–
Reynolds	84	84	83	98.8	1	1.2	–	–	–	–	–	–	–	–	–
Ripley	101	101	95	94.1	6	5.9	–	–	–	–	–	–	–	–	–
St. Charles	1,777	1,751	1,713	97.8	38	2.2	–	–	26	18	69.2	8	30.8	–	–
St. Clair	62	62	61	98.4	1	1.6	–	–	–	–	–	–	–	–	–
St. Francois	552	551	527	95.6	24	4.4	–	–	1	1	100.0	–	–	–	–
Ste. Genevieve	186	185	183	98.9	2	1.1	–	–	1	1	100.0	–	–	–	–
St. Louis City	13,082	6,480	5,964	92.0	511	7.9	5	0.1	6,602	4,031	61.1	2,568	38.9	3	0.0
St. Louis County	14,611	13,926	13,511	97.0	415	3.0	–	–	685	475	69.3	209	30.5	1	0.1
Saline	371	341	324	95.0	17	5.0	–	–	30	23	76.7	7	23.3	–	–
Schuyler	60	60	59	98.3	1	1.7	–	–	–	–	–	–	–	–	–
Scotland	72	72	71	98.6	1	1.4	–	–	–	–	–	–	–	–	–
Scott	585	507	480	94.7	27	5.3	–	–	78	34	43.6	44	56.4	–	–
Shannon	114	114	104	91.2	10	8.8	–	–	–	–	–	–	–	–	–
Shelby	116	115	114	99.1	1	0.9	–	–	1	–	–	1	100.0	–	–
Stoddard	381	344	328	95.3	16	4.7	–	–	37	20	54.1	17	45.9	–	–
Stone	130	130	124	95.4	6	4.6	–	–	–	–	–	–	–	–	–

TABLE 8 (continued)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1967

Counties and Cities over 10,000	Grand Total	WHITE							NONWHITE						
		White Total	Legitimate		Illegitimate		Not Stated		Non-white Total	Legitimate		Illegitimate		Not Stated	
			No.	Per-cent	No.	Per-cent	No.	Per-cent		No.	Per-cent	No.	Per-cent	No.	Per-cent
Sullivan	79	79	78	98.7	1	1.3	–	–	–	–	–	–	–	–	–
Taney	121	120	112	93.3	7	5.8	1	0.8	1	1	100.0	–	–	–	–
Texas	251	251	239	95.2	12	4.8	–	–	–	–	–	–	–	–	–
Vernon	217	217	200	92.2	16	7.4	1	0.5	–	–	–	–	–	–	–
Warren	141	134	132	98.5	2	1.5	–	–	7	6	85.7	1	14.3	–	–
Washington	270	266	254	95.5	12	45	–	–	4	3	75.0	1	25.0	–	–
Wayne	112	112	105	93.8	7	6.3	–	–	–	–	–	–	–	–	–
Webster	195	195	186	95.4	9	4.6	–	–	–	–	–	–	–	–	–
Worth	31	31	30	96.8	1	3.2	–	–	–	–	–	–	–	–	–
Wright	197	197	178	90.4	18	9.1	1	0.5	–	–	–	–	–	–	–
Cities over 10,000:															
Bellefontaine Neighbors	121	121	119	98.3	2	1.7	–	–	–	–	–	–	–	–	–
Berkeley	426	402	388	96.5	14	3.5	–	–	24	18	75.0	6	25.0	–	–
Brentwood	278	260	253	97.3	7	2.7	–	–	18	14	77.8	4	22.2	–	–
Cape Girardeau City	422	382	368	96.3	14	3.7	–	–	40	23	57.5	17	42.5	–	–
Carthage	192	188	178	94.7	9	4.8	1	0.5	4	4	100.0	–	–	–	–
Clayton	175	172	169	98.3	3	1.7	–	–	3	2	66.7	1	33.3	–	–
Columbia	889	802	762	95.0	40	5.0	–	–	87	46	52.9	41	47.1	–	–
Crestwood	165	164	163	99.4	1	0.6	–	–	1	–	–	1	100.0	–	–
Ferguson	482	477	466	97.7	11	2.3	–	–	5	5	100.0	–	–	–	–
Florissant	1,585	1,583	1,541	97.3	42	2.7	–	–	2	2	100.0	–	–	–	–
Fulton	148	128	118	92.2	9	7.0	1	0.8	20	14	70.0	6	30.0	–	–
Gladstone	174	174	172	98.9	2	1.1	–	–	–	–	–	–	–	–	–
Hannibal	266	240	226	94.2	14	5.8	–	–	26	15	57.7	10	38.5	1	3.8
Independence	1,948	1,944	1,872	96.3	70	3.6	2	0.1	4	3	75.0	1	25.0	–	–
Jefferson City	383	364	347	95.3	17	4.7	–	–	19	16	84.2	3	15.8	–	–
Jennings	346	344	329	95.6	15	4.4	–	–	2	2	100.0	–	–	–	–
Joplin	627	617	573	92.9	42	6.8	2	0.3	10	6	60.0	4	40.0	–	–
Kansas City	9,407	6,689	6,220	93.0	465	7.0	4	0.1	2,718	1,703	62.7	1,011	37.2	4	0.1
Kirksville	236	236	231	97.9	5	2.1	–	–	–	–	–	–	–	–	–
Kirkwood	451	394	379	96.2	15	3.8	–	–	57	34	59.6	23	40.4	–	–
Maplewood	234	229	216	94.3	13	5.7	–	–	5	3	60.0	2	40.0	–	–
Mexico	191	170	162	95.3	8	4.7	–	–	21	9	42.9	12	57.1	–	–
Moberly	203	181	175	96.7	6	3.3	–	–	22	9	40.9	13	59.1	–	–
Overland	599	594	570	96.0	24	4.0	–	–	5	4	80.0	1	20.0	–	–
Poplar Bluff	248	215	196	91.2	19	8.8	–	–	33	13	39.4	19	57.6	1	3.0
Raytown	426	425	414	97.4	11	2.6	–	–	1	1	100.0	–	–	–	–
Richmond Heights	210	187	185	98.9	2	1.1	–	–	23	14	60.9	8	34.8	1	4.3
Rolla	194	193	185	95.9	8	4.1	–	–	1	1	100.0	–	–	–	–
St. Ann	465	465	454	97.6	11	2.4	–	–	–	–	–	–	–	–	–
St. Charles	751	737	715	97.0	22	3.0	–	–	14	11	78.6	3	21.4	–	–
St. Joseph	1,210	1,150	1,064	92.5	86	7.5	–	–	60	39	65.0	21	35.0	–	–
St. Louis City	13,082	6,480	5,964	92.0	511	7.9	5	0.1	6,602	4,031	61.1	2,568	38.9	3	0.0
Sedalia	346	316	304	96.2	12	3.8	–	–	30	9	30.0	21	70.0	–	–
Sikeston	268	223	207	92.8	16	7.2	–	–	45	18	40.0	27	60.0	–	–
Springfield	1,716	1,663	1,577	94.8	83	5.0	3	0.2	53	38	71.7	15	28.3	–	–
University City	517	445	429	96.4	16	3.6	–	–	72	67	93.1	5	6.9	–	–
Webster Groves	304	268	259	96.6	9	3.4	–	–	36	26	72.2	10	27.8	–	–
Included in above Cities:															
Hannibal-Ralls	1	1	1	100.0	–	–	–	–	–	–	–	–	–	–	–
Joplin-Newton	31	31	29	93.5	2	6.5	–	–	–	–	–	–	–	–	–
Kansas City-Clay	1,028	1,028	995	96.8	33	3.2	–	–	–	–	–	–	–	–	–
Sikeston-New Madrid	3	3	3	100.0	–	–	–	–	–	–	–	–	–	–	–
Kansas City-Platte	202	202	194	96.0	8	4.0	–	–	–	–	–	–	–	–	–

TABLE 9.

TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI: 1967

Rank	Cause of Death	Total	Rates	White	Nonwhite
1.	Heart Disease (400-402, 410-443)	19,428	431.4	17,884	1,544
2.	Malignant Neoplasms (140-205)	8,177	181.6	7,434	743
3.	Vascular Lesions*(330-334)	6,180	137.2	5,543	637
4.	Accidents (800-962)	2,791	62.0	2,508	283
5.	Diseases of Digestive System (530-587)	1,869	41.5	1,647	222
6.	Pneumonia (490-493)	1,748	38.8	1,491	257
7.	Malformations & Diseases of Early Infancy (750-776)	1,409	31.3	1,064	345
8.	Arteriosclerosis (450)	1,275	28.8	1,202	73
9.	Diabetes Mellitus (260)	899	20.0	793	106
10.	Suicides (970-979)	530	11.8	501	29
	All Other Causes	6,238		5,246	992
	Totals	50,544		45,313	5,231

Total Resident Deaths – 50,544

Estimated Population July 1, 1967 – 4,503,793

TABLE 10

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS, NUMBER OF RESIDENT DEATHS, MISSOURI: 1967

Cause by Age Groups	Deaths
Under 1 Year	
1. Diseases of Early Infancy (760-776)	1,053
2. Malformations (750-759)	244
3. Influenza & Pneumonia (480-493)	157
4. Accidents (800-962)	52
5. Diseases of Digestive System (530-587)	31
1-4 Years	
1. Accidents (800-962)	111
2. Influenza & Pneumonia (480-493)	34
3. Cancer (140-205)	34
4. Malformations (750-759)	31
5. Infectious & Parasitic Diseases (001-138)	12
5-14 Years	
1. Accidents (800-962)	172
2. Cancer (140-205)	58
3. Influenza & Pneumonia (480-493)	20
4. Malformations (750-759)	20
5. Infectious & Parasitic Diseases (001-138)	9
15-24 Years	
1. Accidents (800-962)	501
2. Homicide (980-985)	80
3. Cancer (140-205)	56
4. Suicides (970-979)	49
5. Heart Disease (400-402, 410-443)	28
25-34 Years	
1. Accidents (800-962)	261
2. Homicide (980-985)	106
3. Cancer (140-205)	101
4. Suicides (970-979)	69
5. Heart Disease (400-402, 410-443)	63
35-44 Years	
1. Cancer (140-205)	349
2. Heart Disease (400-402, 410-443)	345
3. Accidents (800-962)	263
4. Diseases of Digestive System (530-587)	133
5. Vascular Lesions*(330-334)	85

Cause by Age Groups	Deaths
45-54 Years	
1. Heart Disease (400-402, 410-443)	1,158
2. Cancer (140-205)	914
3. Accidents (800-962)	299
4. Diseases of Digestive System (530-587)	216
5. Vascular Lesions*(330-334)	211
55-64 Years	
1. Heart Disease (400-402, 410-443)	2,873
2. Cancer (140-205)	1,876
3. Vascular Lesions*(330-334)	575
4. Disease of Digestive System (530-587)	373
5. Accidents (800-962)	282
65-74 Years	
1. Heart Disease (400-402, 410-443)	4,983
2. Cancer (140-205)	2,396
3. Vascular Lesions*(330-334)	1,424
4. Disease of Digestive System (530-587)	449
5. Accidents (800-962)	295
75-84 Years	
1. Heart Disease (400-402, 410-443)	6,417
2. Vascular Lesions*(330-334)	2,338
3. Cancer (140-205)	1,872
4. Influenza & Pneumonia (480-493)	576
5. Arteriosclerosis (450)	514
85 Years & Over	
1. Heart Disease (400-402, 410-443)	3,532
2. Vascular Lesions*(330-334)	1,494
3. Arteriosclerosis (450)	521
4. Cancer (140-205)	514
5. Influenza & Pneumonia (480-493)	413


Death rates are per 100,000 population.

Numbers in parentheses refer to code numbers in the 7th Revision of the International Classification of Causes of Death, 1955.

*Vascular lesions affecting central nervous system.

GRAPH C.

MATERNAL DEATH RATES 1932–1967
(per 10,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1950	8.2	6.8	20.5
1933	51.6	50.0	77.9	1951	7.6	6.7	15.7
1934	58.5	55.3	109.6	1952	7.1	6.1	16.3
1935	57.0	55.0	87.0	1953	6.6	5.4	16.2
1936	61.0	60.0	85.0	1954	4.9	4.1	11.0
1937	51.3	49.9	71.2	1955	4.7	4.0	9.7
1938	38.2	36.6	61.3	1956	5.5	3.8	17.3
1939	37.0	35.4	59.9	1957	3.3	2.5	8.7
1940	36.5	35.0	56.7	1958	3.6	2.9	8.5
1941	31.7	28.6	75.1	1959	3.8	3.3	6.7
1942	24.3	23.2	38.0	1960	5.1	3.9	12.9
1943	22.7	21.9	33.7	1961	2.4	1.7	6.8
1944	20.9	18.4	50.6	1962	4.6	4.2	6.9
1945	16.9	15.3	36.1	1963	3.7	2.8	8.8
1946	13.8	11.9	36.7	1964	4.1	2.6	12.6
1947	12.9	11.8	26.2	1965	2.7	2.5	4.0
1948	10.1	8.9	23.4	1966	2.1	1.8	3.3
1949	8.5	7.2	20.2	1967	2.4	1.9	5.2

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 are recorded and 1945 to date are resident data.

TABLE 11

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI: 1967

Cause of Death	Number			Rates		
	Total	White	Nonwhite	Total	White	Nonwhite
All Puerperal Causes (640-689)	18	12	6	2.4	1.9	5.2
Abortion with Infection (651)	2	1	1	0.3	0.2	0.9
Abortion without Infection (650, 652)	1	1	–	0.1	0.2	–
Puerperal Hemmorhage (643, 648, 670-672, 687)	5	5	–	0.7	0.8	–
Puerperal Infection (640, 641, 645.1, 680, 681)	1	–	1	0.1	–	0.9
Toxemias of Pregnancy (642, 685, 686)	2	1	1	0.3	0.2	0.9
Other Accidents of Childbirth (673-678)	–	–	–	–	–	–
Other Puerperal Causes	7	4	3	0.9	0.6	2.6

Maternal Death Rates are per 10,000 live births.

Numbers in parentheses refer to code numbers in the 7th Revision of the International Classification of Causes of Death, 1955.

TABLE 12
RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH
MISSOURI: 1967

	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years
TOTAL DEATHS	50,544	1,692	288	190	183	425	439	398	431	614
Male	28,038	955	152	102	120	309	318	258	292	360
Female	22,506	737	136	88	63	116	121	140	139	254
TOTAL WHITE	45,313	1,210	232	161	162	374	362	287	311	464
Male	25,199	713	123	91	104	277	257	186	213	272
Female	20,114	497	109	70	58	97	105	101	98	192
TOTAL NONWHITE	5,231	482	56	29	21	51	77	111	120	150
Male	2,839	242	29	11	16	32	61	72	79	88
Female	2,392	240	27	18	5	19	16	39	41	62
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	144							1	2	3
Tuberculosis, other forms (010-019)	13							2	1	
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	35									
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)	2			2						
Amebic dysentery (046)	1									
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)	1			1						
Diphtheria (055)										
Whooping cough (056)	1		1							
Meningococcal infections (057)	13	5	3	1						
Tularemia (059)										
Tetanus (061)	4	1								
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)	14	1	4	1	1			1		1
Measles (085)	2	1	1							
Infectious Hepatitis (092)	19			1	1	1	3	1	1	
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	83	11	3	1				2	1	
Malignant neoplasms (140-205)	8,177	5	34	31	27	25	31	33	68	104
Benign and unspecified neoplasms (210-239)	96	1	2	2	1	1		1	5	1
Diabetes mellitus (260)	899	1	1	1	5	3	4	3	4	6
Anemias (290-293)	85	2		2	1	1	2		2	3
Vascular lesions affecting central nervous system (330-334)	6,180	3	3	2	5	4	4	7	23	31
Nonmeningococcal meningitis (340)	52	17	7		1		1		2	2
Rheumatic fever (400-402)	5					1			1	
Chronic rheumatic heart disease (410-416)	317				1	5	3	8	3	10
Arteriosclerotic and degenerative heart disease (420-422)	16,877	1	1	3		4	10	8	25	79
Other diseases of heart (430-434)	990	6	3	3	2	2	3	6	7	8
Hypertension with heart disease (440-443)	1,239							2	3	8
Hypertension w/o mention of heart (444-447)	353							1		4
Other diseases of circulatory system (450-468)	2,111			2	2	3	7	4	6	11
Influenza (480-483)	77	3		2						2
Lobar pneumonia 4 weeks (490)	240	8	4			1	1	1	5	1
Bronchopneumonia 4 weeks (491)	740	32	12	4	3	7	5	4	3	9
Pneumonia, other forms 4 weeks (492-493)	768	114	18	6	5	1	8	10	7	6
Bronchitis (500-502)	119	1	4			2				2
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	15	13	2							
Gastro Enteritis and colitis, 2 years (571.1)	39	1	5	1	1			2		
Cirrhosis of liver (581)	562						4	5	17	34
Other diseases of digestive system (530-587 excl. above)	1,253	17	2	4		5	6	6	13	20
Nephritis and nephrosis (590-594)	331	1	1	2	3	6	4	5	6	16
Complications of pregnancy and puerperium (640-652; 660-689)	18					3	2	2	3	6
Congenital malformations (750-759)	356	244	31	11	9	6	4	5	4	1
Birth injuries, asphxia, (under 4 weeks.) (760-762)	421	421								
Pneumonia of newborn (under 4 weeks) (763)	44	44								
Diarrhea of newborn (under 4 weeks) (764)	1	1								
Other infections of newborn (under 4 weeks) (765-768)	19	19								
Other diseases of early infancy (under 4 weeks) (769-776)	568	568								
Senility, ill defined and unknown causes (780-795)	1,236	42	7	4	1	5	10	5	12	24
All other diseases (residual)	2,325	53	25	21	17	14	22	23	21	35
Motor vehicle accidents (810-835)	1,307	9	38	42	38	203	155	98	66	62
All other accidents (800-802; 840-962)	1,484	43	73	40	52	83	60	56	41	54
Suicide and self-inflicted injury (970-979)	530				3	18	31	37	32	35
Homicide (980-985)	378	3	3		4	21	59	59	47	36

Numbers in parentheses refer to the code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 12 (Continued)
RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR AND BY SELECTED CAUSES OF DEATH, MISSOURI: 1967

40-44 Years	45-49 Years	50-54 Years	55-59 Years	60-64 Years	65-69 Years	70-74 Years	75-79 Years	80-84 Years	85-89 Years	90-94 Years	95 and Over	Unk.
1,018	1,494	2,151	3,260	4,232	5,335	6,516	7,315	6,927	4,774	2,200	637	25
616	952	1,426	2,122	2,733	3,331	3,747	3,841	3,273	2,048	856	214	13
402	542	725	1,138	1,499	2,004	2,769	3,474	3,654	2,726	1,344	423	12
814	1,234	1,844	2,784	3,684	4,729	5,928	6,839	6,598	4,582	2,100	594	20
500	822	1,235	1,884	2,443	2,979	3,413	3,594	3,106	1,971	809	195	12
314	412	609	900	1,241	1,750	2,515	3,245	3,492	2,611	1,291	399	8
204	260	307	476	548	606	588	476	329	192	100	43	5
116	130	191	238	290	352	334	247	167	77	47	19	1
88	130	116	238	258	254	254	229	162	115	53	24	4
3	4	13	12	17	12	29	22	21	4		1	
1		1	3	1	1			3				
1	1	2	1	10	4	5	7	3	1			
		1										
	1		2	1								
	1				1	1						
1		2	1				1					
	2			2	3		2	2				
1	5	4	6	4	7	16	7	6	5	4		
245	366	548	836	1,040	1,164	1,232	1,087	785	368	118	28	2
1	7	11	11	6	8	5	15	10	6	2		
13	17	47	71	100	123	146	162	123	49	17	3	
	2	1	2	9	9	12	13	11	10	2	1	
54	68	143	233	342	580	844	1,158	1,180	937	451	106	2
2		1	5	5	2	3	1	1		1		1
			1			1			1			
19	25	26	42	39	43	42	27	15	6	3		
197	358	623	1,009	1,456	1,935	2,423	2,899	2,788	1,898	879	274	7
14	33	30	67	101	92	119	146	129	135	65	18	1
10	27	36	72	86	146	182	211	202	178	59	16	1
10	12	13	17	21	36	47	53	68	47	18	6	
19	26	46	70	122	168	265	334	417	349	197	63	
1	1			4		5	13	19	19	6	2	
8	8	7	11	21	17	25	31	48	24	17	2	
5	14	12	34	38	43	91	113	129	111	53	18	
13	14	19	23	27	32	79	107	116	81	52	28	2
3	1	4	10	11	23	17	17	14	7	3		
	1		1	2	2	4	6	3	5	4	1	
48	60	56	94	73	63	60	26	13	6	2	1	
31	33	66	92	111	143	177	180	180	109	47	11	
10	12	21	22	28	42	36	32	42	25	14	3	
2												
6	7	8	5	5	7	3						
24	67	97	109	123	146	117	143	137	94	51	17	1
59	81	100	167	230	290	334	332	259	153	72	15	2
81	78	76	71	63	61	69	43	45	8			1
66	78	67	91	57	72	93	101	140	127	63	23	4
36	60	48	49	58	46	29	22	16	9			
34	24	22	20	19	14	5	4	2	2			

TABLE 13

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES, WITH RATES, MISSOURI: 1967

Counties	Number							Rates					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
	Population	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
State Total	4,503,793	50,544	1,692	18	51,245	1,759	20	11.2	22.6	2.4	11.4	22.6	2.6
Counties incl. Cities:													
Adair	18,952	240	9	1	414	20	2	12.7	27.0	30.0	21.8	32.1	32.1
Andrew	9,951	151	2	–	59	1	–	15.2	12.8	–	5.9	–	–
Atchison	7,430	98	–	–	122	1	–	13.2	–	–	16.4	4.9	–
Audrain	25,280	325	7	–	388	10	–	12.9	23.1	–	15.3	20.4	–
Barry	15,729	237	7	–	233	5	–	15.1	28.9	–	14.8	17.4	–
Barton	9,119	155	3	–	141	–	–	17.0	26.5	–	15.5	–	–
Bates	13,629	258	4	–	203	4	–	18.9	17.1	–	14.9	18.3	–
Benton	7,693	143	1	–	69	1	–	18.6	9.8	–	9.0	52.6	–
Bollinger	7,467	109	2	–	51	–	–	14.6	21.7	–	6.8	–	–
Boone	58,511	489	19	–	925	68	–	8.4	14.7	–	15.8	34.7	–
Buchanan	80,876	1,190	32	–	1,528	34	–	14.7	22.3	–	18.9	18.0	–
Butler	29,544	463	9	–	867	14	1	15.7	19.1	–	29.3	16.8	12.0
Caldwell	7,358	144	1	–	66	–	–	19.6	12.7	–	9.0	–	–
Callaway	22,480	292	12	–	366	5	–	13.0	33.8	–	16.3	28.1	–
Camden	9,281	132	1	–	63	–	–	14.2	8.1	–	6.8	–	–
Cape Girardeau	40,994	481	14	1	679	19	1	11.7	21.1	15.1	16.6	16.4	8.6
Carroll	11,669	235	3	–	189	2	–	20.1	18.4	–	16.2	14.4	–
Carter	3,222	50	1	–	25	–	–	15.5	19.2	–	7.8	–	–
Cass	40,168	304	12	–	219	9	–	7.6	21.0	–	5.5	13.9	–
Cedar	7,724	164	3	–	138	2	–	21.2	23.8	–	17.9	10.8	–
Chariton	10,398	193	2	–	64	–	–	18.6	15.2	–	6.2	–	–
Christian	11,380	162	3	–	67	1	–	14.2	16.6	–	5.9	–	–
Clark	7,979	110	2	–	43	–	–	13.8	16.5	–	5.4	–	–
Clay	145,543	660	26	–	700	21	–	4.5	13.4	–	4.8	13.4	–
Clinton	10,625	169	6	–	136	4	–	15.9	38.0	–	12.8	38.5	–
Cole	41,970	378	5	–	591	11	–	9.0	7.2	–	14.1	8.3	–
Cooper	13,553	170	2	–	170	2	–	12.5	10.2	–	12.5	14.0	–
Crawford	12,400	175	2	–	161	8	–	14.1	8.1	–	13.0	22.7	–
Dade	6,020	122	–	–	86	–	–	20.3	–	–	14.3	–	–
Dallas	7,751	158	4	–	66	–	–	20.4	36.7	–	8.5	–	–
Daviess	7,724	149	2	–	83	2	–	19.3	21.3	–	10.7	105.3	–
DeKalb	6,086	116	1	–	52	–	–	19.1	11.4	–	8.5	–	–
Dent	9,161	146	1	–	82	–	–	15.9	6.7	–	9.0	–	–
Douglas	7,408	112	2	–	77	–	–	15.1	17.4	–	10.4	–	–
Dunklin	32,167	425	21	–	356	22	–	13.2	38.4	–	11.1	34.6	–
Franklin	49,026	575	21	–	431	10	–	11.7	22.1	–	8.8	13.5	–
Gasconade	11,027	173	3	–	112	1	–	15.7	20.1	–	10.2	20.0	–
Gentry	6,983	126	3	–	122	3	–	18.0	25.9	–	17.5	23.1	–
Greene	134,202	1,480	41	–	2,149	72	–	11.0	18.3	–	16.0	22.7	–
Grundy	10,436	208	7	–	207	4	–	19.9	56.9	–	19.8	28.4	–
Harrison	9,151	184	3	–	165	–	–	20.1	23.6	–	18.0	–	–
Henry	17,168	299	5	–	325	5	–	17.4	20.6	–	18.9	15.8	–
Hickory	3,565	74	–	–	25	–	–	20.8	–	–	7.0	–	–
Holt	6,166	116	1	–	49	–	–	18.8	13.3	–	7.9	–	–
Howard	9,521	165	1	–	153	1	–	17.3	7.8	–	16.1	9.3	–
Howell	19,590	309	4	–	336	1	–	15.8	13.2	–	17.2	2.2	–
Iron	6,602	108	4	–	151	4	–	16.4	29.9	–	22.9	28.2	–
Jackson	635,958	6,858	279	3	7,575	320	3	10.8	24.0	2.6	11.9	22.8	2.1
Jasper	72,088	1,081	25	–	1,023	20	–	15.0	19.7	–	14.2	14.5	–
Jefferson	100,679	651	33	–	475	8	–	6.5	18.1	–	4.7	13.6	–
Johnson	35,644	285	12	–	247	10	–	8.0	32.1	–	6.9	17.6	–
Knox	5,440	94	2	1	51	1	–	17.3	25.0	125.0	9.4	250.0	–
Laclede	17,325	228	8	–	231	7	–	13.2	24.8	–	13.3	20.8	–
Lafayette	23,190	352	8	–	284	4	1	15.2	22.2	–	12.2	13.2	33.0
Lawrence	21,453	296	4	–	352	3	1	13.8	12.9	–	16.4	10.9	36.5
Lewis	10,458	138	2	–	87	–	–	13.2	12.6	–	8.3	–	–
Lincoln	14,925	206	1	–	219	3	–	13.8	3.8	–	14.7	8.2	–
Linn	13,873	330	7	–	332	6	–	23.8	40.9	–	23.9	27.4	–
Livingston	14,056	224	3	1	277	4	1	15.9	12.0	39.8	19.7	12.0	30.1
McDonald	9,661	173	9	–	47	1	–	17.9	52.3	–	4.9	1000.0	–

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 13 (continued)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES, WITH RATES, MISSOURI: 1967

Counties	Population	Number						Rates					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
Macon	14,048	238	4	–	193	3	–	16.9	21.3	–	13.7	17.3	–
Madison	7,705	147	2	–	222	4	–	19.1	14.4	–	28.8	7.0	–
Maries	6,549	77	1	–	22	–	–	11.8	10.2	–	3.4	–	–
Marion	26,907	381	8	–	503	10	–	14.2	20.4	–	18.7	15.7	–
Mercer	4,396	88	–	–	65	–	–	20.0	–	–	14.8	–	–
Miller	12,713	197	3	–	102	–	–	15.5	14.5	–	8.0	–	–
Mississippi	17,826	258	18	–	165	11	–	14.5	47.7	–	9.3	52.1	–
Moniteau	9,511	140	5	–	72	1	–	14.7	32.5	–	7.6	500.0	–
Monroe	9,535	164	–	–	89	–	–	17.2	–	–	9.3	–	–
Montgomery	10,217	182	1	–	81	–	–	17.8	6.8	–	7.9	–	–
Morgan	8,204	143	1	–	106	–	–	17.4	9.6	–	12.9	–	–
New Madrid	24,713	272	21	–	109	7	–	11.0	46.7	–	4.4	54.3	–
Newton	28,937	362	8	–	423	15	–	12.5	18.6	–	14.6	27.5	–
Nodaway	19,371	251	8	–	230	5	–	13.0	24.4	–	11.9	17.2	–
Oregon	7,831	144	2	–	64	–	–	18.4	16.7	–	8.2	–	–
Osage	9,806	135	2	–	50	1	–	13.8	10.1	–	5.1	–	–
Ozark	5,079	91	3	–	49	1	–	17.9	38.5	–	9.6	27.0	–
Pemiscot	31,170	403	31	3	334	29	3	12.9	55.8	54.0	10.7	47.9	49.6
Perry	13,083	166	5	–	167	6	–	12.7	21.8	–	12.8	15.0	–
Pettis	35,056	442	11	–	474	8	–	12.6	23.7	–	13.5	13.2	–
Phelps	26,223	273	4	–	344	4	–	10.4	9.7	–	13.1	6.7	–
Pike	15,359	235	6	–	206	5	–	15.3	22.9	–	13.4	17.2	–
Platte	31,635	203	9	–	98	1	–	6.4	17.7	–	3.1	1000.0	–
Polk	11,258	194	2	–	115	1	–	17.2	11.7	–	10.2	14.5	–
Pulaski	44,219	194	16	–	203	20	–	4.4	59.3	–	4.6	19.0	–
Putnam	5,308	105	2	–	90	3	–	19.8	25.6	–	17.0	33.3	–
Ralls	7,054	105	2	–	36	–	–	14.9	20.8	–	5.1	–	–
Randolph	19,678	350	6	–	387	2	–	17.8	18.9	–	19.7	6.0	–
Ray	15,102	223	4	1	179	4	–	14.8	17.7	44.2	11.9	20.1	–
Reynolds	3,952	53	1	1	22	–	–	13.4	11.9	119.0	5.6	–	–
Ripley	7,113	147	4	–	105	3	–	20.7	39.6	–	14.8	42.9	–
St. Charles	83,558	446	29	–	433	23	–	5.4	16.3	–	5.2	16.0	–
St. Clair	6,652	135	1	–	118	–	–	20.3	16.1	–	17.7	–	–
St. Francois	33,558	468	16	–	445	4	–	13.9	29.0	–	13.3	16.8	–
Ste. Genevieve	11,516	116	1	–	49	–	–	10.1	5.4	–	4.3	–	–
St. Louis City	627,450	9,727	409	3	12,508	630	4	15.5	31.3	2.3	19.9	33.7	2.1
St. Louis County	1,023,471	6,393	254	3	5,030	147	3	6.2	17.4	2.1	4.9	13.2	2.7
Saline	22,279	335	17	–	308	9	–	15.0	45.8	–	13.8	29.2	–
Schuyler	4,196	94	1	–	44	–	–	22.4	16.7	–	10.5	–	–
Scotland	5,480	91	3	–	33	–	–	16.6	41.7	–	6.0	–	–
Scott	30,103	396	15	–	386	20	–	13.2	25.6	–	12.8	31.3	–
Shannon	5,964	80	–	–	31	–	–	13.4	–	–	5.2	–	–
Shelby	7,883	154	2	–	57	–	–	19.5	17.2	–	7.2	–	–
Stoddard	24,592	313	5	–	162	3	–	12.7	13.1	–	6.6	10.6	–
Stone	6,836	96	3	–	41	–	–	14.0	23.1	–	6.0	–	–
Sullivan	6,698	149	4	–	142	5	–	22.2	50.6	–	21.2	78.1	–
Taney	9,559	159	1	–	152	2	–	16.6	8.3	–	15.9	14.5	–
Texas	15,453	234	1	–	234	3	–	15.1	4.0	–	15.1	9.1	–
Vernon	17,703	272	1	–	394	1	–	15.4	4.6	–	22.3	6.4	–
Warren	9,084	115	4	–	77	2	–	12.7	28.4	–	8.5	2000.0	–
Washington	12,889	179	12	–	120	8	–	13.9	44.4	–	9.3	30.0	–
Wayne	6,979	137	4	–	54	1	–	19.6	35.7	–	7.7	–	–
Webster	11,982	178	2	–	85	2	–	14.9	10.3	–	7.1	23.5	–
Worth	3,008	58	–	–	21	–	–	19.3	–	–	7.0	–	–
Wright	11,913	218	8	–	112	1	–	18.3	40.6	–	9.4	–	–

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 14

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI: 1967

Number

Cities	RESIDENT			RECORDED		
	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
Total Cities 2,500 Pop. & Over	32,493	1,200	9	40,552	1,540	18
Total Cities 10,000 Pop. & Over	25,412	980	7	32,961	1,353	11
Total Cities Over 2,500 Pop. Less than 10,000 Pop.	7,081	220	2	7,591	187	7
Cities 10,000 Population & Over						
Bellefontaine Neighbors	118	–	–	22	–	–
Berkeley	99	7	–	16	–	–
Brentwood	87	7	–	6	–	–
Cape Girardeau City	284	10	–	596	18	1
Carthage	181	4	–	239	4	–
Clayton	188	4	–	1,129	27	–
Columbia	283	15	–	826	68	–
Crestwood	59	–	–	6	–	–
Ferguson	168	9	–	25	–	–
Florissant	298	20	–	48	1	–
Fulton	151	9	–	314	5	–
Gladstone	49	2	–	18	–	–
Hannibal	267	7	–	463	10	–
Marion Co. Part	265	7	–	463	10	–
Ralls Co. Part	2	–	–	–	–	–
Independence	720	27	–	586	21	–
Jefferson City	263	5	–	536	11	–
Jennings	218	5	–	32	–	–
Joplin	565	14	–	682	20	–
Jasper Co. Part	542	14	–	583	15	–
Newton Co. Part	23	–	–	99	5	–
Kansas City	5,859	260	3	6,909	299	3
Jackson Co. Part	5,574	240	3	6,834	299	3
Clay Co. Part	239	15	–	62	–	–
Platte Co. Part	46	5	–	13	–	–
Kirksville	157	7	1	385	20	2
Kirkwood	273	9	–	461	11	–
Maplewood	157	6	–	33	–	–
Mexico	175	7	–	318	10	–
Moberly	223	2	–	333	2	–
Overland	288	16	–	56	1	–
Poplar Bluff	272	4	–	798	12	1
Raytown	174	5	–	25	–	–
Richmond Heights	172	4	–	531	30	–
Rolla	87	2	–	261	4	–
St. Ann	85	9	–	4	–	–
St. Charles	224	16	–	372	21	–
St. Joseph	1,063	29	–	1,492	34	–
St. Louis City	9,727	409	3	12,508	630	4
Sedalia	330	8	–	426	8	–
Sikeston	182	6	–	319	17	–
Scott Co. Part	180	6	–	319	17	–
New Madrid Co. Part	2	–	–	–	–	–
Springfield	1,185	26	–	2,056	69	–
University City	516	6	–	81	–	–
Webster Groves	265	4	–	49	–	–
Cities Over 2,500 Population Less than 10,000						
Aurora	77	1	–	118	3	1
Ballwin	61	3	–	17	1	–
Bel-Ridge	30	2	–	2	1	–
Belton	42	5	–	9	1	–
Bethany	56	1	–	116	–	–

TABLE 14 (continued)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERIAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI: 1967

Number

Cities Over 2,500 Population Less than 10,000	RESIDENT			RECORDED		
	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
Blue Springs	42	–	–	17	–	–
Bolivar	62	–	–	18	–	–
Bonne Terre	71	2	–	136	–	–
Boonville	89	1	–	141	2	–
Bowling Green	49	–	–	31	–	–
Breckenridge Hills	16	–	–	–	–	–
Bridgeton	93	10	–	14	–	–
Brookfield	133	1	–	166	2	–
Butler	84	4	–	140	4	–
California	45	2	–	42	–	–
Cameron	53	3	–	75	2	–
Clinton Co. Part	52	3	–	75	2	–
DeKalb Co. Part	1	–	–	–	–	–
Canton	33	–	–	10	–	–
Carrollton	97	2	–	145	2	–
Caruthersville	125	4	–	43	1	–
Centralia	44	1	–	19	–	–
Chaffee	52	–	–	13	–	–
Charleston	95	7	–	97	4	–
Chillicothe	140	2	–	252	4	1
Clinton	132	3	–	233	5	–
Creve Coeur	104	3	–	73	–	–
Crystal City	32	–	–	6	–	–
Dellwood	32	–	–	3	–	–
DeSoto	75	4	–	31	–	–
Des Peres	27	1	–	13	–	–
Dexter	93	2	–	57	–	–
East Prairie	51	1	–	11	1	–
Eldon	65	1	–	26	–	–
ElDorado Springs	72	–	–	109	–	–
Ellisville	21	3	–	74	–	–
Excelsior Springs	100	1	–	144	–	–
Clay Co. Part	99	1	–	144	–	–
Ray Co. Part	1	–	–	–	–	–
Farmington	93	2	–	50	–	–
Fayette	57	–	–	115	1	–
Festus	56	1	–	20	–	–
Flat River	60	5	–	14	–	–
Fredericktown	77	2	–	196	4	–
Frontenac	26	–	–	2	–	–
Glendale	48	1	–	7	–	–
Grandview	63	–	–	29	–	–
Hanley Hills	16	–	–	2	–	–
Harrisonville	59	–	–	105	6	–
Hayti	65	5	–	217	20	3
Hazelwood	76	6	–	7	–	–
Hermann	31	2	–	34	1	–
Higginsville	62	1	–	29	–	–
Hillsdale Village	37	3	–	5	–	–
Jackson	72	2	–	32	1	–
Kennett	123	11	–	242	19	–
Kinloch	71	5	–	–	–	–
LaDue	70	1	–	6	–	–
Lamar	71	2	–	109	–	–
Lebanon	106	3	–	194	7	
Lee's Summit	78	2	–	28	–	–
Lexington	79	–	–	134	3	1
Liberty	92	3	–	85	–	–
Louisiana	67	2	–	137	4	–
Macon	80	2	–	132	3	–

TABLE 14 (continued)


RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI: 1967

Number

Cities Over 2,500 Population Less than 10,000	RESIDENT			RECORDED		
	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
Malden	52	2	–	17	1	–
Marceline	59	3	–	130	4	–
Marshall	153	11	–	212	8	–
Maryville	93	4	–	175	4	–
Moline Acres	49	2	–	8	–	–
Monett	68	1	–	141	3	–
Barry Co. Part	56	1	–	137	3	–
Lawrence Co. Part	12	–	–	4	–	–
Mountain Grove	64	1	–	23	–	–
Neosho	106	2	–	155	2	–
Nevada	149	1	–	176	1	–
New Madrid	35	3	–	5	1	–
Normandy	154	3	–	351	12	1
North Kansas City	58	1	–	252	18	–
Northwoods	26	–	–	3	–	–
O'Fallon	34	3	–	6	–	–
Olivette	57	2	–	10	–	–
Pacific	25	–	–	8	–	–
Franklin Co. Part	21	–	–	8	–	–
St. Louis Co. Part	4	–	–	–	–	–
Pagedale	59	2	–	6	–	–
Palmyra	60	1	–	23	–	–
Perryville	56	2	–	130	5	–
Pinelawn	85	4	–	27	–	–
Pleasant Hill	36	2	–	7	–	–
Portageville	25	–	–	6	–	–
Potosi	24	1	–	13	1	–
Richmond	74	–	1	30	–	–
Riverview	30	2	–	1	–	–
Rock Hill	46	1	–	12	1	–
St. Clair	29	–	–	7	–	–
St. John	62	1	1	8	–	–
Ste. Genevieve	39	1	–	16	–	–
Salem	60	–	–	44	–	–
Shrewsbury	47	3	–	9	–	–
Slater	60	2	–	11	1	–
Sugar Creek	28	2	–	2	–	–
Sullivan	67	3	–	105	7	–
Crawford Co. Part	10	–	–	92	7	–
Franklin Co. Part	57	3	–	13	–	–
Sunset Hills	22	–	–	7	–	–
Trenton	119	5	–	173	4	–
Union	64	6	–	19	–	–
Valley Park	47	2	–	58	–	–
Vandalia	44	–	–	12	–	–
Warrensburg	105	2	–	178	2	–
Washington	86	2	–	292	9	–
Webb City	108	1	–	79	1	–
Wellston	81	2	–	10	–	–
Wentzville	26	1	–	8	–	–
West Plains	114	–	–	232	–	–
Windsor	50	–	–	60	–	–
Woodson Terrace	18	2	–	2	–	–

GRAPH D.

INFANT DEATH RATES BY COLOR 1932–1967
(per 1,000 live births)



INFANT DEATH TRENDS

Year	Total	White	Nonwhite
1932	57.4	53.9	112.9
1933	56.8	54.5	94.3
1934	62.3	59.4	107.6
1935	56.9	55.2	83.1
1936	57.9	55.7	90.0
1937	64.0	61.7	96.5
1938	51.1	48.1	93.0
1939	45.0	42.2	83.8
1940	47.0	44.7	78.4
1941	46.8	44.2	83.0
1942	39.0	37.1	64.8
1943	39.8	37.5	69.5
1944	37.3	35.1	63.7
1945	37.5	35.1	65.8
1946	33.0	31.1	55.8
1947	32.4	30.1	59.9
1948	30.4	28.6	49.3
1949	30.0	28.7	43.4
1950	29.2	27.1	49.0
1951	27.7	25.8	45.0
1952	28.3	25.9	49.4
1953	27.7	25.4	46.9
1954	26.8	24.2	46.6
1955	25.3	23.1	41.7
1956	24.5	22.4	38.9
1957	24.8	22.4	40.5
1958	26.4	23.2	46.9
1959	24.5	21.5	43.6
1960	24.7	21.4	45.9
1961	24.5	21.9	41.6
1962	25.5	23.2	40.0
1963	24.3	21.5	41.5
1964	24.4	21.2	43.2
1965	25.4	22.2	42.7
1966	23.4	19.8	43.0
1967	22.6	19.1	41.9

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 Recorded data and 1945 to date Resident.

TABLE 15
RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI: 1967

Cause	Color	Number	Rate	Under 1 Hour	Over 1 Hour Under 1 Day	Over 1 Day Under 7 Days	Over 7 Days Under 28 Days	Over 28 Days Under 3 Mos.	Over 3 Mos. Under 6 Mos.	Over 6 Mos. Under 1 Year	Age Unknown but Under 1 Year
All Causes	White	1,210	19.1	86	457	301	86	106	95	79	–
	Nonwhite	482	41.9	32	163	86	41	65	51	44	–
	Total	1,692	22.6	118	620	387	127	171	146	123	–
Infectious Diseases (020-138)	White	17	0.3	–	–	1	2	5	6	3	–
	Nonwhite	2	0.2	–	–	–	1	–	1	–	–
	Total	19	0.3	–	–	1	3	5	7	3	–
Respiratory Diseases (001-019, 470-527)	White	96	1.5	–	–	1	3	37	32	23	–
	Nonwhite	81	7.0	–	–	1	1	34	22	23	–
	Total	177	2.4	–	–	2	4	71	54	46	–
Gastro-Intestinal Diseases (543-545, 571, 572)	White	9	0.1	–	–	–	–	2	1	6	–
	Nonwhite	5	0.4	–	–	–	–	1	4	–	–
	Total	14	0.2	–	–	–	–	3	5	6	–
Malformations (750-759)	White	208	3.3	14	41	51	36	27	25	14	–
	Nonwhite	36	3.1	3	6	7	2	7	5	6	–
	Total	244	3.3	17	47	58	38	34	30	20	–
Injury at Birth (760-761)	White	111	1.8	21	57	29	4	–	–	–	–
	Nonwhite	31	2.7	3	17	10	1	–	–	–	–
	Total	142	1.9	24	74	39	5	–	–	–	–
Other Diseases of Early Infancy (762-773)	White	488	7.7	34	244	178	25	5	–	2	–
	Nonwhite	178	15.5	10	93	38	27	4	3	3	–
	Total	666	8.9	44	337	216	52	9	3	5	–
Premature Birth (774-776)	White	153	2.4	15	104	32	2	–	–	–	–
	Nonwhite	92	8.0	15	45	26	4	2	–	–	–
	Total	245	3.3	30	149	58	6	2	–	–	–
All Other Causes	White	128	2.0	2	11	9	14	30	31	31	–
	Nonwhite	57	5.0	1	2	4	5	17	16	12	–
	Total	185	2.5	3	13	13	19	47	47	43	–

Infant death rates are per 1,000 live births.

Numbers in parentheses refer to code numbers in the 7th Revision of the International Statistical Classification of Causes of Death, 1955.

TABLE 16
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

	STATE TOTAL				POPULATION GROUPS: Under 2,500		2,500 - Less than 5,000		5,000 - Less than 10,000	
	Total	Rates	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	4,503,793									
TOTAL LIVE BIRTHS	74,823	16.6	63,326	11,497	23,611	681	3,985	211	6,108	542
Attended by M.D.	67,052		56,142	10,910	19,891	398	3,416	159	5,574	472
Attended by D.O.	7,526		7,110	416	3,666	190	566	31	532	60
Attended by midwives	181		21	160	15	90	1	21		5
Others or unspecified	64		53	11	39	3	2		2	5
TOTAL FETAL DEATHS	1,036	13.8	800	236	310	19	38	2	57	6
Attended by M.D.	915		691	224	251	15	28	2	53	5
Attended by D.O.	105		100	5	56	2	8		4	1
Attended by midwives	2			2		2				
Others or unspecified	14		9	5	3		2			
TOTAL DEATHS	50,544	11.2	45,313	5,231	17,624	427	3,145	129	3,549	258
Under one year of age	1,692	22.6	1,210	482						
Neonatal deaths	1,252	16.7	930	322						
Maternal deaths	18	2.4	12	6						
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	144	3.2	109	35	44	4	5	3	6	3
Tuberculosis, other forms (010-019)	13	0.3	11	2	7					
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	35	0.8	25	10	10		2	1	1	1
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)	2	0.0	2							
Amebic dysentery (046)	1	0.0	1							
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)	1	0.0	1		1					
Diphtheria (055)										
Whooping cough (056)	1	0.0		1						
Meningococcal infections (057)	13	0.3	11	2	4	1	1			
Tularemia (059)										
Tetanus (061)	4	0.1	2	2	2					
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)	14	0.3	12	2	3				2	
Measles (085)	2	0.0	2		2					
Infectious Hepatitis (092)	19	0.4	15	4	7		2		1	
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	83	1.8	77	6	38		8		4	1
Malignant neoplasms (140-205)	8,177	181.6	7,434	743	2,724	49	486	18	564	34
Benign and unspecified neoplasms (210-239)	96	2.1	79	17	27		6		5	
Diabetes mellitus (260)	899	20.0	793	106	288	4	55		68	4
Anemias (290-293)	85	1.9	73	12	34	1	2		5	1
Vascular lesions affecting central nervous system (330-334)	6,180	137.2	5,543	637	2,347	62	419	13	462	29
Nonmeningococcal meningitis (340)	52	1.2	35	17	15	1	3		4	1
Rheumatic fever (400-402)	5	0.1	5		2					
Chronic rheumatic heart disease (410-416)	317	7.0	299	18	97	1	22		19	1
Arteriosclerotic and degenerative heart disease (420-422)	16,877	374.7	15,719	1,158	5,901	83	1,065	36	1,231	46
Other diseases of heart (430-434)	990	22.0	873	117	419	14	73	3	72	9
Hypertension with heart disease (440-443)	1,239	27.5	988	251	387	25	61	9	83	13
Hypertension w/o mention of heart (444-447)	353	7.8	294	59	121	2	18		27	4
Other diseases of circulatory system (450-468)	2,111	46.9	1,931	180	719	12	145	5	134	7
Influenza (480-483)	77	1.7	73	4	38		9	1	4	
Lobar pneumonia 4 weeks (490)	240	5.3	201	39	89	1	18	2	14	3
Bronchopneumonia 4 weeks (491)	740	16.4	656	84	240	7	61	3	43	10
Pneumonia, other forms 4 weeks (492-493)	768	17.1	634	134	260	12	58	3	60	6
Bronchitis (500-502)	119	2.6	116	3	48	1	10		6	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	15	0.3	10	5	5	2			2	1
Gastro Enteritis and colitis, 2 years (571.1)	39	0.9	34	5	18	2	1		4	1
Cirrhosis of liver (581)	562	12.5	475	87	114		33		31	
Other diseases of digestive system (530-587 excl. above)	1,253	27.8	1,128	125	444	11	71	1	77	7
Nephritis and nephrosis (590-594)	331	7.3	271	60	97	3	32		18	2
Complications of pregnancy and puerperium (640-652; 660-689)	18	0.4	12	6	7	2	1		1	
Congenital malformations (750-759)	356	7.9	312	44	108	2	23		21	5
Birth injuries, asphxia, (under 4 weeks) (760-762)	421	9.3	329	92	100	7	24		32	4
Pneumonia of newborn (under 4 weeks) (763)	44	1.0	25	19	14	6	2		3	1
Diarrhea of newborn (under 4 weeks) (764)	1	0.0		1						1
Other infections of newborn (under 4 weeks) (765-768)	19	0.4	11	8	4	1			1	
Other diseases of early infancy (under 4 weeks) (769-776)	568	12.6	387	181	152	8	23	5	24	5
Senility, ill defined and unknown causes (780-795)	1,236	27.4	1,084	152	475	41	72	5	95	19
All other diseases (residual)	2,325	51.6	2,049	276	807	19	141	5	167	17
Motor vehicle accidents (810-835)	1,307	29.0	1,204	103	610	18	80	2	96	2
All other accidents (800-802; 840-962)	1,484	33.0	1,304	180	548	9	79	11	110	12
Suicide and self-inflicted injury (970-979)	530	11.8	501	29	194	3	23	1	40	
Homicide (980-985)	378	8.4	163	215	53	13	10	2	12	8

Live Birth and Death rates are per 1,000 population. Maternal Death rates are per 10,000 live births.
Infant deaths, neonatal deaths and fetal death rates are per 1,000 live births. Rates for specific causes of death are per 100,000 population.

Numbers in parentheses refer to the code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

	POPULATION GROUPS									
	10,000 - Less than 15,000		15,000 - Less than 25,000		25,000 - Less than 50,000		50,000 - Less than 75,000		75,000 - Less than 100,000	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67										
TOTAL LIVE BIRTHS	2,732	137	4,491	206	4,028	211	2,389	76	2,813	113
Attended by M.D.	2,369	97	4,170	185	3,785	202	2,072	76	2,744	113
Attended by D.O.	361	7	315	12	242	9	317		67	
Attended by midwives	1	33	3	9						
Others or unspecified	1		3		1				2	
TOTAL FETAL DEATHS	31	2	40	7	40	1	33	1	40	3
Attended by M.D.	28	1	38	6	39	1	26	1	40	3
Attended by D.O.	3		2		1		7			
Attended by midwives										
Others or unspecified		1		1						
TOTAL DEATHS	1,607	104	2,565	119	1,830	117	1,209	27	2,165	83
Under one year of age										
Neonatal deaths										
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	3	1	1		4		1		7	2
Tuberculosis, other forms (010-019)	1	1			1					
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	1		2		2				2	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)							1			
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)	1		1		1					
Tularemia (059)										
Tetanus (061)				1						
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)			1		3	1				
Measles (085)										
Infectious Hepatitis (092)		1	1						2	
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	2		3			1	2		2	
Malignant neoplasms (140-205)	274	11	450	14	320	21	222	2	356	9
Benign and unspecified neoplasms (210-239)	3		3	1	4	1	3	1	7	
Diabetes mellitus (260)	24	1	47	3	32	2	16		29	1
Anemias (290-293)	5	1	3		2				2	
Vascular lesions affecting central nervous system (330-334)	181	17	307	20	230	16	116	2	286	5
Nonmeningococcal meningitis (340)			2				1		2	
Rheumatic fever (400-402)			1		1					
Chronic rheumatic heart disease (410-416)	10		24		20		9		17	
Arteriosclerotic and degenerative heart disease (420-422)	541	28	887	30	592	20	469	9	749	27
Other diseases of heart (430-434)	31	3	45	1	26	6	14	1	32	3
Hypertension with heart disease (440-443)	38	1	55	7	44	3	26	1	48	3
Hypertension w/o mention of heart (444-447)	9	1	15	1	12	1	4	1	20	
Other diseases of circulatory system (450-468)	79	4	109	4	75	5	44	2	105	2
Influenza (480-483)	4				2		4		5	
Lobar pneumonia 4 weeks (490)	7		10		8	3	3	1	11	
Bronchopneumonia 4 weeks (491)	25		39	2	20	3	15		29	1
Pneumonia, other forms 4 weeks (492-493)	28	3	19	1	23	1	13	1	11	
Bronchitis (500-502)	1		4		1		5		8	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1									
Gastro Enteritis and colitis, 2 years (571.1)	2	1	1		2				1	
Cirrhosis of liver (581)	17	1	31	1	22	3	13		15	
Other diseases of digestive system (530-587 excl. above)	46	1	59	4	37	5	28		49	2
Nephritis and nephrosis (590-594)	11		16	1	12	1	13		2	
Complications of pregnancy and puerperium (640-652; 660-689)	1									
Congenital malformations (750-759)	16		32	1	12	2	7		18	
Birth injuries, asphxia, (under 4 weeks) (760-762)	17	1	24	5	29	4	5	2	15	1
Pneumonia of newborn (under 4 weeks) (763)			1				2		1	
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)	1					1				1
Other diseases of early infancy (under 4 weeks) (769-776)	12	2	32	3	14	1	12		13	2
Senility, ill defined and unknown causes (780-795)	46	8	63	7	63	4	25	2	88	11
All other diseases (residual)	85	7	105	6	88	4	38		101	7
Motor vehicle accidents (810-835)	30	2	63	2	57	3	33		50	2
All other accidents (800-802; 840-962)	37	2	66	3	51	3	34	1	58	3
Suicide and self-inflicted injury (970-979)	14		38	1	17		23	1	21	1
Homicide (980-985)	3	6	5		3	2	8		3	

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

	POPULATION GROUPS				COUNTIES, INCLUDING CITIES					
	100,000 - Less than 500,000		500,000 and Over		Adair		Andrew		Atchison	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67					18,952		9,951		7,430	
TOTAL LIVE BIRTHS	6,689	2,718	6,480	6,602	331	2	156		144	
Attended by M.D.	5,811	2,612	6,310	6,596	74		146		144	
Attended by D.O.	876	106	168	1	257	2	10			
Attended by midwives			1	2						
Others or unspecified	2		1	3						
TOTAL FETAL DEATHS	97	50	114	145	3		1		1	
Attended by M.D.	77	48	111	142	2		1		1	
Attended by D.O.	17	2	2		1					
Attended by midwives										
Others or unspecified	3		1	3						
TOTAL DEATHS	4,698	1,161	6,921	2,806	236	4	151		98	
Under one year of age					9		2			
Neonatal deaths					8		1			
Maternal deaths					1					
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	14	11	24	11			1			
Tuberculosis, other forms (010-019)			2	1						
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	3	2	2	6					1	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)	2									
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)		1								
Meningococcal infections (057)	2		1	1						
Tularemia (059)										
Tetanus (061)		1								
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)	2	1	1							
Measles (085)										
Infectious Hepatitis (092)	1	1	1	2					1	
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	12	3	6	1	1					
Malignant neoplasms (140-205)	861	171	1,177	414	34		18		14	
Benign and unspecified neoplasms (210-239)	11	8	10	6						
Diabetes mellitus (260)	78	9	156	82	2		1			
Anemias (290-293)	8	4	12	5		1	3		1	
Vascular lesions affecting central nervous system (330-334)	465	129	730	344	40	1	20		15	
Nonmeningococcal meningitis (340)	2	5	6	10						
Rheumatic fever (400-402)	1									
Chronic rheumatic heart disease (410-416)	31	4	50	12	1				1	
Arteriosclerotic and degenerative heart disease (420-422)	1,614	255	2,670	624	80		66		40	
Other diseases of heart (430-434)	86	28	75	49	4	1	6			
Hypertension with heart disease (440-443)	88	43	158	146	2		2		2	
Hypertension w/o mention of heart (444-447)	20	19	48	30						
Other diseases of circulatory system (450-468)	202	39	319	100	9		2		3	
Influenza (480-483)	3	1	4	2	2					
Lobar pneumonia 4 weeks (490)	13	5	28	24	5					
Bronchopneumonia 4 weeks (491)	80	11	104	47	3		3		2	
Pneumonia, other forms 4 weeks (492-493)	64	20	98	87	4		2		3	
Bronchitis (500-502)	15		18	2					1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1	2						
Gastro Enteritis and colitis, 2 years (571.1)	1		4	1						
Cirrhosis of liver (581)	66	19	133	63	1				1	
Other diseases of digestive system (530-587 excl. above)	146	35	171	59	4		8		2	
Nephritis and nephrosis (590-594)	31	14	39	39	3		1			
Complications of pregnancy and puerperium (640-652; 660-689)	2	1		3	1					
Congenital malformations (750-759)	38	8	37	26	3				1	
Birth injuries, asphxia, (under 4 weeks) (760-762)	37	14	46	54	5		1			
Pneumonia of newborn (under 4 weeks) (763)	1	1	1	11						
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)	2	1	3	4						
Other diseases of early infancy (under 4 weeks) (769-776)	42	63	63	92	2					
Senility, ill defined and unknown causes (780-795)	111	44	45	11	1					
All other diseases (residual)	227	69	290	142	16	1	10		4	
Motor vehicle accidents (810-835)	92	35	93	37	3		3		5	
All other accidents (800-802; 840-962)	132	32	189	104	6		4			
Suicide and self-inflicted injury (970-979)	66	5	65	17	4				1	
Homicide (980-985)	25	49	41	135						

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Audrain		Barry		Barton		Bates		Benton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	25,280		15,729		9,119		13,629		7,693	
TOTAL LIVE BIRTHS	362	27	242		113		231	3	102	
Attended by M.D.	272	24	196		109		213	3	52	
Attended by D.O.	89	3	46		3		18		49	
Attended by midwives					1					
Others or unspecified	1								1	
TOTAL FETAL DEATHS	5		3				2		1	
Attended by M.D.	3		3				2		1	
Attended by D.O.	2									
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	294	31	237		155		253	5	143	
Under one year of age	7	2	7		3		2	2	1	
Neonatal deaths	5	2	6		1		2	2		
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)		2	1		1					
Tuberculosis, other forms (010-019)		1								
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)									1	
Measles (085)										
Infectious Hepatitis (092)	1									
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)			1				1		2	
Malignant neoplasms (140-205)	50	4	28		19		38		22	
Benign and unspecified neoplasms (210-239)										
Diabetes mellitus (260)	5		6		3		1			
Anemias (290-293)			2							
Vascular lesions affecting central nervous system (330-334)	51	3	37		20		35		32	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		2				2			
Arteriosclerotic and degenerative heart disease (420-422)	87	9	81		68		84	2	34	
Other diseases of heart (430-434)	12	1	6		4		7		6	
Hypertension with heart disease (440-443)	4	1	9		2		8			
Hypertension w/o mention of heart (444-447)	2	1	2				4		2	
Other diseases of circulatory system (450-468)	12	2	7		4		10		7	
Influenza (480-483)	1				1		1			
Lobar pneumonia 4 weeks (490)	1		1		2				3	
Bronchopneumonia 4 weeks (491)	4				1		7		2	
Pneumonia, other forms 4 weeks (492-493)	4				2		3		2	
Bronchitis (500-502)	2		2						1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)									1	
Cirrhosis of liver (581)	2		1		1		1			
Other diseases of digestive system (530-587 excl. above)	9		1		1		5		5	
Nephritis and nephrosis (590-594)	1		3		3		4			
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			2		1		3		2	
Birth injuries, asphxia, (under 4 weeks) (760-762)	2		2							
Pneumonia of newborn (under 4 weeks) (763)	1									
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	1	2	2		1		2	1		
Senility, ill defined and unknown causes (780-795)	7	1	8		1		7		4	
All other diseases (residual)	19	3	16		6		8		8	
Motor vehicle accidents (810-835)	10		7		7		8		4	
All other accidents (800-802; 840-962)	3		7		4		11	2	3	
Suicide and self-inflicted injury (970-979)	2		3		2		3		2	
Homicide (980-985)		1			1					

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Bollinger		Boone		Buchanan		Butler		Caldwell	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	7,467		58,511		80,876		29,544		7,358	
TOTAL LIVE BIRTHS	92		1,194	101	1,375	60	427	45	79	
Attended by M.D.	62		1,174	100	1,352	60	382	24	54	
Attended by D.O.	30		20	1	21		42	7	25	
Attended by midwives							2	14		
Others or unspecified					2		1			
TOTAL FETAL DEATHS	2		11		23	3	4	2	1	
Attended by M.D.	1		11		23	3	4	2	1	
Attended by D.O.	1									
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	109		435	54	1,141	49	426	37	144	
Under one year of age	2		14	5	31	1	6	3	1	
Neonatal deaths	2		12	3	26	1	2	2	1	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)					4	1	2			
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)					1		1		1	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)							1			
Tularemia (059)										
Tetanus (061)								1		
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)			1	1						
Measles (085)										
Infectious Hepatitis (092)					1				1	
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					1		1			
Malignant neoplasms (140-205)	20		61	8	191	7	50	3	23	
Benign and unspecified neoplasms (210-239)	1		1		4		2	1		
Diabetes mellitus (260)	1		14	1	16		8		4	
Anemias (290-293)					1		1			
Vascular lesions affecting central nervous system (330-334)	19		71	12	134	3	67	12	16	
Nonmeningococcal meningitis (340)					2					
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)			7		10		3		1	
Arteriosclerotic and degenerative heart disease (420-422)	36		129	7	434	18	129	5	47	
Other diseases of heart (430-434)	1		4	3	16	1	14	2	6	
Hypertension with heart disease (440-443)			9	2	26	2	4	1		
Hypertension w/o mention of heart (444-447)	1		2		10		2			
Other diseases of circulatory system (450-468)	8		20	1	41	1	17	1	8	
Influenza (480-483)			1		3		1		1	
Lobar pneumonia 4 weeks (490)	1		1	1	2		4			
Bronchopneumonia 4 weeks (491)	1		7	1	14	1	9		4	
Pneumonia, other forms 4 weeks (492-493)			16	2	8		4	2	3	
Bronchitis (500-502)			1		4		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)			2	1	8		3		1	
Other diseases of digestive system (530-587 excl. above)	4		17	1	27	1	9		4	
Nephritis and nephrosis (590-594)					1		3	1		
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			3	1	10		1			
Birth injuries, asphxia, (under 4 weeks) (760-762)	2		6	2	12	1		1		
Pneumonia of newborn (under 4 weeks) (763)					1					
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)				1						
Other diseases of early infancy (under 4 weeks) (769-776)			4	1	7		2	1	1	
Senility, ill defined and unknown causes (780-795)	1		1		34	7	32	4	3	
All other diseases (residual)	8		27	3	46	4	23	1	12	
Motor vehicle accidents (810-835)	3		15	2	27	1	15		2	
All other accidents (800-802; 840-962)			11	2	29	1	14	1	5	
Suicide and self-inflicted injury (970-979)	2		3		14		3		1	
Homicide (980-985)			1	1	2					

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Callaway		Camden		Cape Girardeau		Carroll		Carter	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	22,480		9,281		40,994		11,669		3,222	
TOTAL LIVE BIRTHS	328	27	123		621	42	159	4	52	
Attended by M.D.	305	24	81		591	37	116	1	45	
Attended by D.O.	22	3	41		30	4	43	3	7	
Attended by midwives						1				
Others or unspecified	1		1							
TOTAL FETAL DEATHS	3		2		5	1	3		1	
Attended by M.D.	3				3		1		1	
Attended by D.O.			2				2			
Attended by midwives										
Others or unspecified					2	1				
TOTAL DEATHS	262	30	132		450	31	232	3	50	
Under one year of age	11	1	1		10	4	3		1	
Neonatal deaths	7		1		8	3	3		1	
Maternal deaths					1					
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			1							
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	1									
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)	1									
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					1					
Malignant neoplasms (140-205)	44	3	21		76	2	19		5	
Benign and unspecified neoplasms (210-239)					1					
Diabetes mellitus (260)	1		1		4		8			
Anemias (290-293)	2		1		1					
Vascular lesions affecting central nervous system (330-334)	33	5	26		48	3	34	1	5	
Nonmeningococcal meningitis (340)					2					
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		1		4				1	
Arteriosclerotic and degenerative heart disease (420-422)	83	11	44		159	6	78		16	
Other diseases of heart (430-434)	3	2	3		11	1	5		1	
Hypertension with heart disease (440-443)	11		3		9	6	10	1		
Hypertension w/o mention of heart (444-447)	3		2		6	1				
Other diseases of circulatory system (450-468)	15		4		24	1	13		3	
Influenza (480-483)										
Lobar pneumonia 4 weeks (490)			1		4		2			
Bronchopneumonia 4 weeks (491)	3		2		4	1	1			
Pneumonia, other forms 4 weeks (492-493)	6	2	2		1		9		2	
Bronchitis (500-502)					3					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)	1	2								
Cirrhosis of liver (581)	1	1	1		10	1	2			
Other diseases of digestive system (530-587 excl. above)	4	1	3		11	1	4		2	
Nephritis and nephrosis (590-594)	1				2		1			
Complications of pregnancy and puerperium (640-652; 660-689)					1					
Congenital malformations (750-759)	5		1		4		1			
Birth injuries, asphxia, (under 4 weeks) (760-762)	2				1	2	1			
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	1		1		4	1	1		1	
Senility, ill defined and unknown causes (780-795)	12	3	3		6	1	13		9	
All other diseases (residual)	13		4		21	2	12	1	2	
Motor vehicle accidents (810-835)	6		2		8	1	8		1	
All other accidents (800-802; 840-962)	5		5		18	1	6		2	
Suicide and self-inflicted injury (970-979)	3				5		4			
Homicide (980-985)	1				1					

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Cass		Cedar		Chariton		Christian		Clark	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	40,168		7,724		10,398		11,380		7,979	
TOTAL LIVE BIRTHS	569	2	126		118	14	181		121	
Attended by M.D.	412	2	87		96	13	177		106	
Attended by D.O.	157		39		22	1	4		15	
Attended by midwives										
Others or unspecified										
TOTAL FETAL DEATHS	7		1		5		2			
Attended by M.D.	6				4		2			
Attended by D.O.	1		1		1					
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	299	5	164		175	18	162		110	
Under one year of age	12		3		2		3		2	
Neonatal deaths	9		2		1		2		2	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1		1				1			
Tuberculosis, other forms (010-019)			1							
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)	1		1							
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1		1						1	
Malignant neoplasms (140-205)	49	1	20		32	3	24		18	
Benign and unspecified neoplasms (210-239)					1					
Diabetes mellitus (260)	4		2			1	1		2	
Anemias (290-293)			1							
Vascular lesions affecting central nervous system (330-334)	39		29		17	1	27		19	
Nonmeningococcal meningitis (340)	1									
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1				2					
Arteriosclerotic and degenerative heart disease (420-422)	105	1	58		55	4	50		38	
Other diseases of heart (430-434)	3		8		4	1	1		1	
Hypertension with heart disease (440-443)					2		6		2	
Hypertension w/o mention of heart (444-447)	1		2		2		1			
Other diseases of circulatory system (450-468)	10		6		8	2	12		5	
Influenza (480-483)										
Lobar pneumonia 4 weeks (490)	1		1		1		2		1	
Bronchopneumonia 4 weeks (491)	6	1	3				2		1	
Pneumonia, other forms 4 weeks (492-493)	2				4		1			
Bronchitis (500-502)			1		1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1									
Gastro Enteritis and colitis, 2 years (571.1)					1					
Cirrhosis of liver (581)	4		1		1		1		1	
Other diseases of digestive system (530-587 excl. above)	14		7		5	1	4		3	
Nephritis and nephrosis (590-594)	3		2		1	1	1			
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	3				1					
Birth injuries, asphxia, (under 4 weeks) (760-762)	3									
Pneumonia of newborn (under 4 weeks) (763)	1									
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	2				1		2		2	
Senility, ill defined and unknown causes (780-795)	2				8		3		4	
All other diseases (residual)	13	1	10		7	2	13		4	
Motor vehicle accidents (810-835)	10		3		8	2	8		3	
All other accidents (800-802; 840-962)	12		5		10		2		4	
Suicide and self-inflicted injury (970-979)	6	1	1		3				1	
Homicide (980-985)										

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Clay		Clinton		Cole		Cooper		Crawford	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	145,543		10,625		41,970		13,553		12,400	
TOTAL LIVE BIRTHS	1,929	10	153	5	675	19	184	12	246	
Attended by M.D.	1,730	8	106	4	589	13	174	9	228	
Attended by D.O.	199	2	47	1	86	6	8	1	18	
Attended by midwives										
Others or unspecified							2	2		
TOTAL FETAL DEATHS	17		1		3		2	2	4	
Attended by M.D.	12		1		3		2	2	2	
Attended by D.O.	5								2	
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	646	14	163	6	363	15	147	23	175	
Under one year of age	26		5	1	4	1	1	1	2	
Neonatal deaths	22		2		4	1	1		1	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1									
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)			1							
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)	2									
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)									1	
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	4				1					
Malignant neoplasms (140-205)	110	3	25	1	60	3	33	1	31	
Benign and unspecified neoplasms (210-239)					1					
Diabetes mellitus (260)	15		2		4		6		2	
Anemias (290-293)	1						1			
Vascular lesions affecting central nervous system (330-334)	74	3	27	2	42	1	14	2	13	
Nonmeningococcal meningitis (340)	1						1	1		
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	2			1	2				2	
Arteriosclerotic and degenerative heart disease (420-422)	234	2	55	1	148	2	54	6	64	
Other diseases of heart (430-434)	11	1	4		12		4		12	
Hypertension with heart disease (440-443)	13	1	2		7		2		2	
Hypertension w/o mention of heart (444-447)	2		1		2				2	
Other diseases of circulatory system (450-468)	23	1	4		11	2	10	1	11	
Influenza (480-483)	2		1							
Lobar pneumonia 4 weeks (490)	1		1		1		2	1	1	
Bronchopneumonia 4 weeks (491)	2		1		3		1	1	2	
Pneumonia, other forms 4 weeks (492-493)	6		2	1	4		2	1	4	
Bronchitis (500-502)					1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)								1		
Cirrhosis of liver (581)	5		2		3	1	1			
Other diseases of digestive system (530-587 excl. above)	20	1	2		10	1	4	1	4	
Nephritis and nephrosis (590-594)	5				1					
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	5								1	
Birth injuries, asphxia, (under 4 weeks) (760-762)	10		2		4	1				
Pneumonia of newborn (under 4 weeks) (763)	2									
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	6						1		2	
Senility, ill defined and unknown causes (780-795)	6		5		10		2	4	1	
All other diseases (residual)	30	1	5		11	1	3	2	7	
Motor vehicle accidents (810-835)	20		11		10	1	2		4	
All other accidents (800-802; 840-962)	17	1	9		11	1	3	1	6	
Suicide and self-inflicted injury (970-979)	13		1		4				3	
Homicide (980-985)	3					1	1			

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Dade		Dallas		Daviess		DeKalb		Dent	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	6,020		7,751		7,724		6,086		9,161	
TOTAL LIVE BIRTHS	57		109		94		88		149	
Attended by M.D.	46		82		58		63		129	
Attended by D.O.	10		25		36		25		20	
Attended by midwives										
Others or unspecified	1		2							
TOTAL FETAL DEATHS	1		1		4		2	1		
Attended by M.D.	1				3		1	1		
Attended by D.O.			1		1		1			
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	120	2	158		147	2	116		146	
Under one year of age			4		2		1		1	
Neonatal deaths			4		1		1		1	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)									1	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)			1							
Malignant neoplasms (140-205)	20	1	19		21		16		18	
Benign and unspecified neoplasms (210-239)										
Diabetes mellitus (260)	1				2		3		3	
Anemias (290-293)	1									
Vascular lesions affecting central nervous system (330-334)	9		20		20	1	15		22	
Nonmeningococcal meningitis (340)									1	
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)					1		2		2	
Arteriosclerotic and degenerative heart disease (420-422)	49		56		41	1	47		50	
Other diseases of heart (430-434)	7	1	7		3		1		1	
Hypertension with heart disease (440-443)			1		3		1		3	
Hypertension w/o mention of heart (444-447)	1		1		3		1		1	
Other diseases of circulatory system (450-468)	4		7		10		6		10	
Influenza (480-483)									1	
Lobar pneumonia 4 weeks (490)										
Bronchopneumonia 4 weeks (491)	3		2		2				1	
Pneumonia, other forms 4 weeks (492-493)	2				1				6	
Bronchitis (500-502)			1		1		1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)			1		1					
Cirrhosis of liver (581)			2		1				2	
Other diseases of digestive system (530-587 excl. above)	3		4		8		1		2	
Nephritis and nephrosis (590-594)					1		1			
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			2		1		1			
Birth injuries, asphxia, (under 4 weeks) (760-762)							1			
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)			2		1				1	
Senility, ill defined and unknown causes (780-795)	6		8		4		1		5	
All other diseases (residual)	7		9		8		5		6	
Motor vehicle accidents (810-835)	6		6		6		7		4	
All other accidents (800-802; 840-962)	1		4		7		5		4	
Suicide and self-inflicted injury (970-979)			2		1		1		1	
Homicide (980-985)			3							

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Douglas		Dunklin		Franklin		Gasconade		Gentry	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19_67	7,408		32,167		49,026		11,027		6,983	
TOTAL LIVE BIRTHS	115		514	33	939	12	149		116	
Attended by M.D.	84		486	20	879	11	95		96	
Attended by D.O.	29		26	11	59	1	54		20	
Attended by midwives				1						
Others or unspecified	2		2	1	1					
TOTAL FETAL DEATHS			1	1	6		1			
Attended by M.D.					6					
Attended by D.O.			1	1			1			
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	112		415	10	568	7	173		126	
Under one year of age	2		18	3	21		3		3	
Neonatal deaths	1		8	2	16		3		3	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1		3							
Tuberculosis, other forms (010-019)	1									
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)			1						1	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)			1							
Malignant neoplasms (140-205)	14		51		87		32		26	
Benign and unspecified neoplasms (210-239)							1			
Diabetes mellitus (260)	1		8		7		3		4	
Anemias (290-293)	1		2		1					
Vascular lesions affecting central nervous system (330-334)	22		37		55	1	17		19	
Nonmeningococcal meningitis (340)			3							
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1				2					
Arteriosclerotic and degenerative heart disease (420-422)	27		144	1	220	2	71		35	
Other diseases of heart (430-434)	4		15	1	17	2	5		2	
Hypertension with heart disease (440-443)	3		14	1	11		3		1	
Hypertension w/o mention of heart (444-447)					6				4	
Other diseases of circulatory system (450-468)	9		14		21		6		8	
Influenza (480-483)			1		1					
Lobar pneumonia 4 weeks (490)			6		2		1			
Bronchopneumonia 4 weeks (491)	2		11		11		4			
Pneumonia, other forms 4 weeks (492-493)	4		16	2	6		2		4	
Bronchitis (500-502)	2		1				1		2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			2							
Gastro Enteritis and colitis, 2 years (571.1)	1		1							
Cirrhosis of liver (581)			2		8				2	
Other diseases of digestive system (530-587 excl. above)	2		11		10	1	3		1	
Nephritis and nephrosis (590-594)	2		8							
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			2		4		2			
Birth injuries, asphxia, (under 4 weeks) (760-762)			3	1	6				1	
Pneumonia of newborn (under 4 weeks) (763)			1							
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	1		3	1	7		1		2	
Senility, ill defined and unknown causes (780-795)	2		6	1	12		4		1	
All other diseases (residual)	5		15	1	28	1	5		3	
Motor vehicle accidents (810-835)	2		16		23		8		3	
All other accidents (800-802; 840-962)	2		7		19		2		5	
Suicide and self-inflicted injury (970-979)	3		7		4		2			
Homicide (980-985)			3	1					2	

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Greene		Grundy		Harrison		Henry		Hickory	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	134,202		10,436		9,151		17,168		3,565	
TOTAL LIVE BIRTHS	2,189	53	123		127		239	4	31	
Attended by M.D.	2,116	53	110		87		140	1	20	
Attended by D.O.	73		13		40		99	3	11	
Attended by midwives										
Others or unspecified										
TOTAL FETAL DEATHS	29		4		4		4			
Attended by M.D.	28		4		2		3			
Attended by D.O.	1				2		1			
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	1,441	39	207	1	182	2	296	3	74	
Under one year of age	38	3	7		3		4	1		
Neonatal deaths	24	3	6		3		3	1		
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	4	1	1							
Tuberculosis, other forms (010-019)									1	
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	1						1			
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)			1							
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)	1									
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	2									
Malignant neoplasms (140-205)	229	4	30		26		45		17	
Benign and unspecified neoplasms (210-239)	5				1					
Diabetes mellitus (260)	17	1	3		2		8		1	
Anemias (290-293)	1				1		1			
Vascular lesions affecting central nervous system (330-334)	200	3	30		24		47	2	10	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	10				1					
Arteriosclerotic and degenerative heart disease (420-422)	466	9	74	1	59	2	100		24	
Other diseases of heart (430-434)	23	3	1		5		8		3	
Hypertension with heart disease (440-443)	34	1	13		10		5		2	
Hypertension w/o mention of heart (444-447)	13				1		3			
Other diseases of circulatory system (450-468)	83	1	4		4		12		1	
Influenza (480-483)	2		1		1		5			
Lobar pneumonia 4 weeks (490)	10				2		1			
Bronchopneumonia 4 weeks (491)	19		6		2		4		2	
Pneumonia, other forms 4 weeks (492-493)	10		4		3		3		1	
Bronchitis (500-502)	6									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1									
Gastro Enteritis and colitis, 2 years (571.1)	1						1			
Cirrhosis of liver (581)	8						1			
Other diseases of digestive system (530-587 excl. above)	33	1	6		4		9		2	
Nephritis and nephrosis (590-594)	2				2		2		1	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	12		1		1					
Birth injuries, asphxia, (under 4 weeks) (760-762)	9		3					1		
Pneumonia of newborn (under 4 weeks) (763)							1			
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)		1								
Other diseases of early infancy (under 4 weeks) (769-776)	9	2	1		2		2			
Senility, ill defined and unknown causes (780-795)	71	4	9		4		5		4	
All other diseases (residual)	67	3	3		13		17			
Motor vehicle accidents (810-835)	38	1	1		4		8		4	
All other accidents (800-802; 840-962)	41	3	13		6		4		1	
Suicide and self-inflicted injury (970-979)	10	1	2		3		3			
Homicide (980-985)	3				1					

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Holt		Howard		Howell		Iron		Jackson	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	6,166		9,521		19,590		6,602		635,958	
TOTAL LIVE BIRTHS	75		104	24	304		132	2	8,905	2,724
Attended by M.D.	73		101	23	277		116	2	7,628	2,618
Attended by D.O.	2		3	1	27		16		1,275	106
Attended by midwives										
Others or unspecified									2	
TOTAL FETAL DEATHS			1		2		1		127	51
Attended by M.D.					1		1		100	49
Attended by D.O.			1		1				24	2
Attended by midwives										
Others or unspecified									3	
TOTAL DEATHS	116		140	25	308	1	107	1	5,683	1,175
Under one year of age	1		1		4		4		15	120
Neonatal deaths	1		1		3		3		119	88
Maternal deaths									2	1
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)					2		2		15	11
Tuberculosis, other forms (010-019)									1	
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)									3	2
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										1
Meningococcal infections (057)				1	1				2	
Tularemia (059)										
Tetanus (061)										1
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)					1				2	1
Measles (085)									1	
Infectious Hepatitis (092)									2	1
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					1				13	3
Malignant neoplasms (140-205)	16		17	7	40		12		1,028	171
Benign and unspecified neoplasms (210-239)							1		12	9
Diabetes mellitus (260)			1		6		2		86	9
Anemias (290-293)							1		9	4
Vascular lesions affecting central nervous system (330-334)	15		35	5	51		7		556	130
Nonmeningococcal meningitis (340)					1		1		2	5
Rheumatic fever (400-402)			1						1	
Chronic rheumatic heart disease (410-416)					2				39	4
Arteriosclerotic and degenerative heart disease (420-422)	48		47	5	115		38		2,002	260
Other diseases of heart (430-434)	2		3	1	6		1		96	28
Hypertension with heart disease (440-443)	3		4	1	2		4	1	119	43
Hypertension w/o mention of heart (444-447)	1				10				24	20
Other diseases of circulatory system (450-468)	4		5		10		5		233	41
Influenza (480-483)			1						4	1
Lobar pneumonia 4 weeks (490)							1		17	6
Bronchopneumonia 4 weeks (491)	3		2		3		4		93	11
Pneumonia, other forms 4 weeks (492-493)	1		4		1		3		83	20
Bronchitis (500-502)					2		1		21	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1	
Gastro Enteritis and colitis, 2 years (571.1)									2	
Cirrhosis of liver (581)	2		1		1				73	19
Other diseases of digestive system (530-587 excl. above)	4		3		10		2		164	35
Nephritis and nephrosis (590-594)	1				1		1		42	14
Complications of pregnancy and puerperium (640-652; 660-689)									2	1
Congenital malformations (750-759)									47	8
Birth injuries, asphxia, (under 4 weeks) (760-762)					3				37	14
Pneumonia of newborn (under 4 weeks) (763)									3	1
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)									1	1
Other diseases of early infancy (under 4 weeks) (769-776)	1		1				1		51	63
Senility, ill defined and unknown causes (780-795)	1		1		1		1		123	45
All other diseases (residual)	7		4	1	18	1	11		254	69
Motor vehicle accidents (810-835)			3	1	10		4		126	35
All other accidents (800-802; 840-962)	5		6	2	7		2		166	33
Suicide and self-inflicted injury (970-979)	2		1	1	1		1		98	6
Homicide (980-985)					2		1		29	49

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Jasper		Jefferson		Johnson		Knox		Laclede	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	72,088		100,679		35,644		5,440		17,325	
TOTAL LIVE BIRTHS	1,257	14	1,797	22	362	12	80		321	2
Attended by M.D.	1,050	11	1,698	20	311	11	38		302	2
Attended by D.O.	207	3	98	2	50	1	40		19	
Attended by midwives										
Others or unspecified			1		1		2			
TOTAL FETAL DEATHS	14		21		4	1	1		3	
Attended by M.D.	12		19		4	1			3	
Attended by D.O.	2		2				1			
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	1,068	13	645	6	271	14	94		227	1
Under one year of age	25		32	1	10	2	2		8	
Neonatal deaths	18		26	1	9	2	1		7	
Maternal deaths							1			
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	3		1			1				
Tuberculosis, other forms (010-019)	2									
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)							1			
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)	1									
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)	1								1	
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	2		1		1					
Malignant neoplasms (140-205)	158	3	106	1	39	1	18		32	
Benign and unspecified neoplasms (210-239)	3	1			3					
Diabetes mellitus (260)	13		9		1	1	1		3	
Anemias (290-293)	1		1						1	
Vascular lesions affecting central nervous system (330-334)	121	2	82	2	39	1	11		27	
Nonmeningococcal meningitis (340)	1								1	
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	5		5		1					
Arteriosclerotic and degenerative heart disease (420-422)	352	1	201		109	4	35		62	
Other diseases of heart (430-434)	11	1	8	1	7	1	1		10	1
Hypertension with heart disease (440-443)	24		12				3		4	
Hypertension w/o mention of heart (444-447)	13		10		1		1		1	
Other diseases of circulatory system (450-468)	62		21		7		2		7	
Influenza (480-483)	3						1		1	
Lobar pneumonia 4 weeks (490)	8	1	1		1				1	
Bronchopneumonia 4 weeks (491)	10		16	1	4				4	
Pneumonia, other forms 4 weeks (492-493)	7		9		3		2		7	
Bronchitis (500-502)	1								1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1					
Gastro Enteritis and colitis, 2 years (571.1)	1									
Cirrhosis of liver (581)	12	1	8						2	
Other diseases of digestive system (530-587 excl. above)	27		17		9		2		9	
Nephritis and nephrosis (590-594)	18		3						3	
Complications of pregnancy and puerperium (640-652; 660-689)							1			
Congenital malformations (750-759)	10		5		3					
Birth injuries, asphxia, (under 4 weeks) (760-762)	4		8		4	1			1	
Pneumonia of newborn (under 4 weeks) (763)			1							
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)			1							
Other diseases of early infancy (under 4 weeks) (769-776)	7		16	1	2	1			5	
Senility, ill defined and unknown causes (780-795)	53		3		2				15	
All other diseases (residual)	52		22		18	2	7		13	
Motor vehicle accidents (810-835)	44	2	44		7		5		7	
All other accidents (800-802; 840-962)	27	1	23		7	1	3		5	
Suicide and self-inflicted injury (970-979)	9		10		1				4	
Homicide (980-985)	2		1		1					

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Lafayette		Lawrence		Lewis		Lincoln		Linn	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	23,190		21,453		10,458		14,925		13,873	
TOTAL LIVE BIRTHS	346	15	309		148	11	244	18	170	1
Attended by M.D.	299	14	269		132	6	201	15	111	1
Attended by D.O.	46	1	40		16	5	43	3	58	
Attended by midwives										
Others or unspecified	1								1	
TOTAL FETAL DEATHS	6	1	3		5				3	
Attended by M.D.	6	1	2		3				3	
Attended by D.O.			1		2					
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	334	18	296		136	2	200	6	327	3
Under one year of age	8		4		2		1		7	
Neonatal deaths	7		4		2		1		7	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			5							
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)		1	1						1	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)	1									
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)			1							
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	2		1				1		1	
Malignant neoplasms (140-205)	52	3	53		14		36	1	49	1
Benign and unspecified neoplasms (210-239)			1		1				2	
Diabetes mellitus (260)	7		3				4	1	5	
Anemias (290-293)					1				1	
Vascular lesions affecting central nervous system (330-334)	43	3	42		26		30	1	55	1
Nonmeningococcal meningitis (340)							1			
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	2		3				1		6	
Arteriosclerotic and degenerative heart disease (420-422)	108	10	89		57		69	2	112	1
Other diseases of heart (430-434)	6		7		3		3		10	
Hypertension with heart disease (440-443)	7		7		3		2	1	4	
Hypertension w/o mention of heart (444-447)	2		1						3	
Other diseases of circulatory system (450-468)	17		10		3		9		8	
Influenza (480-483)			1							
Lobar pneumonia 4 weeks (490)	1									
Bronchopneumonia 4 weeks (491)	6		10		2				5	
Pneumonia, other forms 4 weeks (492-493)	5	1	4		1		1		6	
Bronchitis (500-502)	1						1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)	1									
Cirrhosis of liver (581)	4		2				1		1	
Other diseases of digestive system (530-587 excl. above)	7		7		3		5		4	
Nephritis and nephrosis (590-594)	5		2		1				1	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	4				1		1		3	
Birth injuries, asphxia, (under 4 weeks) (760-762)			2		1				1	
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	4		2						3	
Senility, ill defined and unknown causes (780-795)	1		12		2		8		1	
All other diseases (residual)	21		14		8	1	13		15	
Motor vehicle accidents (810-835)	16		3		2	1	8		12	
All other accidents (800-802; 840-962)	7		8		6		5		15	
Suicide and self-inflicted injury (970-979)	3		5		1		1		1	
Homicide (980-985)	1								1	

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Livingston		McDonald		Macon		Madison		Maries	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	14,056		9,661		14,048		7,705		6,549	
TOTAL LIVE BIRTHS	243	8	172		181	7	139		98	
Attended by M.D.	185	5	135		73	3	133		55	
Attended by D.O.	58	3	36		108	4	6		42	
Attended by midwives										
Others or unspecified			1						1	
TOTAL FETAL DEATHS	2				1					
Attended by M.D.	2									
Attended by D.O.					1					
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	217	7	173		231	7	146	1	77	
Under one year of age	3		9		4		2		1	
Neonatal deaths	2		8		4		2		1	
Maternal deaths	1									
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)										
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)	1									
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)										
Malignant neoplasms (140-205)	34		23		28		17		9	
Benign and unspecified neoplasms (210-239)	1				2					
Diabetes mellitus (260)	3	1	5		3					
Anemias (290-293)					1					
Vascular lesions affecting central nervous system (330-334)	32	1	30		39		12		16	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1						2			
Arteriosclerotic and degenerative heart disease (420-422)	67	2	60		68	3	75		25	
Other diseases of heart (430-434)	4		3		2		3		5	
Hypertension with heart disease (440-443)	5		2		13		1		1	
Hypertension w/o mention of heart (444-447)					2				1	
Other diseases of circulatory system (450-468)	9		10		18	2	7	1		
Influenza (480-483)					1					
Lobar pneumonia 4 weeks (490)	3	1			3		1			
Bronchopneumonia 4 weeks (491)	5		2		1	1	2		4	
Pneumonia, other forms 4 weeks (492-493)	3		2		1		2		3	
Bronchitis (500-502)					1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)	1									
Cirrhosis of liver (581)	1				2				1	
Other diseases of digestive system (530-587 excl. above)	7		1		5		5		2	
Nephritis and nephrosis (590-594)	1		1						1	
Complications of pregnancy and puerperium (640-652; 660-689)	1									
Congenital malformations (750-759)			3		1					
Birth injuries, asphxia, (under 4 weeks) (760-762)			2		1		2		1	
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	3		3		2					
Senility, ill defined and unknown causes (780-795)	2	1	4		11	1	4		1	
All other diseases (residual)	16	1	9		13		2		4	
Motor vehicle accidents (810-835)	8		5		4		5		2	
All other accidents (800-802; 840-962)	5		8		6		1		1	
Suicide and self-inflicted injury (970-979)	3				1		3			
Homicide (980-985)	1				2		1			

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Marion		Mercer		Miller		Mississippi		Moniteau	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	26,907		4,396		12,713		17,826		9,511	
TOTAL LIVE BIRTHS	364	28	36		207		252	125	151	3
Attended by M.D.	362	28	14		97		133	19	120	3
Attended by D.O.	2		22		110		119	93	31	
Attended by midwives								12		
Others or unspecified								1		
TOTAL FETAL DEATHS	6	2	1		5		3	2	2	
Attended by M.D.	6	2			2		3	1	1	
Attended by D.O.			1		3			1	1	
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	360	21	88		195	2	189	69	136	4
Under one year of age	7	1			3		6	12	4	1
Neonatal deaths	6	1			2		5	6	3	1
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)					1			1		
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)					1					
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1									
Malignant neoplasms (140-205)	59	3	12		30	1	30	3	26	
Benign and unspecified neoplasms (210-239)	1								1	
Diabetes mellitus (260)	6	1	6		7		2		1	
Anemias (290-293)	1								1	1
Vascular lesions affecting central nervous system (330-334)	56	3	11		24	1	24	8	17	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	2				1					
Arteriosclerotic and degenerative heart disease (420-422)	138	6	33		65		38	19	51	1
Other diseases of heart (430-434)	11		1		3		6	1	3	
Hypertension with heart disease (440-443)	2	1	1		6		8	5	3	
Hypertension w/o mention of heart (444-447)	4				1			2		
Other diseases of circulatory system (450-468)	22		2		11		5	2	6	
Influenza (480-483)	2									
Lobar pneumonia 4 weeks (490)					2		1	1	1	
Bronchopneumonia 4 weeks (491)	5		1		2		1	2	2	1
Pneumonia, other forms 4 weeks (492-493)	3		1		2		2			
Bronchitis (500-502)	2		1		1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								1		
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	1		2		1		1			
Other diseases of digestive system (530-587 excl. above)	2	2	4		4		4		4	
Nephritis and nephrosis (590-594)	2		2		2		1	1		
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	3		1		1		1	2	1	
Birth injuries, asphxia, (under 4 weeks) (760-762)	5	1			1		2	1	2	
Pneumonia of newborn (under 4 weeks) (763)										1
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	1						2	3	1	
Senility, ill defined and unknown causes (780-795)		1	3		3		18	10	3	
All other diseases (residual)	11	2	6		12		10	3	5	
Motor vehicle accidents (810-835)	9		1		4		11	1	3	
All other accidents (800-802; 840-962)	9	1			6		17	1	2	
Suicide and self-inflicted injury (970-979)	2				3		2		3	
Homicide (980-985)					1		2	2		

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Monroe		Montgomery		Morgan		New Madrid		Newton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	9,535		10,217		8,204		24,713		28,937	
TOTAL LIVE BIRTHS	104	13	131	17	100	4	273	177	430	
Attended by M.D.	89	11	91	12	90	4	212	40	334	
Attended by D.O.	15	1	40	5	10		58	73	96	
Attended by midwives							3	64		
Others or unspecified		1								
TOTAL FETAL DEATHS	1	1	3				9	5	4	
Attended by M.D.	1	1	3				9	2	4	
Attended by D.O.								1		
Attended by midwives								2		
Others or unspecified										
TOTAL DEATHS	157	7	173	9	141	2	203	69	361	1
Under one year of age			1		1		8	13	8	
Neonatal deaths					1		4	7	8	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1				1		1	2	3	
Tuberculosis, other forms (010-019)									1	
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)					1					
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)					1			1		
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					1				1	
Malignant neoplasms (140-205)	18	1	21	4	28	1	30	3	43	
Benign and unspecified neoplasms (210-239)			1				1		1	
Diabetes mellitus (260)	2		2		2		4		4	
Anemias (290-293)										
Vascular lesions affecting central nervous system (330-334)	24		32	1	31		37	10	51	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	2		1				1			
Arteriosclerotic and degenerative heart disease (420-422)	71	3	52	1	47	1	53	9	108	
Other diseases of heart (430-434)	5		4		4		5	2	17	
Hypertension with heart disease (440-443)	6		3		2		3	6	10	
Hypertension w/o mention of heart (444-447)	1		1						1	
Other diseases of circulatory system (450-468)	3	1	16		4		6	1	16	
Influenza (480-483)	1						1			
Lobar pneumonia 4 weeks (490)			1				2	2		
Bronchopneumonia 4 weeks (491)	1				4		8	1	1	
Pneumonia, other forms 4 weeks (492-493)	1		3		2		1		8	1
Bronchitis (500-502)					1			1	2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								2		
Gastro Enteritis and colitis, 2 years (571.1)					1				1	
Cirrhosis of liver (581)	1		1				1		3	
Other diseases of digestive system (530-587 excl. above)	3	1	4				5	3	8	
Nephritis and nephrosis (590-594)	2				1		3		3	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)							3		1	
Birth injuries, asphxia, (under 4 weeks) (760-762)							2	2	2	
Pneumonia of newborn (under 4 weeks) (763)								2	1	
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)					1					
Other diseases of early infancy (under 4 weeks) (769-776)								3	4	
Senility, ill defined and unknown causes (780-795)	4		4	1			10	14	25	
All other diseases (residual)	2		7		7		8	2	21	
Motor vehicle accidents (810-835)	4	1	12	1			6		8	
All other accidents (800-802; 840-962)	4		6	1	2		10	2	11	
Suicide and self-inflicted injury (970-979)	1		2				2		3	
Homicide (980-985)								1	3	

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Nodaway		Oregon		Osage		Ozark		Pemiscot	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	19,371		7,831		9,806		5,079		31,170	
TOTAL LIVE BIRTHS	328		120		199		78		331	225
Attended by M.D.	325		70		140		62		328	214
Attended by D.O.	3		50		59		14		3	2
Attended by midwives										8
Others or unspecified							2			1
TOTAL FETAL DEATHS	2				3				4	4
Attended by M.D.	2				1				4	4
Attended by D.O.					2					
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	251		144		135		91		272	131
Under one year of age	8		2		2		3		16	15
Neonatal deaths	4		2		1		2		9	9
Maternal deaths									1	2
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			1				1			4
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)					1					
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1				1		1			1
Malignant neoplasms (140-205)	40		18		20		19		37	15
Benign and unspecified neoplasms (210-239)			1							
Diabetes mellitus (260)	2						2		3	2
Anemias (290-293)										1
Vascular lesions affecting central nervous system (330-334)	53		19		25		9		31	10
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1				1		1		1	
Arteriosclerotic and degenerative heart disease (420-422)	70		50		45		24		72	15
Other diseases of heart (430-434)	7		7		4		1		5	3
Hypertension with heart disease (440-443)	10		7		2		2		15	20
Hypertension w/o mention of heart (444-447)	6		5		1				2	1
Other diseases of circulatory system (450-468)	9		5		7		7		7	2
Influenza (480-483)	1									1
Lobar pneumonia 4 weeks (490)	1		1		1				2	
Bronchopneumonia 4 weeks (491)	2		2		3		3		3	2
Pneumonia, other forms 4 weeks (492-493)	1		1		2				6	4
Bronchitis (500-502)					1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)	1		1							
Cirrhosis of liver (581)	2		1		1		1		3	
Other diseases of digestive system (530-587 excl. above)	4		8		4		3		11	
Nephritis and nephrosis (590-594)			1		1		1			
Complications of pregnancy and puerperium (640-652; 660-689)									1	2
Congenital malformations (750-759)	3				1		1		5	
Birth injuries, asphxia, (under 4 weeks) (760-762)	2				1		2		3	1
Pneumonia of newborn (under 4 weeks) (763)										3
Diarrhea of newborn (under 4 weeks) (764)										1
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	3		1						4	2
Senility, ill defined and unknown causes (780-795)			2						23	20
All other diseases (residual)	19		6		4		6		11	4
Motor vehicle accidents (810-835)	4		4		4		2		12	7
All other accidents (800-802; 840-962)	6		1		4		3		11	3
Suicide and self-inflicted injury (970-979)	2		2		1		2		2	
Homicide (980-985)	1								2	7

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Perry		Pettis		Phelps		Pike		Platte	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	13,083		35,056		26,223		15,359		31,635	
TOTAL LIVE BIRTHS	229		435	30	411	1	245	17	505	3
Attended by M.D.	224		359	30	298	1	193	17	466	3
Attended by D.O.	5		76		111		49		39	
Attended by midwives							3			
Others or unspecified					2					
TOTAL FETAL DEATHS	5		6	2	4		5		5	1
Attended by M.D.	5		6	2	2		4		5	1
Attended by D.O.					2		1			
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	165	1	412	30	271	2	211	24	203	
Under one year of age	5		8	3	4		5	1	9	
Neonatal deaths	5		7	3	4		2	1	7	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)					1		2			
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)										
Malignant neoplasms (140-205)	22		84	4	43	1	30	5	42	
Benign and unspecified neoplasms (210-239)										
Diabetes mellitus (260)	2		9		3		5		4	
Anemias (290-293)										
Vascular lesions affecting central nervous system (330-334)	18		67	3	33	1	21	3	22	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)			1							
Chronic rheumatic heart disease (410-416)	1		1				2		4	
Arteriosclerotic and degenerative heart disease (420-422)	67	1	135	16	81		69	6	50	
Other diseases of heart (430-434)	1		13		8		2	1	5	
Hypertension with heart disease (440-443)	8		14	1	6		6	1	1	
Hypertension w/o mention of heart (444-447)	2		3				2			
Other diseases of circulatory system (450-468)	8		12	1	9		13	2	5	
Influenza (480-483)			1				1			
Lobar pneumonia 4 weeks (490)			5		2		2		1	
Bronchopneumonia 4 weeks (491)	2		3		4		1		1	
Pneumonia, other forms 4 weeks (492-493)	2		4		21		8		6	
Bronchitis (500-502)			1		1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)							1			
Cirrhosis of liver (581)			5		6		2		3	
Other diseases of digestive system (530-587 excl. above)	6		10	1	6		11	1	6	
Nephritis and nephrosis (590-594)			3		1		1		3	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	1		5	1			1		4	
Birth injuries, asphxia, (under 4 weeks) (760-762)	2		1	1	2				1	
Pneumonia of newborn (under 4 weeks) (763)	1						1			
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)									1	
Other diseases of early infancy (under 4 weeks) (769-776)	1		3	1	2		1	1	3	
Senility, ill defined and unknown causes (780-795)	2		1		12		1		12	
All other diseases (residual)	10		12	1	12		6	3	10	
Motor vehicle accidents (810-835)	5		9		6		6		9	
All other accidents (800-802; 840-962)	4		6		12		11		7	
Suicide and self-inflicted injury (970-979)			3				4		3	
Homicide (980-985)			1				1	1		

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Polk		Pulaski		Putnam		Ralls		Randolph	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	11,258		44,219		5,308		7,054		19,678	
TOTAL LIVE BIRTHS	171		258	12	78		93	3	293	25
Attended by M.D.	136		145	5	10		86	3	208	23
Attended by D.O.	34		113	7	68		7		85	2
Attended by midwives										
Others or unspecified	1									
TOTAL FETAL DEATHS	2		9	1	2				4	1
Attended by M.D.	2		8	1					3	1
Attended by D.O.			1		2				1	
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	194		188	6	105		103	2	331	19
Under one year of age	2		14	2	2		2		4	2
Neonatal deaths	2		11	1	1		2		3	2
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)									2	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)			1							
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1		1		1					
Malignant neoplasms (140-205)	26		24	1	15		14	1	41	2
Benign and unspecified neoplasms (210-239)			1						2	
Diabetes mellitus (260)	1		5		3		2		6	
Anemias (290-293)			1		1				2	
Vascular lesions affecting central nervous system (330-334)	28		19		26		11		37	1
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)			1				1		3	
Arteriosclerotic and degenerative heart disease (420-422)	82		49	1	24		30	1	138	8
Other diseases of heart (430-434)	7		4		6		4		3	
Hypertension with heart disease (440-443)	3		10		2				14	
Hypertension w/o mention of heart (444-447)			3				1			
Other diseases of circulatory system (450-468)	3		4		5		6		16	1
Influenza (480-483)			1						1	
Lobar pneumonia 4 weeks (490)	1				2				1	
Bronchopneumonia 4 weeks (491)	5		4				2		1	
Pneumonia, other forms 4 weeks (492-493)	2		1		1		3		3	
Bronchitis (500-502)									1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)	1				1					
Cirrhosis of liver (581)	2		1				3		1	
Other diseases of digestive system (530-587 excl. above)	2		2		1		6		7	
Nephritis and nephrosis (590-594)	2				1				2	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	3		1		1				2	
Birth injuries, asphxia, (under 4 weeks) (760-762)	1		3	1			1		1	2
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)			8				1			
Senility, ill defined and unknown causes (780-795)	8		10				1		10	
All other diseases (residual)	5		9		5		11		19	
Motor vehicle accidents (810-835)	7		10		1		1		6	
All other accidents (800-802; 840-962)	3		8	1	7		4		10	2
Suicide and self-inflicted injury (970-979)	1		5	1			1		1	
Homicide (980-985)			2	1	2				1	3

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Ray		Reynolds		Ripley		St. Charles		St. Clair	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	15,102		3,952		7,113		83,558		6,652	
TOTAL LIVE BIRTHS	220	6	84		101		1,751	26	62	
Attended by M.D.	206	6	77		94		1,564	21	40	
Attended by D.O.	13		6		4		186	5	22	
Attended by midwives			1		1					
Others or unspecified	1				2		1			
TOTAL FETAL DEATHS					1		19	1	1	
Attended by M.D.							17	1	1	
Attended by D.O.					1		2			
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	216	7	53		147		430	16	133	2
Under one year of age	4		1		4		28	1	1	
Neonatal deaths	3				3		22	1	1	
Maternal deaths	1		1							
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1									
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)							1			
Tularemia (059)										
Tetanus (061)							1			
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)										
Malignant neoplasms (140-205)	28		7		17		89	5	17	1
Benign and unspecified neoplasms (210-239)	1								2	
Diabetes mellitus (260)	5				6		5		3	
Anemias (290-293)			1						1	
Vascular lesions affecting central nervous system (330-334)	26	1	7		20		56	2	15	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	2				1		1		1	
Arteriosclerotic and degenerative heart disease (420-422)	67	2	17		50		131	4	58	
Other diseases of heart (430-434)	13				4		3		4	
Hypertension with heart disease (440-443)	2		1				9		2	1
Hypertension w/o mention of heart (444-447)	3				1					
Other diseases of circulatory system (450-468)	17		3		2		14		2	
Influenza (480-483)	1		1						1	
Lobar pneumonia 4 weeks (490)							3			
Bronchopneumonia 4 weeks (491)	3				2		5		3	
Pneumonia, other forms 4 weeks (492-493)	5		2				6		4	
Bronchitis (500-502)					2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1							
Gastro Enteritis and colitis, 2 years (571.1)							1			
Cirrhosis of liver (581)			2		4		2		1	
Other diseases of digestive system (530-587 excl. above)	4	1			5		8	1	3	
Nephritis and nephrosis (590-594)					1		1			
Complications of pregnancy and puerperium (640-652; 660-689)	1		1							
Congenital malformations (750-759)	1						7		2	
Birth injuries, asphxia, (under 4 weeks) (760-762)							6			
Pneumonia of newborn (under 4 weeks) (763)							2	1		
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)									1	
Other diseases of early infancy (under 4 weeks) (769-776)	1				4		10			
Senility, ill defined and unknown causes (780-795)	1		1		8		12		2	
All other diseases (residual)	10		5		10		21		2	
Motor vehicle accidents (810-835)	5	2	4		1		14	1	4	
All other accidents (800-802; 840-962)	14	1			8		17	1	4	
Suicide and self-inflicted injury (970-979)	4				1		3	1		
Homicide (980-985)							2		1	

TABLE 16 (Continued)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	St. Francois		Ste. Genevieve		St. Louis City			St. Louis	
	White	Nonwhite	White	Nonwhite	Total	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67	33,558		11,516		627,450			1,023,471	
TOTAL LIVE BIRTHS	551	1	185	1	13,082	6,480	6,602	13,926	685
Attended by M.D.	445		174	1	12,906	6,310	6,596	13,364	674
Attended by D.O.	106	1	11		169	168	1	552	10
Attended by midwives					3	1	2	2	
Others or unspecified					4	1	3	8	1
TOTAL FETAL DEATHS	5		2		259	114	145	164	6
Attended by M.D.	4		1		253	111	142	158	6
Attended by D.O.	1		1		2	2		4	
Attended by midwives									
Others or unspecified					4	1	3	2	
TOTAL DEATHS	465	3	114	2	9,727	6,921	2,806	6,156	237
Under one year of age	16		1		409	159	250	232	22
Neonatal deaths	13				294	129	165	181	12
Maternal deaths					3		3	3	
CAUSES OF DEATH									
Tuberculosis of respiratory system (001-008)	2				35	24	11	6	
Tuberculosis, other forms (010-019)					3	2	1	1	
Syphilis, under 1 year (020-029)									
Syphilis, age 1 year and over (020-029)					8	2	6	5	1
Typhoid fever (040)									
Paratyphoid fever (041)									
Undulant fever (044)									
Bacillary dysentery (045)									
Amebic dysentery (046)								1	
Other and unspecified dysentery (047-048)									
Scarlet fever and streptococcal sore throat (050-051)									
Diphtheria (055)									
Whooping cough (056)									
Meningococcal infections (057)					2	1	1		
Tularemia (059)									
Tetanus (061)									
Acute poliomyelitis (080)									
Acute infectious encephalitis (082)					1	1		3	
Measles (085)									
Infectious Hepatitis (092)					3	1	2	2	
Rabies (094)									
Rocky mountain spotted fever (104)									
Typhus and other rickettsial diseases (100-103; 105-108)									
Malaria (110-117)									
Other infectious and parasitic diseases (030-138, exc. above)	1				7	6	1	7	1
Malignant neoplasms (140-205)	83		25		1,591	1,177	414	1,140	35
Benign and unspecified neoplasms (210-239)	1				16	10	6	9	
Diabetes mellitus (260)	10		5		238	156	82	131	5
Anemias (290-293)					17	12	5	8	
Vascular lesions affecting central nervous system (330-334)	60		12	1	1,074	730	344	591	29
Nonmeningococcal meningitis (340)					16	6	10	10	1
Rheumatic fever (400-402)								2	
Chronic rheumatic heart disease (410-416)	1				62	50	12	66	1
Arteriosclerotic and degenerative heart disease (420-422)	135	1	44	1	3,294	2,670	624	2,135	42
Other diseases of heart (430-434)	5		3		124	75	49	85	6
Hypertension with heart disease (440-443)	5		2		304	158	146	115	7
Hypertension w/o mention of heart (444-447)	1		1		78	48	30	32	3
Other diseases of circulatory system (450-468)	18		4		419	319	100	252	12
Influenza (480-483)	2				6	4	2	7	
Lobar pneumonia 4 weeks (490)	10		1		52	28	24	20	2
Bronchopneumonia 4 weeks (491)	9		4		151	104	47	89	10
Pneumonia, other forms 4 weeks (492-493)	10				185	98	87	70	7
Bronchitis (500-502)	2				20	18	2	9	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					3	1	2		
Gastro Enteritis and colitis, 2 years (571.1)					5	4	1	6	1
Cirrhosis of liver (581)	4		1		196	133	63	74	
Other diseases of digestive system (530-587 excl. above)	12	1			230	171	59	138	9
Nephritis and nephrosis (590-594)	7		1		78	39	39	32	4
Complications of pregnancy and puerperium (640-652; 660-689)					3		3	3	
Congenital malformations (750-759)	2				63	37	26	64	5
Birth injuries, asphxia, (under 4 weeks) (760-762)	5				100	46	54	75	5
Pneumonia of newborn (under 4 weeks) (763)	1				12	1	11	7	
Diarrhea of newborn (under 4 weeks) (764)									
Other infections of newborn (under 4 weeks) (765-768)	1				7	3	4	1	
Other diseases of early infancy (under 4 weeks) (769-776)	5				155	63	92	64	5
Senility, ill defined and unknown causes (780-795)	20	1	1		56	45	11	203	15
All other diseases (residual)	21		3		432	290	142	252	12
Motor vehicle accidents (810-835)	17		5		130	93	37	165	2
All other accidents (800-802; 840-962)	12				293	189	104	166	7
Suicide and self-inflicted injury (970-979)	1		2		82	65	17	83	
Homicide (980-985)	2				176	41	135	27	10

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Saline		Schuyler		Scotland		Scott		Shannon	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	22,279		4,196		5,480		30,103		5,964	
TOTAL LIVE BIRTHS	341	30	60		72		507	78	114	
Attended by M.D.	331	29	14		21		427	15	88	
Attended by D.O.	9		46		51		78	11	23	
Attended by midwives							2	52	2	
Others or unspecified	1	1							1	
TOTAL FETAL DEATHS	1		1				6	2	8	
Attended by M.D.	1						5	1	5	
Attended by D.O.			1				1		3	
Attended by midwives										
Others or unspecified								1		
TOTAL DEATHS	304	31	94		91		357	39	80	
Under one year of age	14	3	1		3		11	4		
Neonatal deaths	11	1	1		3		9			
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)		1								
Tuberculosis, other forms (010-019)			1							
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1						2		1	
Malignant neoplasms (140-205)	62	6	13		15		59	4	14	
Benign and unspecified neoplasms (210-239)										
Diabetes mellitus (260)	8		3				8	1	2	
Anemias (290-293)							1			
Vascular lesions affecting central nervous system (330-334)	39	4	24		14		50	8	11	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1				1		2		2	
Arteriosclerotic and degenerative heart disease (420-422)	101	7	23		29		115	6	28	
Other diseases of heart (430-434)	4		4		4		7	1		
Hypertension with heart disease (440-443)	9	1	1		3		16			
Hypertension w/o mention of heart (444-447)	1	1					3		2	
Other diseases of circulatory system (450-468)	9		8		2		17		3	
Influenza (480-483)										
Lobar pneumonia 4 weeks (490)	1						1			
Bronchopneumonia 4 weeks (491)	4	1	1				4	2		
Pneumonia, other forms 4 weeks (492-493)	8	1			2		6	3	1	
Bronchitis (500-502)	1		1		2				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1			
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	5						4		1	
Other diseases of digestive system (530-587 excl. above)	7		4		5		6	1	4	
Nephritis and nephrosis (590-594)	2		1				1			
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	2	1					2			
Birth injuries, asphxia, (under 4 weeks) (760-762)	4		1		3		2			
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)		1								
Other diseases of early infancy (under 4 weeks) (769-776)	4						5			
Senility, ill defined and unknown causes (780-795)	2				3		7	4	1	
All other diseases (residual)	12	2	5		3		14	3	5	
Motor vehicle accidents (810-835)	7		1				10	2	2	
All other accidents (800-802; 840-962)	9	5	1		4		6	1		
Suicide and self-inflicted injury (970-979)	1		2		1		5	1	2	
Homicide (980-985)							3	2		

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Shelby		Stoddard		Stone		Sullivan		Taney	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	7,883		24,592		6,836		6,698		9,559	
TOTAL LIVE BIRTHS	115	1	344	37	130		79		120	1
Attended by M.D.	74	1	217	8	129		32		117	1
Attended by D.O.	41		126	23	1		47		3	
Attended by midwives				6						
Others or unspecified			1							
TOTAL FETAL DEATHS	1		4						1	
Attended by M.D.			4						1	
Attended by D.O.	1									
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	153	1	304	9	96		149		159	
Under one year of age	2		4	1	3		4		1	
Neonatal deaths	2		4	1	3		2		1	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			1				1		1	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)							1			
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					1					
Malignant neoplasms (140-205)	20		47		12		18		31	
Benign and unspecified neoplasms (210-239)			1						1	
Diabetes mellitus (260)	2		6		1		2		3	
Anemias (290-293)									2	
Vascular lesions affecting central nervous system (330-334)	16	1	45	2	16		27		17	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		2		2				2	
Arteriosclerotic and degenerative heart disease (420-422)	57		94	4	30		40		43	
Other diseases of heart (430-434)	7		6		4		3		2	
Hypertension with heart disease (440-443)	9		10				9			
Hypertension w/o mention of heart (444-447)	4		2				1			
Other diseases of circulatory system (450-468)	5		13		6		9		14	
Influenza (480-483)	1						2			
Lobar pneumonia 4 weeks (490)	1		7				1			
Bronchopneumonia 4 weeks (491)	2		2				6		1	
Pneumonia, other forms 4 weeks (492-493)	2		6		1		1		3	
Bronchitis (500-502)			1		1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	1		5							
Other diseases of digestive system (530-587 excl. above)	5		9		2		3		8	
Nephritis and nephrosis (590-594)	2		4		1		1		2	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)					1					
Birth injuries, asphxia, (under 4 weeks) (760-762)	1		1		2		2			
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)			1							
Other diseases of early infancy (under 4 weeks) (769-776)	1		2		1					
Senility, ill defined and unknown causes (780-795)	8		2	2	4				12	
All other diseases (residual)	2		15		5		9		5	
Motor vehicle accidents (810-835)	4		12	1	4		1		3	
All other accidents (800-802; 840-962)	2		8		2		9		7	
Suicide and self-inflicted injury (970-979)			2				3		2	
Homicide (980-985)										

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Texas		Vernon		Warren		Washington		Wayne	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967	15,453		17,703		9,084		12,889		6,979	
TOTAL LIVE BIRTHS	251		217		134	7	266	4	112	
Attended by M.D.	181		189		89	3	227	4	99	
Attended by D.O.	70		28		44	4	34		13	
Attended by midwives							3			
Others or unspecified					1		2			
TOTAL FETAL DEATHS	4		4		2		7		1	
Attended by M.D.	4		3		1		5		1	
Attended by D.O.			1		1		2			
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	234		272		111	4	179		137	
Under one year of age	1		1		4		12		4	
Neonatal deaths	1		1		1		8		2	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1		1		1		2			
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)							1			
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					2		2			
Malignant neoplasms (140-205)	39		40		24	1	28		24	
Benign and unspecified neoplasms (210-239)					1					
Diabetes mellitus (260)	1				2		7		6	
Anemias (290-293)			1				1			
Vascular lesions affecting central nervous system (330-334)	43		49		9	1	22		15	
Nonmeningococcal meningitis (340)							1			
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	2				1					
Arteriosclerotic and degenerative heart disease (420-422)	78		109		42	1	50		34	
Other diseases of heart (430-434)	5		17		2		4		4	
Hypertension with heart disease (440-443)	4		10		2		4		4	
Hypertension w/o mention of heart (444-447)	3		1		1		1		1	
Other diseases of circulatory system (450-468)	9		8		4		6		6	
Influenza (480-483)	1						3			
Lobar pneumonia 4 weeks (490)	2		1							
Bronchopneumonia 4 weeks (491)	9		3		1		2		2	
Pneumonia, other forms 4 weeks (492-493)	1		2		2		1		2	
Bronchitis (500-502)	1									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)									1	
Cirrhosis of liver (581)	1		1				2		1	
Other diseases of digestive system (530-587 excl. above)	4		7		1		2		3	
Nephritis and nephrosis (590-594)	2				1				2	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			1							
Birth injuries, asphxia, (under 4 weeks) (760-762)	1						2			
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)			1		1		5		2	
Senility, ill defined and unknown causes (780-795)	1		7		1		6		13	
All other diseases (residual)	5		8		6		8		4	
Motor vehicle accidents (810-835)	11		1		4	1	8		3	
All other accidents (800-802; 840-962)	4		2		3		8		8	
Suicide and self-inflicted injury (970-979)	5		1						1	
Homicide (980-985)	1		1				3		1	

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

COUNTIES, INCLUDING CITIES

	Webster		Worth		Wright				Cities of 10,000 Population & Over: Bellefontaine Neighbors	
	White	Nonwhite	White	Nonwhite	White	Nonwhite			White	Nonwhite
Total Estimated Population, July 1, 1967	11,982		3,008		11,913					
TOTAL LIVE BIRTHS	195		31		197				121	
Attended by M.D.	133		20		136				120	
Attended by D.O.	62		11		58				1	
Attended by midwives										
Others or unspecified					3					
TOTAL FETAL DEATHS	1				4				1	
Attended by M.D.					1				1	
Attended by D.O.	1				2					
Attended by midwives										
Others or unspecified					1					
TOTAL DEATHS	177	1	58		215	3			118	
Under one year of age	2				8					
Neonatal deaths					6					
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1				1					
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					2					
Malignant neoplasms (140-205)	28		8		30				25	
Benign and unspecified neoplasms (210-239)										
Diabetes mellitus (260)	4		2		4				2	
Anemias (290-293)	1									
Vascular lesions affecting central nervous system (330-334)	26		8		49	1			11	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	3				4				1	
Arteriosclerotic and degenerative heart disease (420-422)	63		20		56				44	
Other diseases of heart (430-434)	1	1	3		6				1	
Hypertension with heart disease (440-443)	6		1		1				2	
Hypertension w/o mention of heart (444-447)	1				1					
Other diseases of circulatory system (450-468)	6		6		9	1			5	
Influenza (480-483)	1		1		1				1	
Lobar pneumonia 4 weeks (490)					1					
Bronchopneumonia 4 weeks (491)	1		1		4				1	
Pneumonia, other forms 4 weeks (492-493)	2		1		8				1	
Bronchitis (500-502)										
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)			1						1	
Cirrhosis of liver (581)									4	
Other diseases of digestive system (530-587 excl. above)	5				2				4	
Nephritis and nephrosis (590-594)	1				2					
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	1				2				1	
Birth injuries, asphxia, (under 4 weeks) (760-762)					1					
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)					4					
Senility, ill defined and unknown causes (780-795)					1	1			1	
All other diseases (residual)	10		5		10				4	
Motor vehicle accidents (810-835)	9		1		7				4	
All other accidents (800-802; 840-962)	4				7				4	
Suicide and self-inflicted injury (970-979)	3				1				1	
Homicide (980-985)					1					

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

CITIES OF 10,000 POPULATION AND OVER

	Berkeley		Brentwood		Cape Girardeau		Carthage		Clayton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967										
TOTAL LIVE BIRTHS	402	24	260	18	382	40	188	4	172	3
Attended by M.D.	356	23	260	18	363	35	185	4	172	3
Attended by D.O.	44	1			19	4	3			
Attended by midwives	2					1				
Others or unspecified										
TOTAL FETAL DEATHS	2		2		2	1	4			
Attended by M.D.	1		2		2		4			
Attended by D.O.	1									
Attended by midwives										
Others or unspecified						1				
TOTAL DEATHS	97	2	80	7	258	26	177	4	188	
Under one year of age	7		6	1	6	4	4		4	
Neonatal deaths	7		6		5	3	3		3	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)										
Tuberculosis, other forms (010-019)							1			
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)									1	
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)							1			
Malignant neoplasms (140-205)	7		16		36	2	26	1	35	
Benign and unspecified neoplasms (210-239)	1									
Diabetes mellitus (260)	1		1				2		7	
Anemias (290-293)					1		1			
Vascular lesions affecting central nervous system (330-334)	7	1	6		28	2	14	2	21	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1				4				3	
Arteriosclerotic and degenerative heart disease (420-422)	35		21		93	5	72		68	
Other diseases of heart (430-434)	2		5		5		2		1	
Hypertension with heart disease (440-443)	3		2		7	6			6	
Hypertension w/o mention of heart (444-447)	1				2	1	3		1	
Other diseases of circulatory system (450-468)	3		3	2	17		16		9	
Influenza (480-483)										
Lobar pneumonia 4 weeks (490)					3		2			
Bronchopneumonia 4 weeks (491)	3		3		1	1	3		3	
Pneumonia, other forms 4 weeks (492-493)					1		1		2	
Bronchitis (500-502)			1		1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	3				7	1	1			
Other diseases of digestive system (530-587 excl. above)	3		3		7		7		3	
Nephritis and nephrosis (590-594)		1	1		2		4			
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	1		1		1		1		4	
Birth injuries, asphxia, (under 4 weeks) (760-762)	2		4		1	2				
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	4		1		4	1	1		2	
Senility, ill defined and unknown causes (780-795)	6		1	3	3	1	3		2	
All other diseases (residual)	6		7	1	10	2	5		3	
Motor vehicle accidents (810-835)	4		2		7	1	7	1	5	
All other accidents (800-802; 840-962)	2		1		12	1	4		6	
Suicide and self-inflicted injury (970-979)	2		1		4				6	
Homicide (980-985)				1	1					

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

CITIES OF 10,000 POPULATION AND OVER

	Columbia		Crestwood		Ferguson		Florissant		Fulton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967										
TOTAL LIVE BIRTHS	802	87	164	1	477	5	1583	2	128	20
Attended by M.D.	796	87	164	1	448	4	1509	2	123	19
Attended by D.O.	6				28	1	73		4	1
Attended by midwives										
Others or unspecified					1		1		1	
TOTAL FETAL DEATHS	7		5		8		20			
Attended by M.D.	7		5		8		20			
Attended by D.O.										
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	241	42	59		167	1	298		132	19
Under one year of age	10	5			9		20		8	1
Neonatal deaths	8	3			9		18		6	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)										
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)							1		1	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)									1	
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)	1	1					1			
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)										
Malignant neoplasms (140-205)	40	7	13		31		61		19	3
Benign and unspecified neoplasms (210-239)										
Diabetes mellitus (260)	7	1			5		6		1	
Anemias (290-293)			1				1		1	
Vascular lesions affecting central nervous system (330-334)	40	7	2		14	1	23		16	2
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)							1			
Chronic rheumatic heart disease (410-416)	6		2		3		4			
Arteriosclerotic and degenerative heart disease (420-422)	68	7	20		51		91		38	8
Other diseases of heart (430-434)	1	3	1		3		3		2	1
Hypertension with heart disease (440-443)	7	1			3		4		7	
Hypertension w/o mention of heart (444-447)	1		1		1		1		1	
Other diseases of circulatory system (450-468)	13	1	4		6		11		7	
Influenza (480-483)										
Lobar pneumonia 4 weeks (490)	1	1					3			
Bronchopneumonia 4 weeks (491)	3		4		4		2		2	
Pneumonia, other forms 4 weeks (492-493)	6		1		1		5		3	1
Bronchitis (500-502)										
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)							1		1	1
Cirrhosis of liver (581)	2	1			4		4			1
Other diseases of digestive system (530-587 excl. above)	8	1	2		7		4		4	
Nephritis and nephrosis (590-594)					3				1	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	1	1			3		4		4	
Birth injuries, asphxia, (under 4 weeks) (760-762)	4	2			4		14		2	
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)		1								
Other diseases of early infancy (under 4 weeks) (769-776)	3	1			2		3			
Senility, ill defined and unknown causes (780-795)					6		11		7	2
All other diseases (residual)	13	3	4		8		15		6	
Motor vehicle accidents (810-835)	7	1	1		5		12		2	
All other accidents (800-802; 840-962)	7	1	1		2		9		3	
Suicide and self-inflicted injury (970-979)	1		2		1		3		2	
Homicide (980-985)	1	1							1	

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

CITIES OF 10,000 POPULATION AND OVER

	Gladstone		Hannibal		Independence		Jefferson City		Jennings	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967										
TOTAL LIVE BIRTHS	174		240	26	1944	4	364	19	344	2
Attended by M.D.	168		239	26	1632	4	314	13	324	2
Attended by D.O.	6		1		312		50	6	20	
Attended by midwives										
Others or unspecified										
TOTAL FETAL DEATHS	2		4	2	30	1	1		1	
Attended by M.D.	2		4	2	23		1		1	
Attended by D.O.					7	1				
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	49		249	18	705	15	249	14	218	
Under one year of age	2		6	1	27		4	1	5	
Neonatal deaths	2		5	1	20		4	1	4	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)										
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)									1	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)			1		2					
Malignant neoplasms (140-205)	12		37	2	123		42	3	49	
Benign and unspecified neoplasms (210-239)			1		1	1	1		1	
Diabetes mellitus (260)	3		5	1	5		2		5	
Anemias (290-293)			1							
Vascular lesions affecting central nervous system (330-334)	2		41	2	74	1	34	1	14	
Nonmeningococcal meningitis (340)									1	
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		3		3		2		1	
Arteriosclerotic and degenerative heart disease (420-422)	15		99	5	258	6	96	2	94	
Other diseases of heart (430-434)			6		12		8		2	
Hypertension with heart disease (440-443)	1		1	1	17	1	6		1	
Hypertension w/o mention of heart (444-447)			2		1	1	1		1	
Other diseases of circulatory system (450-468)	3		15		25	1	6	1	8	
Influenza (480-483)					2					
Lobar pneumonia 4 weeks (490)					3	1	1			
Bronchopneumonia 4 weeks (491)			3		10		3		2	
Pneumonia, other forms 4 weeks (492-493)			3		9		4		1	
Bronchitis (500-502)					3					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)					7		1	1	4	
Other diseases of digestive system (530-587 excl. above)	2		2	2	15		7	1	5	
Nephritis and nephrosis (590-594)			2		9		1			
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	2		3		7					
Birth injuries, asphxia, (under 4 weeks) (760-762)			4	1	4		4	1	1	
Pneumonia of newborn (under 4 weeks) (763)					2					
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	1		1		11				3	
Senility, ill defined and unknown causes (780-795)				1	11	1	6		4	
All other diseases (residual)	3		7	2	21		6	1	7	
Motor vehicle accidents (810-835)			5		27		8	1	2	
All other accidents (800-802; 840-962)	1		6	1	20	1	7	1	4	
Suicide and self-inflicted injury (970-979)	3		1		18	1	3		6	
Homicide (980-985)					5			1	1	

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

CITIES OF 10,000 POPULATION AND OVER

	Joplin		Kansas City			Kansas City Jackson County		Kansas City Clay County	
	White	Nonwhite	Total	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967									
TOTAL LIVE BIRTHS	617	10	9407	6689	2718	5459	2718	1028	
Attended by M.D.	505	7	8423	5811	2612	4683	2612	938	
Attended by D.O.	112	3	982	876	106	774	106	90	
Attended by midwives									
Others or unspecified			2	2		2			
TOTAL FETAL DEATHS	7		147	97	50	81	50	12	
Attended by M.D.	6		125	77	48	65	48	8	
Attended by D.O.	1		19	17	2	13	2	4	
Attended by midwives									
Others or unspecified			3	3		3			
TOTAL DEATHS	556	9	5859	4698	1161	4415	1159	237	2
Under one year of age	14		260	140	120	120	120	15	
Neonatal deaths	9		194	106	88	89	88	13	
Maternal deaths			3	2	1	2	1		
CAUSES OF DEATH									
Tuberculosis of respiratory system (001-008)	3		25	14	11	14	11		
Tuberculosis, other forms (010-019)									
Syphilis, under 1 year (020-029)									
Syphilis, age 1 year and over (020-029)			5	3	2	3	2		
Typhoid fever (040)									
Paratyphoid fever (041)									
Undulant fever (044)									
Bacillary dysentery (045)			2	2				2	
Amebic dysentery (046)									
Other and unspecified dysentery (047-048)									
Scarlet fever and streptococcal sore throat (050-051)									
Diphtheria (055)									
Whooping cough (056)			1		1		1		
Meningococcal infections (057)	1		2	2		2			
Tularemia (059)									
Tetanus (061)			1		1		1		
Acute poliomyelitis (080)									
Acute infectious encephalitis (082)	1		3	2	1	2	1		
Measles (085)									
Infectious Hepatitis (092)			2	1	1	1	1		
Rabies (094)									
Rocky mountain spotted fever (104)									
Typhus and other rickettsial diseases (100-103; 105-108)									
Malaria (110-117)									
Other infectious and parasitic diseases (030-138, exc. above)			15	12	3	10	3	2	
Malignant neoplasms (140-205)	84	2	1032	861	171	807	171	46	
Benign and unspecified neoplasms (210-239)	3	1	19	11	8	11	8		
Diabetes mellitus (260)	5		87	78	9	74	9	4	
Anemias (290-293)			12	8	4	8	4		
Vascular lesions affecting central nervous system (330-334)	72		594	465	129	434	129	24	
Nonmeningococcal meningitis (340)			7	2	5	2	5		
Rheumatic fever (400-402)			1	1		1			
Chronic rheumatic heart disease (410-416)	2		35	31	4	29	4	1	
Arteriosclerotic and degenerative heart disease (420-422)	165	1	1869	1614	255	1527	254	80	1
Other diseases of heart (430-434)	7	1	114	86	28	77	28	7	
Hypertension with heart disease (440-443)	16		131	88	43	87	42	1	1
Hypertension w/o mention of heart (444-447)	7		39	20	19	20	19		
Other diseases of circulatory system (450-468)	25		241	202	39	193	39	8	
Influenza (480-483)	2		4	3	1	2	1	1	
Lobar pneumonia 4 weeks (490)	2	1	18	13	5	13	5		
Bronchopneumonia 4 weeks (491)	6		91	80	11	80	11		
Pneumonia, other forms 4 weeks (492-493)	5		84	64	20	63	20		
Bronchitis (500-502)	1		15	15		15			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1	1		1			
Gastro Enteritis and colitis, 2 years (571.1)			1	1		1			
Cirrhosis of liver (581)	9	1	85	66	19	62	19	2	
Other diseases of digestive system (530-587 excl. above)	10		181	146	35	139	35	6	
Nephritis and nephrosis (590-594)	10		45	31	14	28	14	3	
Complications of pregnancy and puerperium (640-652; 660-689)			3	2	1	2	1		
Congenital malformations (750-759)	5		46	38	8	34	8	1	
Birth injuries, asphxia, (under 4 weeks) (760-762)	3		51	37	14	31	14	6	
Pneumonia of newborn (under 4 weeks) (763)			2	1	1	1	1		
Diarrhea of newborn (under 4 weeks) (764)									
Other infections of newborn (under 4 weeks) (765-768)			3	2	1	1	1		
Other diseases of early infancy (under 4 weeks) (769-776)	5		105	42	63	36	63	5	
Senility, ill defined and unknown causes (780-795)	30		155	111	44	107	44	1	
All other diseases (residual)	28		296	227	69	211	69	14	
Motor vehicle accidents (810-835)	24	1	127	92	35	81	35	9	
All other accidents (800-802; 840-962)	17	1	164	132	32	121	32	8	
Suicide and self-inflicted injury (970-979)	6		71	66	5	61	5	4	
Homicide (980-985)	2		74	25	49	23	49	2	

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

CITIES OF 10,000 POPULATION AND OVER

	Kansas City Platte County		Kirksville		Kirkwood		Maplewood		Mexico	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 67										
TOTAL LIVE BIRTHS	202		236		394	57	229	5	170	21
Attended by M.D.	190		48		393	57	227	5	147	19
Attended by D.O.	12		188		1		2		23	2
Attended by midwives										
Others or unspecified										
TOTAL FETAL DEATHS	4		3		3				3	
Attended by M.D.	4		2		3				2	
Attended by D.O.			1						1	
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	46		154	3	240	33	154	3	152	23
Under one year of age	5		7		6	3	6		5	2
Neonatal deaths	4		6		5	1	4		3	2
Maternal deaths			1							
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)							1			1
Tuberculosis, other forms (010-019)										1
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)										
Malignant neoplasms (140-205)	8		24		45	6	33	1	25	1
Benign and unspecified neoplasms (210-239)										
Diabetes mellitus (260)			1		8	1	3		3	
Anemias (290-293)				1	1					
Vascular lesions affecting central nervous system (330-334)	7		26	1	25	4	14		28	3
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		1		5		2		1	
Arteriosclerotic and degenerative heart disease (420-422)	7		50		80	5	54	1	44	7
Other diseases of heart (430-434)	2		2		5	1	7		3	1
Hypertension with heart disease (440-443)			2		4	2	1		2	1
Hypertension w/o mention of heart (444-447)					1	1	1		2	1
Other diseases of circulatory system (450-468)	1		8		10	3	5		8	1
Influenza (480-483)			2							
Lobar pneumonia 4 weeks (490)			4		1	1	1			
Bronchopneumonia 4 weeks (491)			3		4	2	2		2	
Pneumonia, other forms 4 weeks (492-493)	1		3		2	1	2		3	
Bronchitis (500-502)										
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)					1					
Cirrhosis of liver (581)	2		1		4		1		2	
Other diseases of digestive system (530-587 excl. above)	1		3		6	2	4		5	
Nephritis and nephrosis (590-594)			1		1					
Complications of pregnancy and puerperium (640-652; 660-689)			1							
Congenital malformations (750-759)	3		2		2	1				
Birth injuries, asphxia, (under 4 weeks) (760-762)			3		2		2		2	
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)	1									
Other diseases of early infancy (under 4 weeks) (769-776)	1		2		2		2		1	2
Senility, ill defined and unknown causes (780-795)	3		1		8	3	10		4	1
All other diseases (residual)	2		10	1	12		3		12	2
Motor vehicle accidents (810-835)	2		1		4				4	
All other accidents (800-802; 840-962)	3		1		5		5			
Suicide and self-inflicted injury (970-979)	1		2		2		1		1	
Homicide (980-985)								1		1

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

CITIES OF 10,000 POPULATION AND OVER

	Moberly		Overland		Poplar Bluff		Raytown		Richmond Heights	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967										
TOTAL LIVE BIRTHS	181	22	594	5	215	33	425	1	187	23
Attended by M.D.	125	20	536	5	203	19	390	1	187	23
Attended by D.O.	56	2	58		10	6	35			
Attended by midwives					1	8				
Others or unspecified					1					
TOTAL FETAL DEATHS	1		6		3	1	3			
Attended by M.D.	1		6		3	1	2			
Attended by D.O.							1			
Attended by midwives										
Others or unspecified										
TOTAL DEATHS	209	14	286	2	250	22	174		158	14
Under one year of age	1	1	16		1	3	5		3	1
Neonatal deaths	1	1	11		1	2	5		3	1
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	2				1					
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)					1					
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)					1					
Tularemia (059)										
Tetanus (061)						1				
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)									1	
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)			1				1			
Malignant neoplasms (140-205)	26	2	54	1	34	2	34		32	1
Benign and unspecified neoplasms (210-239)	2					1				
Diabetes mellitus (260)	5		7	1	5				3	1
Anemias (290-293)	1				1					
Vascular lesions affecting central nervous system (330-334)	23	1	25		41	8	17		16	1
Nonmeningococcal meningitis (340)			1							
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		2		1		1		3	
Arteriosclerotic and degenerative heart disease (420-422)	83	6	86		72	2	75		52	3
Other diseases of heart (430-434)	2		2		7	1	3		3	
Hypertension with heart disease (440-443)	10		7		1		4		6	
Hypertension w/o mention of heart (444-447)			2		1		1			
Other diseases of circulatory system (450-468)	11	1	16		10	1	4		4	2
Influenza (480-483)	1									
Lobar pneumonia 4 weeks (490)					3					
Bronchopneumonia 4 weeks (491)			6		7				4	1
Pneumonia, other forms 4 weeks (492-493)	1		3		2	1	1			
Bronchitis (500-502)					1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	1		4		3				1	
Other diseases of digestive system (530-587 excl. above)	5		6		6		2		4	
Nephritis and nephrosis (590-594)	2		3		2		1		2	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			6		1		3		2	
Birth injuries, asphxia, (under 4 weeks) (760-762)	1	1	5			1	1		1	
Pneumonia of newborn (under 4 weeks) (763)			1							
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)			4		1	1	1		1	1
Senility, ill defined and unknown causes (780-795)	8		10		20	2	1		5	3
All other diseases (residual)	16		17		11		9		5	1
Motor vehicle accidents (810-835)	3		7		9		4		2	
All other accidents (800-802; 840-962)	4	1	9		8	1	3		5	
Suicide and self-inflicted injury (970-979)			2				6		6	
Homicide (980-985)	1	2					1			

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

CITIES OF 10,000 POPULATION AND OVER

	Rolla		St. Ann		St. Charles		St. Joseph		St. Louis City	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967										
TOTAL LIVE BIRTHS	193	1	465		737	14	1150	60	6480	6602
Attended by M.D.	173	1	434		698	14	1129	60	6310	6596
Attended by D.O.	20		31		38		19		168	1
Attended by midwives									1	2
Others or unspecified					1		2		1	3
TOTAL FETAL DEATHS	1		5		5	1	19	3	114	145
Attended by M.D.	1		4		5	1	19	3	111	142
Attended by D.O.			1						2	
Attended by midwives										
Others or unspecified									1	3
TOTAL DEATHS	85	2	85		215	9	1015	48	6921	2806
Under one year of age	2		9		16		28	1	159	250
Neonatal deaths	2		6		13		23	1	129	165
Maternal deaths									3	
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)							3	1	24	11
Tuberculosis, other forms (010-019)									2	1
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)							1		2	6
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)									1	1
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)									1	
Measles (085)										
Infectious Hepatitis (092)							1		1	2
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)							1		6	1
Malignant neoplasms (140-205)	15	1	15		39	2	169	7	1177	414
Benign and unspecified neoplasms (210-239)			1				4		10	6
Diabetes mellitus (260)			2		2		16		156	82
Anemias (290-293)							1		12	5
Vascular lesions affecting central nervous system (330-334)	9	1	4		32	2	124	2	730	344
Nonmeningococcal meningitis (340)							2		6	10
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)			1		1		9		50	12
Arteriosclerotic and degenerative heart disease (420-422)	24		28		61	2	376	18	2670	624
Other diseases of heart (430-434)	1		3		2		13	1	75	49
Hypertension with heart disease (440-443)	1		1		5		23	2	158	146
Hypertension w/o mention of heart (444-447)							10		48	30
Other diseases of circulatory system (450-468)	4				8		40	1	319	100
Influenza (480-483)							3		4	2
Lobar pneumonia 4 weeks (490)					2		2		28	24
Bronchopneumonia 4 weeks (491)	1		1		3		13	1	104	47
Pneumonia, other forms 4 weeks (492-493)	9		1		3		7		98	87
Bronchitis (500-502)							4		18	2
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1	2
Gastro Enteritis and colitis, 2 years (571.1)					1				4	1
Cirrhosis of liver (581)	2		2		1		7		133	63
Other diseases of digestive system (530-587 excl. above)	3		1		6	1	23	1	171	59
Nephritis and nephrosis (590-594)	1		1				1		39	39
Complications of pregnancy and puerperium (640-652; 660-689)										3
Congenital malformations (750-759)			3		5		8		37	26
Birth injuries, asphxia, (under 4 weeks) (760-762)	1		2		4		11	1	46	54
Pneumonia of newborn (under 4 weeks) (763)							1		1	11
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)			1						3	4
Other diseases of early infancy (under 4 weeks) (769-776)	1		2		7		6		63	92
Senility, ill defined and unknown causes (780-795)	4		2		6		31	7	45	11
All other diseases (residual)	2		8		13		42	4	290	142
Motor vehicle accidents (810-835)	1				7	1	23	1	93	37
All other accidents (800-802; 840-962)	6		5		4		28	1	189	104
Suicide and self-inflicted injury (970-979)					2	1	12		65	17
Homicide (980-985)			1		1		1		41	135

TABLE 16 (Continued)
RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT: INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI: 1967

CITIES OF 10,000 POPULATION AND OVER

	Sedalia		Sikeston		Springfield		University City		Webster Groves	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1967										
TOTAL LIVE BIRTHS	316	30	223	45	1663	53	445	72	268	36
Attended by M.D.	254	30	195	10	1615	53	440	72	268	36
Attended by D.O.	62		27	2	48		5			
Attended by midwives			1	33						
Others or unspecified										
TOTAL FETAL DEATHS	6	2	4	2	21		3		2	1
Attended by M.D.	6	2	4	1	21		3		2	1
Attended by D.O.										
Attended by midwives										
Others or unspecified				1						
TOTAL DEATHS	305	25	153	29	1150	35	504	12	246	19
Under one year of age	6	2	5	1	23	3	3	3	3	1
Neonatal deaths	5	2	3		15	3	3	2	3	1
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)					4	1	1		1	
Tuberculosis, other forms (010-019)									1	
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)					1				1	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)							1			
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)				1	1					
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)			1		1					1
Malignant neoplasms (140-205)	62	4	25	2	188	2	99	2	48	3
Benign and unspecified neoplasms (210-239)					3		2			
Diabetes mellitus (260)	7		1	1	13	1	11		4	
Anemias (290-293)			1		1					
Vascular lesions affecting central nervous system (330-334)	51	3	26	7	162	3	42	1	36	4
Nonmeningococcal meningitis (340)							1			
Rheumatic fever (400-402)	1									
Chronic rheumatic heart disease (410-416)	1				8		6		1	
Arteriosclerotic and degenerative heart disease (420-422)	101	13	48	6	373	9	211	3	92	5
Other diseases of heart (430-434)	9		2	1	19	2	2	1	2	1
Hypertension with heart disease (440-443)	11		9		25	1	9		7	
Hypertension w/o mention of heart (444-447)	3		1		10		3		1	
Other diseases of circulatory system (450-468)	9	1	5		65	1	19	1	10	
Influenza (480-483)					2		2			
Lobar pneumonia 4 weeks (490)	2				9					
Bronchopneumonia 4 weeks (491)	3		3		16		5		2	1
Pneumonia, other forms 4 weeks (492-493)	2		3	2	4		4	1	1	
Bronchitis (500-502)	1				4		2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1							
Gastro Enteritis and colitis, 2 years (571.1)					1					
Cirrhosis of liver (581)	4		3		8		6		2	
Other diseases of digestive system (530-587 excl. above)	8	1	3	1	26	1	13		2	1
Nephritis and nephrosis (590-594)	1				1		4			1
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	3	1	2		10					
Birth injuries, asphxia, (under 4 weeks) (760-762)	1	1			4		1	2	2	1
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)						1				
Other diseases of early infancy (under 4 weeks) (769-776)	2		1		7	2	1		1	
Senility, ill defined and unknown causes (780-795)			5	2	57	4	14	1	8	1
All other diseases (residual)	9	1	5	3	59	3	17		14	
Motor vehicle accidents (810-835)	6		5	1	27	1	6		2	
All other accidents (800-802; 840-962)	5		2	1	30	2	14		6	
Suicide and self-inflicted injury (970-979)	2		1		9	1	5		2	
Homicide (980-985)	1			1	2		3			

ACCIDENTS


TABLE 17.
RECORDED DEATHS BY TYPE OF ACCIDENT,
AGE AND SEX, MISSOURI: 1967

Type of Accident	All Ages		0–4		5–14		15–24		25–44		45–64		65–74		75 & Over		Unknown Age	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1. GRAND TOTAL	1,895	988	97	75	126	52	432	111	403	131	406	176	193	114	234	328	4	1
2. WORK TOTAL	166	10	4	1	17	3	21	1	42	–	58	3	16	2	8	–	–	–
3. Agriculture	99	9	4	1	17	3	10	1	13	–	34	2	13	2	8	–	–	–
4. Mining, Quarrying, Oil and Gas Wells	7	–	–	–	–	–	3	–	1	–	3	–	–	–	–	–	–	–
5. Manufacturing	11	–	–	–	–	–	1	–	6	–	4	–	–	–	–	–	–	–
6. Construction	23	–	–	–	–	–	2	–	11	–	9	–	1	–	–	–	–	–
7. Transportation	5	–	–	–	–	–	–	–	3	–	1	–	1	–	–	–	–	–
8. Public Utilities	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
9. Trade	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
10. Service	6	–	–	–	–	–	2	–	3	–	1	–	–	–	–	–	–	–
11. Other Specified Industry	7	1	–	–	–	–	2	–	2	–	3	1	–	–	–	–	–	–
12. Unspecified Industry	3	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
13. HOME TOTAL	367	348	53	42	26	11	32	6	43	20	69	49	52	38	92	182	–	–
14. Poisonings (gas excepted)	15	14	2	3	–	–	3	1	5	3	4	6	1	1	–	–	–	–
15. Poisonings by Gases and Vapors	13	10	–	–	–	–	1	1	4	3	2	4	2	–	4	2	–	–
16. Fire, Explosion of Combustible Material	89	66	16	8	14	4	6	3	12	8	17	17	13	8	11	18	–	–
17. Hot Substance, Corrosive Liquid, Steam	4	4	1	1	–	–	–	–	1	–	–	–	1	1	1	2	–	–
18. Mechanical Suffocation	22	10	21	8	–	–	–	–	–	1	1	1	–	–	–	–	–	–
19. Firearms	50	8	1	–	6	4	16	1	13	1	9	2	3	–	2	–	–	–
20. Falls on Same Level	26	37	1	3	–	–	–	–	1	–	7	1	2	1	15	32	–	–
21. Falls to Different Level or Unspecified	114	170	4	7	–	–	1	–	3	–	21	14	26	23	59	126	–	–
22. Other Specified Home Accidents	34	27	7	11	6	3	5	–	4	3	8	4	4	4	–	2	–	–
23. Unspecified Home Accidents	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
24. MOTOR–VEHICLE TOTAL	957	423	29	21	54	31	303	93	228	85	189	99	88	55	65	39	1	–
25. Injury to Pedestrian	136	59	7	7	24	10	20	5	22	5	24	11	21	9	18	12	–	–
26. Collision with Other Motor Vehicle	372	233	15	10	11	13	103	40	84	51	81	61	46	34	31	24	1	–
27. Collision with Railroad Train	27	26	–	1	1	3	5	6	8	5	7	10	4	1	2	–	–	–
28. Collision with Street Car	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29. Injury to Pedal Cyclist	8	–	–	–	6	–	1	–	–	–	–	–	1	–	–	–	–	–
30. Collision with Animal–drawn Vehicle or Animal	1	2	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
31. Collision with Fixed Object	47	8	–	–	2	1	11	2	16	4	16	–	2	1	–	–	–	–
32. Noncollision	340	89	6	2	8	3	154	39	96	20	52	16	13	7	11	2	–	–
33. Other and Unspecified Accident	26	6	1	1	1	1	9	1	2	–	9	–	1	2	3	1	–	–
34. PUBLIC NON-MOTOR-VEHICLE TOTAL (Priority given to items 35 to 39)	398	204	9	11	29	6	76	11	90	25	86	24	36	19	69	107	3	1
35. Railroad – Not with Motor Vehicle	19	–	–	–	2	–	2	–	4	–	4	–	6	–	–	–	1	–
36. Street Car – Not with Motor Vehicle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37. Other Vehicle – Not with Motor Vehicle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38. Water Transportation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
39. Air Transportation	33	10	1	1	2	–	7	5	17	4	6	–	–	–	–	–	–	–
40. Fire, Explosion of Combustible Material	15	6	1	3	–	–	1	–	2	1	7	–	–	–	4	2	–	–
41. Hot Substance, Corrosive Liquid, Steam	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
42. Drowning	101	14	–	2	20	3	31	3	30	4	15	1	2	–	1	1	2	–
43. Firearms	32	4	–	–	1	2	10	–	13	1	7	1	1	–	–	–	–	–
44. Falls on Same Level	19	22	–	–	–	–	–	–	4	–	2	3	4	4	9	14	–	1
45. Falls to Different Level or Unspecified	88	104	2	–	–	–	4	1	4	2	15	8	18	8	45	85	–	–
46. Other Specified Public Accidents	79	39	5	4	4	1	21	1	12	13	24	9	4	7	9	4	–	–
47. Unspecified Public Accidents	10	5	–	1	–	–	–	1	2	–	6	2	1	–	1	1	–	–
48. Type of Accident Unknown	7	3	2	–	–	1	–	–	–	1	4	1	1	–	–	–	–	–

MARRIAGES

GRAPH E.

MARRIAGE RATES 1949–1967
(per 1,000 population)



MARRIAGES

Year	Number	Rate	Year	Number	Rate
1949	34,689	8.8	1959	34,352	8.1
1950	34,300	8.7	1960	35,368	8.2
1951	30,880	7.7	1961	34,640	7.9
1952	28,373	7.0	1962	35,192	8.0
1953	33,012	8.1	1963	37,667	8.5
1954	33,520	8.2	1964	38,802	8.7
1955	34,162	8.3	1965	39,882	8.9
1956	34,382	8.3	1966	42,597	9.5
1957	31,395	7.5	1967	44,055	9.8
1958	31,965	7.5			

SOURCE: Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949 to date. Population estimates used for computing rates were: 1950 and 1960 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to date as computed by the Division of Health of Missouri.

TABLE 18.
REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI: 1967

Age of Groom	Total	Age of Bride: 15 & Und.	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75+	Not Stated
Total	44,055	566	1,535	2,511	4,928	5,598	5,385	4,211	3,041	2,174	1,654	1,286	948	754	645	512	497	445	349	359	307	1,472	1,267	1,087	778	615	484	336	177	104	30
15 & Under	12	3	4	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 Years	151	24	57	33	24	4	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 Years	986	87	244	320	188	80	40	8	8	3	2	1	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
18 Years	2,169	125	340	530	687	298	116	35	17	7	4	5	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
19 Years	3,581	132	343	556	1,008	974	357	114	42	16	10	2	6	4	4	1	2	2	-	1	1	-	1	-	-	-	-	-	-	1	4
20 Years	4,112	65	183	362	946	1,105	945	294	95	38	31	16	9	6	3	-	3	1	2	-	2	3	2	-	1	-	-	-	-	-	-
21 Years	4,481	49	121	239	722	1,022	1,049	806	229	108	45	25	19	11	7	8	3	2	-	1	4	3	2	-	-	-	-	-	-	-	6
22 Years	3,942	21	85	152	444	693	825	748	577	195	75	46	20	22	10	9	9	3	1	2	1	3	1	-	-	-	-	-	-	-	-
23 Years	3,484	16	51	109	327	473	636	592	540	380	148	78	46	29	14	10	7	5	4	2	5	9	-	1	-	-	-	-	-	-	2
24 Years	2,815	14	31	71	187	294	434	464	445	323	253	119	59	36	23	14	11	11	3	7	3	7	3	2	-	-	-	-	-	-	1
25 Years	2,329	7	24	37	121	210	319	361	317	268	235	165	83	54	31	23	17	21	8	8	2	11	4	-	-	-	1	-	-	-	2
26 Years	1,730	10	13	24	75	126	185	223	214	223	186	148	92	59	30	25	26	15	5	10	7	21	3	6	1	-	-	-	-	-	3
27 Years	1,335	4	8	17	69	93	124	137	149	150	131	131	83	63	43	24	29	23	10	6	9	25	5	1	1	-	-	-	-	-	-
28 Years	1,078	2	10	11	36	60	93	121	100	86	108	114	87	55	56	33	23	17	12	15	6	19	9	4	-	1	-	-	-	-	-
29 Years	876	1	6	16	27	50	61	77	60	82	89	79	72	61	35	46	24	22	11	7	9	30	9	2	-	-	-	-	-	-	-
30 Years	726	2	4	7	13	20	46	54	65	54	58	70	54	53	44	36	27	24	19	15	10	28	14	7	2	-	-	-	-	-	-
31 Years	629	-	2	3	5	23	34	37	44	44	58	53	51	31	39	39	30	28	19	16	14	46	11	2	-	-	-	-	-	-	-
32 Years	545	-	1	5	14	15	25	26	30	35	38	48	37	28	27	27	29	21	23	30	15	44	24	3	-	-	-	-	-	-	-
33 Years	491	-	2	2	1	10	13	19	23	28	38	25	40	34	38	19	35	38	19	18	13	50	20	4	1	-	-	1	-	-	-
34 Years	465	-	1	1	7	9	10	20	17	24	26	26	28	30	38	25	35	23	26	25	14	48	22	8	1	-	-	1	-	-	-
35-39 Years	1,862	2	1	8	14	24	42	33	40	66	65	81	87	106	118	89	94	85	85	90	90	358	184	78	15	5	1	-	-	-	1
40-44 Years	1,588	1	-	3	5	6	10	18	18	22	33	43	47	43	53	47	61	62	64	59	50	365	323	193	39	19	2	1	-	-	1
45-49 Years	1,241	1	1	-	4	3	9	9	6	7	12	8	17	21	17	27	16	25	19	30	36	219	295	282	107	50	14	4	1	-	1
50-54 Years	897	-	-	-	1	-	2	5	2	8	5	1	4	1	5	6	11	9	12	14	8	95	179	234	190	77	20	7	1	-	-
55-59 Years	771	-	1	2	-	1	2	1	-	4	-	2	3	4	3	2	1	4	5	2	5	44	102	148	203	148	58	16	8	1	1
60-64 Years	619	-	2	-	-	-	2	1	-	1	-	-	2	-	2	1	2	3	1	-	2	21	39	67	119	166	125	53	7	1	2
65-69 Years	445	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	1	-	11	8	26	56	79	136	86	25	11	1
70-74 Years	340	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	7	7	12	32	41	80	91	52	14	-
75 Years & Over	336	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	-	-	-	-	-	5	-	6	10	28	47	75	83	76	-
Not Stated	19	-	-	1	1	4	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	4

TABLE 19.

REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS, GROOMS AND BRIDES, MISSOURI: 1967

Age	Groom						Bride					
	Total	Single	Annulled	Widowed	Divorced	Not Stated	Total	Single	Annulled	Widowed	Divorced	Not Stated
Total	44,055	32,025	14	2,227	9,720	69	44,055	32,230	24	2,667	9,051	83
15 Years & Under	12	10	–	–	1	1	566	565	–	1	–	–
16 Years	151	151	–	–	–	–	1,535	1,528	–	–	4	3
17 Years	986	982	–	–	4	–	2,511	2,481	1	1	22	6
18 Years	2,169	2,155	–	–	11	3	4,928	4,823	–	2	94	9
19 Years	3,581	3,542	1	–	33	5	5,598	5,370	4	12	208	4
20 Years	4,112	4,022	1	4	80	5	5,385	4,980	1	11	384	9
21 Years	4,481	4,297	3	2	171	8	4,211	3,792	2	14	397	6
22 Years	3,942	3,703	1	3	232	3	3,041	2,622	3	14	398	4
23 Years	3,484	3,170	2	4	305	3	2,174	1,699	1	20	451	3
24 Years	2,815	2,433	3	12	367	–	1,654	1,179	3	23	449	–
25 Years	2,329	1,865	1	5	456	2	1,286	769	1	25	491	–
26 Years	1,730	1,271	–	8	448	3	948	498	1	20	428	1
27 Years	1,335	870	–	13	451	1	754	379	1	26	346	2
28 Years	1,078	671	–	12	394	1	645	271	1	17	355	1
29 Years	876	504	–	7	364	1	512	175	1	26	310	–
30 Years	726	343	–	11	372	–	497	157	1	29	309	1
31 Years	629	279	–	10	338	2	445	116	1	37	290	1
32 Years	545	204	–	13	328	–	349	86	–	30	232	1
33 Years	491	164	–	24	303	–	359	68	–	24	265	2
34 Years	465	147	–	14	303	1	307	56	–	20	231	–
35 Years	400	143	1	16	239	1	323	51	–	32	240	–
36 Years	365	97	–	15	253	–	270	45	–	29	196	–
37 Years	398	97	–	22	277	2	312	39	–	41	232	–
38 Years	352	83	–	23	246	–	274	43	–	24	206	1
39 Years	347	80	1	26	240	–	293	33	–	45	215	–
40 Years	374	70	–	33	270	1	274	42	–	41	189	2
41 Years	329	55	–	24	250	–	246	21	–	46	178	1
42 Years	304	53	–	33	218	–	246	25	–	52	169	–
43 Years	294	51	–	24	219	–	252	33	–	51	168	–
44 Years	287	41	–	24	221	1	249	13	1	56	179	–
45-49 Years	1,241	192	–	171	876	2	1,087	97	1	365	621	3
50-54 Years	897	101	–	228	565	3	778	59	–	347	368	4
55-59 Years	771	61	–	306	403	1	615	29	–	356	227	3
60-64 Years	619	53	–	331	229	6	484	35	–	340	105	4
65-69 Years	445	34	–	275	134	2	336	20	–	258	55	3
70-74 Years	340	10	–	256	70	4	177	7	–	138	29	3
75 Years & Over	336	11	–	274	46	5	104	5	–	90	8	1
Not Stated	19	10	–	4	3	2	30	19	–	4	2	5

TABLE 20.

REPORTED MARRIAGES BY MARITAL STATUS, MISSOURI: 1967

Groom	Bride					
	Total	Single	Widowed	Divorced	Annulled	Not Stated
Single	32,025	28,922	394	2,675	13	21
Widowed	2,227	288	1,277	661	–	1
Divorced	9,720	3,001	994	5,709	8	8
Annulled	14	7	1	3	3	–
Not Stated	69	12	1	3	–	53
Total	44,055	32,230	2,667	9,051	24	83

TABLE 21.

REPORTED MARRIAGES BY COLOR OF GROOM, MISSOURI: 1967


Color	Number
White	39,530
Nonwhite	4,406
Other*	8
Not Stated	111
Total	44,055

*Includes Indians, Mexicans, Japanese & Chinese

DIVORCES

GRAPH F.

DIVORCE RATES 1949–1967
(per 1,000 population)



DIVORCES

Year	Number	Rate
1949	12,912	3.3
1950	12,177	3.1
1951	12,131	3.0
1952	12,943	3.2
1953	12,342	3.0
1954	11,705	2.9
1955	11,351	2.8
1956	10,993	2.6
1957	10,861	2.6
1958	10,747	2.5
1959	11,695	2.8
1960	11,320	2.6
1961	11,574	2.7
1962	11,882	2.7
1963	12,652	2.9
1964	12,785	2.9
1965	13,261	3.0
1966	13,758	3.1
1967	14,520	3.2

Source: Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates used for computing rates were: 1950 and 1960 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to date as computed by the Division of Health of Missouri.

TABLE 22

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES, HUSBAND vs WIFE, MISSOURI: 1967

Husband	Total	WIFE None	One	Two	Three	Four	Five or More	Not Stated
				DIVORCES				
TOTAL	14,418	3	9,644	3,368	957	233	110	103
None	3	2	–	1	–	–	–	–
One	9,627	–	8,236	1,120	183	48	14	26
Two	3,322	–	1,132	1,623	410	89	48	20
Three	943	1	173	442	244	54	26	3
Four	267	–	49	104	68	33	12	1
Five or more	124	–	22	45	41	7	9	–
Not Stated	132	–	32	33	11	2	1	53
				ANNULMENTS				
TOTAL	102	–	43	34	14	4	1	6
None	–	–	–	–	–	–	–	–
One	47	–	32	11	1	–	–	3
Two	29	–	7	13	5	2	1	1
Three	10	–	2	3	4	1	–	–
Four	4	–	–	1	2	1	–	–
Five or more	5	–	–	5	–	–	–	–
Not Stated	7	–	2	1	2	–	–	2

TABLE 23

REPORTED DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE, MISSOURI: 1967

Duration of Marriage (In Years)	Number Total	Divorces	Annulments
TOTAL	14,520	14,418	102
Under 1 Year	445	407	38
1 Year	1,484	1,444	40
2 Years	1,491	1,477	14
3 Years	1,339	1,336	3
4 Years	1,123	1,122	1
5 Years	940	938	2
6 Years	766	766	–
7 Years	720	717	3
8 Years	590	590	–
9 Years	492	492	–
10 Years	460	460	–
11 Years	442	442	–
12 Years	379	379	–
13 Years	316	316	–
14 Years	286	286	–
15 Years	322	322	–
16 Years	298	297	1
17 Years	256	256	–
18 Years	219	219	–
19 Years	241	241	–
20-24 Years	944	944	–
25-29 Years	525	525	–
30-34 Years	240	240	–
35-39 Years	106	106	–
40 Years & Over	73	73	–
Not Stated	23	23	–

TABLE 24

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI: 1967

Children Reported	Total	Number Divorces	Annulments
TOTAL	14,520	14,418	102
No Children	6,315	6,217	98
One Child	3,313	3,311	2
Two Children	2,450	2,448	2
Three Children	1,305	1,305	–
Four Children	662	662	–
Five Children	275	275	–
Six Children	103	103	–
Seven Children	54	54	–
Eight Children	14	14	–
Nine or more Children	7	7	–
Not Stated	22	22	–

TABLE 25

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT vs TO WHOM DECREE GRANTED, MISSOURI: 1967

Complainant	Total	Decree To Whom Granted: Husband	Wife	Separate Maintenance: Husband	Wife	Not Stated
		DIVORCES				
TOTAL	14,418	3,250	11,158	–	1	9
Husband	3,754	3,132	619	–	–	3
Wife	10,638	115	10,518	–	1	4
Others	2	–	2	–	–	–
Not Stated	24	3	19	–	–	2
		ANNULMENTS				
TOTAL	102	35	67	–	–	–
Husband	36	35	1	–	–	–
Wife	66	–	66	–	–	–
Others	–	–	–	–	–	–
Not Stated	–	–	–	–	–	–

TABLE 26

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT vs DISPOSITION OF CHILDREN, MISSOURI: 1967

Complainant	Total	Disposition of Children: Husband	Wife	Guardian	Joint	Custody to Others	Not Stated	No Children
			DIVORCES					
TOTAL	14,418	653	7,132	–	196	48	135	6,254
Husband	3,754	489	1,040	–	79	25	78	2,043
Wife	10,638	164	6,081	–	117	23	56	4,197
Others	2	–	1	–	–	–	–	1
Not Stated	24	–	10	–	–	–	1	13
			ANNULMENTS					
TOTAL	102	–	4	–	–	–	–	98
Husband	36	–	2	–	–	–	–	34
Wife	66	–	2	–	–	–	–	64
Others	–	–	–	–	–	–	–	–
Not Stated	–	–	–	–	–	–	–	–

TABLE 27

REPORTED DIVORCES AND ANNULMENTS BY ALIMONY AND SETTLEMENT, MISSOURI: 1967

Number

Alimony and Settlement	Total	Divorces	Annulments
TOTAL	14,520	14,418	102
No Alimony or Support	7,288	7,191	97
Alimony to Wife	704	704	–
Alimony to Husband	2	2	–
Property Settlement	22	22	–
Support to Children	3,294	3,293	1
Alimony and Child Support	3,145	3,144	1
Alimony or Support to Others	–	–	–
Not Stated	65	62	3

TABLE 28

REPORTED DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE, MISSOURI: 1967

Number

Legal Grounds For Decree	Total	Divorces	Annulments
TOTAL	14,520	14,418	102
Adultery	103	103	–
Cruelty	198	198	–
Desertion	774	774	–
Drunkenness	79	79	–
Non-Support	104	104	–
Bigamy	3	3	–
Conviction of Crime	36	36	–
General Indignities	13,118	13,118	–
Insanity	–	–	–
Annulments	102	–	102
Social Disease	–	–	–
Not Stated	3	3	–

TABLE 29

REPORTED DIVORCES AND ANNULMENTS BY COLOR, HUSBAND vs WIFE, MISSOURI: 1967

Wife

Husband	Total	White	Nonwhite	Other	Not Stated
			DIVORCES		
TOTAL	14,418	12,685	1,615	–	118
White	12,663	12,625	4	–	34
Nonwhite	1,619	9	1,605	–	5
Other	1	1	–	–	–
Unknown	135	50	6	–	79
			ANNULMENTS		
TOTAL	102	94	7	–	1
White	94	93	–	–	1
Nonwhite	7	–	7	–	–
Other	–	–	–	–	–
Unknown	1	1	–	–	–

TABLE 30

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CASES CONTESTED, MISSOURI: 1967

Number

Contestant	Total	Divorces	Annulments
TOTAL	14,520	14,418	102
Husband	3,285	3,250	35
Wife	11,225	11,158	67
Other*	1	1	–
Not Stated	9	9	–

*Separate Maintenance



Department of Public Health and Welfare
THE DIVISION OF HEALTH OF MISSOURI
Statistical Services
State Office Building
Jefferson City, Missouri 65101